

REVENGE RODENT SMOKE BOMB

Batch Code:

WARNING: Keep Out of Reach of Children. After ignition, cartridge produces toxic gasses (such as oxides of sulfur and carbon monoxide). Fumes may be harmful if inhaled.

Net Weight 1 oz. [each cartridge]

IMPORTANT: SEE PRECAUTIONARY STATEMENTS ON BACK OF PACKAGE AND FOLLOW ENTIRE DIRECTIONS FOR USE BEFORE USING.

ACTIVE INGREDIENTS:

Sulfur	39.4%
Potassium Nitrate	28.8%
Charcoal Carbon	9.3%
INERT INGREDIENTS	12.5%
Total	100.0%

Minimum Fuse Burn Time: 5 seconds

xide International, Inc. rchmont, New York 10538 U.S gistration No. 9086-4



ENVIRONMENTAL HAZARDS/USE DIRECTIONS

Before applying product, read entire labeling (Outer Package, Cartridge, and Insert Labels) for information on ingredients, storage/disposal, use directions, and precautions.

This Insert includes the "Environmental Hazards" text, included "ENDANGERED SPECIES CONSIDERATIONS", and the "DIRECTIONS FOR USE".

PRECAUTIONARY STATEMENTS

Environmental Hazards

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows.

ENDANGERED SPECIES CONSIDERATIONS

General Considerations

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

The killing of a member of an endangered species due to the use of gas cartridges may result in a fine and/or imprisonment under the Endangered Species Act. All users of this product must determine whether endangered species are known to occur or might occur in the intended use areas.

Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State agency for current information on habitats occupied by endangered species.

Specific Considerations

Use this product according to these instructions to protect endangered species.

<u>Black-Footed Ferret (Mustella nigripes)</u>: To limit risks to the black-footed ferret and to avoid destruction of its prey base, do not use this product within 4.3 miles (7 kilometers) of any prairie dog town unless the colony is an isolated black-tailed prairie dog town less than 80 acres in size or an isolated white-tailed or Gunnison prairie dog town less than 200 acres in size, or unless the town has been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found not to contain black-footed ferrets and found by the FWS not to be suitable site for ferret reintroductions.

Use of this product within the occupied habitats of the organisms listed immediately below is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California state or Federal agencies. or agents of county agricultural offices or university extension offices.

<u>Fresno kangaroo rat (Dipodomys nitratoides exilis)</u> in Fresno and Merced Counties, California.

Giant kangaroo rat (*D. Ingens*) in Merced, Fresno, Kings, Tulare, Kern, San Luis Obispo, and Santa Barbara Counties, California.

<u>Stephen's kangaroo rat (D. Stephensi)</u> in Riverside, San Diego, and San Bernadino Counties, California.

<u>Tipton kangaroo rat (D.n.nitratoides)</u> in Kings, Tulare, Kern and Fresno Counties, California

Point Arena mountain beaver (Aplodontia rufa nigra) in Mendocino County, California. San Joaquin kit fox (Vulpes macrotis mutica) unless authorized by the U. S. Fish and Wildlife Service in Alameda, Contra Costa, Fresno, Kern, Kings, Merced, Monterey, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Santa Clara, Stanislaus, or Tulare Counties, California.

<u>Desert Tortoise (Fopherus agassizil)</u> in Arizona, southern California, southern Nevada, and southern Utah.

Do not use this product within the occupied habitats of the endangered animals listed immediately below.

<u>Hualapal Mexican vole (M. mexicanus hualpalensus)</u> in Mohave County, Arizona. <u>Morro Bay kangaroo rat (D. heermanni morroensis)</u> in San Luis Obispo County, California

<u>Utah prairie dog *(Cynomys parvidens)*</u> in Garfield, Iron, Kane, Piute, Sevier, and Wayne Counties, Utah.

<u>Coachella Valley fringe-toed lizard (Uma inornata)</u> in the Coachella Valley area of southern California.

<u>Island night lizard (Xantusia riversiana)</u> on Santa Barbara, San Clemente, and San Nicolas Islands, California.

<u>Blunt-nosed leopard lizard (Gambelia silus)</u>: Do not use this product within the occupied habitat of the blunt-nosed leopard lizard in Fresno, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Clara and Stanislaus Counties, California, from October 1 to April 15 unless a specific blunt-nosed lizard protection plan for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species from April 15 through September 30 is limited to daylight hours when air temperatures are 77-95° F (20-30° C).

2

3

San Francisco garter snake (Thamnoiphis sirtalis tetrataenis): Do not use this product within the occupied habitat of the San Francisco garter snake in San Mateo, San Francisco, Santa Clara, and Santa Cruz Counties, California from November 1 to March 30 unless a specific San Francisco garter snake protection program for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species under such approved programs or from April 1 through October 31 is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California State or Federal agencies, or agents of county agricultural offices or university extension offices.

<u>Eastern Indigo snake (Drymarchon corais couperi)</u>. Do not use this product within habitat types and locales known to support the Eastern Indigo snake throughout Florida and the coastal plain of Georgia.

<u>Gopher tortoise (Gopherus polyphemus)</u>: Do not use this product in or adjacent to known gopher tortoise occupied habitat west of the Mobile and Tombigbee Rivers in Alahama

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

FOR OUTDOOR USE ONLY. This product may be used only to control woodchucks and pocket gophers in non-crop areas (including residential lawns, parks, golf courses, reforested areas, open fields) and in rangeland. Do not use where use of gas cartridges is prohibited by local ordinances. Do not use under buildings, homes, porches or any structure due to possible fire hazard. Only use inside of burrows and never inside of buildings. Product effectiveness may be limited in dry or porous soil which permits the escape of toxic gases from treated burrow.

PRIOR TO APPLICATION:

Carefully observe areas to be treated. Apply cartridges only to burrow systems or dens currently being used by target species. Do not apply cartridges to burrows or dens known or believed to contain non-target vertebrate animals. Do not use cartridges where vegetation is dry and likely to catch fire.

APPLICATION STEPS:

- Read and understand the specific directions for the type of animal that you intend to control.
- Collect sufficient soil, rocks or other noncombustible materials to close burrow system after insertion of cartridge.
- 3. Make sure the burrow or den hole(s) are large enough for easy insertion of cartridge.
- 4. Position yourself so that you can light fuse and promptly insert cartridge into burrow. The minimum burn time is 5 seconds. Avoid breathing cartridge smoke.
- 5. Prepare hold for treatment as specified below [on this label] for target animal control
- 6. Insert fuse into cartridge, making sure at least two inches of fuse protrudes from the cartridge (minimum burn time 5 seconds). Working quickly, light fuse and insert cartridge into hole <u>fuse-end first</u>. Never light the cartridge directly [or with less than 2 inches of fuse] nor hold a burning cartridge in your hand. Cover hold immediately with rock or sod, taking care not to smother cartridge. Immediately cover all openings from which gas escape is visible.









NOTE: The effectiveness of this product will be limited under conditions of dry or porous soil which permit the escape of toxic gases from treated burrow.

<u>Woodchucks</u>: Locate all entrances. Select one for treatment and close all other entrances with rock or dirt. Follow Application Steps 1-6 above [on this label]. Consult state game laws before using this product for woodchuck control.

Pocket Gophers: Burrow Preparation - Locate a characteristic fan-shaped soil mound with signs of recent activity (e.g., recently excavated soil) at plugged burrow entrances. Determine if burrow is active by removing soil plug from center of each burrow entrance. Return the next day to see if the burrow opening has been re-plugged, indicating active use by a pocket gopher. DO NOT treat burrows that remain unplugged. Find the horseshoe-shaped depression on one side of the plugged mound. Locate the main runway by probing the ground 15-18" (38-46cm) from the mound, starting on the same side as the depression. The main runway has been located when friction on the probe is released and it falls into the runway. Using a shovel or trowel, dig down to the main runway, taking care not to block it with soil, to create a hole. Follow Application Steps 1-6 above [on this label]. Treat all active mounds. One cartridge placed in the end of a runway should be sufficient. One or more additional cartridges should be used if treatment takes place in the middle of runway or if runway is "T-shaped" to reach pocket gophers that may be on the untreated side of the plugged runway. Re-treat in 5-7 days if new or residual activity appears.

QUESTIONS OR COMMENTS?

Call 1-914-630-7700. Weekdays, 9-5 Eastern Time Or write Jim Barry, Consumer Relations

EPA Reg. No. 9086-4, EPA Est. No. 9086-THA-001

Manufactured for: Roxide International, Inc. P. O. Box 239 Larchmont, NY 10538

5



THIS PRODUCT MAY BE USED ON LAWNS, PARKS, GOLF COURSES, RANGELAND, REFORESTED AREAS, OPEN FIELDS, MEADOWS, AND NON-CROP AREAS.

Contents: (4) 1 Oz. Revenge Rodent Smoke Bombs

Net Wt. 4.4 oz. (1.1 ea.)

ACTIVE INGREDIENTS:

Sulfur 39.4% Potassium Nitrate 38.8%

Charcoal Carbon 9.3%
INERT INGREDIENTS 12.5%

otal 100.0%

See Back Panel and Insert for additional precautions, use directions and restrictions, and endangered species considerations.





EPA EST. No. 9086-THA-001

9086-4 EPA

<u>8</u>

REG.

KEEP OUT OF REACH
OF CHILDREN
WARNING



Do not use in, under, or near buildings, homes, porches or any structure.

Questions or Comments?Call 1-914-630-7700 Weekdays,

Call 1-914-630-7700 Weekday 9-5 Eastern Time Or write Jim Barry, Consumer Relations Manufactured for Roxide International, Inc. P. O. Box 239 Larchmont, NY 10538

Batch Code:

8TOCK#

IF EMPTY: Place in trash or offer for recycling it available.

IF PARTLY FILLED: To dispose of unused cartridges, soak in water, crush, and bury in at least 6" of loose soll. Mever place unused product down any indoor or outdoor drain.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets. PESTICIDE DISPOSAL: Wonrefillable Container. Do not reuse or refill this container.

JA2092ID DISPOSAL

поу піть Івды уоп

manner inconsistent with its labeling. See "Insert" for complete use directions and use restrictions.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

Chemical Hazards
Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials. Keep ignited cartridge away from your face.

Environmental Hazards
This product is highly toxic to wildlife. Check all burrows for signs of nonitarget species. If present, do not brest burrows. See "Peckage Insert" for complete Environmental Hazards" text, including "embanceReD SPECIES CONSIDERATIONS".

"ENDANCERED SPECIES CONSIDERATIONS".

WARNING: Causes eye imitation. Harmful if absorbed through skin. After ignition, cartridge produces toxic gases funds that od surface of sulfur gases and carbon monoxide.) Fumes from ignited cartridge may be harmful if inhaled. Avoid contact with eyes, skin or clothing. Avoid contact with eyes, skin or clothing. Wash thoroughly with song and water after handling.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

ln Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. The poison control center, doctor, or 1-800-222-1222
bəlsdni il	 Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.
If on Skin or Clothing	Take off contaminated clothing. Minse skin immediately with plenty of water for 15-20 mins. Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.
Swallowed	(full free number optional) immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.

• Call a poison control center, doctor, or 1-800-222-1222

GIA T2817

ing treatment advice.

immediately for treatment advice.

RODENL RWOKE BOWB

EIGHT



