BAYER ADVANCED™

100% SATISFACTION GUARANTEED

Bermudagrass Control for Lawns

READY-TO-SPRAY

Controls the Weed - but won't harm listed lawns†

¡HABLA ESPAÑOL? SEE EL PANEL TRASERO

Controla la maleza pero no daña los céspedes de la lista

- **For use on Kentucky Bluegrass[1], Perennial Ryegrass & Fescue Lawns**
- **Not for use on Bermudagrass, Bentgrass, St.Augustine (including Floratam), Centipede, Bahia, or Zoysiagrass Lawns**

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional precautionary statements

Active Ingredients:
Fenoxaprop-p-ethyl**: ... 0.41%
Other Ingredients 99.59%
Total 100.00%

**CAS No. 71283-80-2

†When used as directed.
[1]Temporary discoloration may occur on Kentucky bluegrass lawns, but they will recover.

Treats 5,000 sq ft

79019629 R.1

NET CONTENTS 32OZ

BAYER ADVANCED

Bermudagrass Control for Lawns

READY-TO-SPRAY

PRECAUTIONARY STATEMENTS (cont'd)

CAUTION	Hazards to Humans and Domestic Animals

- Harmful if swallowed.
- Causes moderate eye and skin irritation.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco
- Avoid contact with eyes, skin or clothing. Wear protective eyewear.
- Wear long-sleeved shirt and long pants, socks and shoes.
- When using this product, wear long sleeved shirt and long pants, shoes plus socks

After using this product:

- If product gets on skin, wash thoroughly with soap & water.
- If product gets on clothing, remove clothing as soon as possible and launder clothing separately before reuse.

FIRST AID ✚

IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.

For MEDICAL Emergencies Call 24 Hours A Day 1-877-229-3763.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.
NOTE: If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. Active Ingredients: 0.41% Fenoxaprop-p-ethyl (CAS # 71283-80-2).
NOTE TO PHYSICIAN: This product may pose an aspiration pneumonia hazard. Contains petroleum distillates.

NOTICE : Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

***Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

EPA Reg. No. 72155-74
EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (65) =432-TX-1 (49) = 072155-AL-001 (39) = 58996-MO-1 (13) = 071106-GA-001

Bayer (reg'd, Bayer Cross (reg'd) and Bayer Advanced™ are trademarks of Bayer.

Produced for: Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709

PRESS TO RESEAL

Product of Germany

79456654b R.1

DECLARACIONES DE PRECAUCIÓN *(continuación)*

PRECAUCIÓN **Peligros para seres humanos y animales domésticos**

- Es perjudicial si se ingiere.
- Causa irritación moderada en los ojos y la piel.
- Lavarse prolijamente con agua y jabón después de manipular este producto y antes de comer, masticar goma de mascar o fumar.
- Evitar el contacto con los ojos, la piel o la ropa. Usar anteojos protectores.
- Al utilizar este producto, usar camisa de mangas largas y pantalones largos, zapatos y medias.

Después de utilizar este producto:

- Si el producto entra en contacto con la piel, lavarse prolijamente con agua y jabón.
- Si el producto entra en contacto con la ropa, quitarse la ropa lo antes posible y lavarla en forma separada antes de volver a usar.

PRIMEROS AUXILIOS ✚

EN CASO DE INGESTIÓN	• Llamar inmediatamente a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento. • Hacer que la persona beba tragos de agua, si puede tragar. • No inducir el vómito a menos que lo indique un centro de control de envenenamiento o el médico. • No administrar nada por boca a una persona inconsciente.
EN CASO DE CONTACTO CON LOS OJOS	• Mantener los ojos abiertos y enjuagar en forma lenta y suave con agua durante 15 a 20 minutos. • Retirar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, y luego continuar enjuagando los ojos. • Llamar a un médico o a un centro de control de envenenamiento para mayores consultas sobre el tratamiento.
EN CASO DE CONTACTO CON LA PIEL	• Quitar la ropa contaminada. • Enjuagar la piel de inmediato con abundante agua durante 15 a 20 minutos. • Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.

Para emergencias MÉDICAS llamar las 24 horas del día al 1-877-229-3763.
Tener el contenedor o la etiqueta del producto a mano al llamar a un centro de control de envenenamiento o al médico o al concurrir a un tratamiento.
NOTA: En caso de solicitar tratamiento en una sala de emergencias o en el consultorio de un médico, llevar la etiqueta del producto para mostrarla al personal médico.
Ingrediente activo: 0.41% fenoxaprop-p-etil [CAS Nº 71283-80-2].
NOTA AL MÉDICO: Este producto puede presentar riesgo de neumonía por aspiración. Contiene petróleo destilado.

NOTA : Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. En la medida que sea acorde con la ley pertinente, el Comprador asume la responsabilidad por la falta de rendimiento si no es utilizado de acuerdo con las indicaciones.
***Garantía de devolución de dinero:** Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

BAYER ADVANCED

Bermudagrass Control for Lawns

READY-TO-SPRAY

OPEN *Resealable Label for Directions & Precautions*

This formula is ideal if you have bermudagrass invading your lawn or if you missed your pre-emergent crabgrass control application and it will not harm your lawn when used as directed. One bottle treats 5,000 square feet. Controlling bermudagrass and other listed weeds in your lawn has never been easier!

READ THE LABEL FIRST!

READ LABEL FIRST

Indicaciones en español después de las de inglés

QUICK FACTS

- **Controls Bermudagrass in Lawns**
- **Even Kills Large Crabgrass**
- **One Quart Covers 5,000 Sq. Ft.**
- **Rainproof in one hour**

KILLS	Bermudagrass [controls], Crabgrass, Foxtail, Sandbur, Japanese Stiltgrass & other grass weeds
WHERE TO USE	ON LAWNS without harming lawn grass (†DO NOT use on St. Augustine [including Floratam], Bermudagrass, Bentgrass, Zoysiagrass, Centipede or Bahia lawns) Around most established ORNAMENTAL trees, shrubs, perennials & annuals. (DO NOT use around: barharbor juniper, philodendron, pittosporum, podacarpus, salvia)
COVERAGE	This bottle treats an average size lawn (5,000 sq ft) Just hook bottle to hose and you are ready
☎	For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724)

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:
Fenoxaprop-p-ethyl** 0.41%
OTHER INGREDIENTS 99.59%
TOTAL 100.00%

EPA Reg. No. 72155-74
EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (65) =432-TX-1 (49) = 072155-AL-001
(39) = 58996-MO-1 (13) = 071106-GA-001

**CAS No. 71283-80-2

6 87073 04100 2

79456654b R.1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE
Shake Well Before Use

CONNECT
1. Shake well before use.
2. Connect sprayer to garden hose.
3. Turn on water.

SPRAY
1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
2. Begin spraying – Press lock tab while using other hand to turn sprayer valve to ON position.
3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated grass.

FINISH
1. To stop spraying, Press lock tab while using other hand to turn sprayer valve to OFF position.
2. Turn off water at faucet.
3. Relieve water pressure in hose by turning sprayer valve back to ON position until water slows to a drip then turn sprayer valve to OFF position.
4. Disconnect sprayer from hose.

FOR BEST RESULTS

WHEN TO APPLY:
- Spray when grass weeds are small and actively growing and temperature is below 90˚F.
- To control Bermudagrass, up to seven applications spaced one month apart may be required. Make the first application in the spring when the Bermudagrss begins to green up. Repeat the following growing season if necessary.
- Do not make more than seven applications per year.
- Before treating new or renovated lawns,
  - New grass seedlings must be at least 1 month old (3 months for Kentucky bluegrass).
  - Kentucky bluegrass sod must be at least 1 month old since installation.

(cont'd)

DIRECTIONS FOR USE *(cont'd)*

FOR BEST RESULTS *(cont'd)*

WHEN TO APPLY *(cont'd)*:
- Treated fescue and perennial ryegrass lawns may be re-seeded immediately after application, however, wait 3 weeks after application to Kentucky Bluegrass before reseeding.
- Do NOT use around these ornamental plants: barharbor juniper, philodendron, pittosporum, podocarpus, salvia.

MOWING:
- Do not mow for 24 hours after spraying.

WATERING:
- If lawn is dry, water 1 to 2 days before or within 1 day after using this product.
- Rain or watering 1 hour after application will not wash away effectiveness.

HOW IT WORKS

This product contains a Bayer herbicide proven to control bermudagrass, crabgrass & other listed grass weeds down to the roots without harming the lawn or other desirable plants. This product is absorbed by the weed leaves therefore thorough coverage is important to ensure best control. Visible effects usually appear within 4 – 10 days as a yellowing &/or reddening of the grass weed leaves.

KILLS GRASS WEEDS

Bermudagrass [controls]	**Foxtail**	**Panicum**
Crabgrass (Large/Hairy, Smooth)	**Goosegrass (Silver Crabgrass)**	**Sandbur**
Barnyardgrass	**Japanese Stiltgrass**	
	Johnsongrass (seedling)	

Do not allow people (other than applicator) or pets on treatment area during application and until spray has dried.

IMPORTANT-Directions for Storage and Disposal

STORAGE CONDITIONS	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
DISPOSAL	**If Empty:** • Nonrefillable container. Do not reuse or refill this container. • Place in trash or offer for recycling if available. **If Partly Filled:** • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

- This product is toxic to fish & aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Do not apply when weather conditions favor run off or drift.
- Drift or runoff may harm aquatic invertebrates and non-target plants.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

- **Controla el césped Bermuda en el jardín**
- **Incluso mata garranchuelos grandes**
- **Un cuarto de galón (0.95 litros) cubre 5,000 pies cuadrados (450 m²)**
- **A prueba de lluvia en una hora**

MATA	Césped Bermuda (control), garranchuelo, cola de zorro, roseta, stiltgrass japonés y otras malezas del césped
DÓNDE USAR	SOBRE EL CÉSPED sin dañar la hierba (†NO usar sobre el césped San Agustín [incluyendo la gramínea Floratam], césped Bermuda, gramínea Bentgrass, césped Zoysia, Centipede o Bahía) Alrededor de la mayoría de los árboles, arbustos, plantas perennes y anuales establecidas ORNAMENTALES. (NO utilizar alrededor de: enebro Barharbor, filodendro, pittosporum, podacarpus, salvia)
COBERTURA	Esta botella trata un césped de tamaño promedio (5,000 pies cuadrados (450 m²)). Sólo conectar la botella a la manguera y listo.
☎	Para hacer preguntas o comentarios, llamar al número gratuito 1-877-BayerAG (1-877-229-3724)

INGREDIENTE ACTIVO:
Fenoxaprop-p-etil** 0.41%
OTROS INGREDIENTES 99.59%
TOTAL 100.00%

**CAS Nº 71283-80-2

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en la etiqueta

CÓMO USARLO **Agitar bien antes de usar**	**CONEXIÓN** 1 Agitar bien antes de usar. 2. Conectar el rociador a la manguera del jardín. 3. Abrir el grifo de agua.

(continúa)

INDICACIONES DE USO *(continuación)*

CÓMO USARLO
Agitar bien antes de usar
(continuación)

PARA ROCIAR

1. Extender la manguera al área más lejana a tratar y apuntar la boquilla del rociador hacia el área a rociar.
2. Comenzar a rociar.
   Presionar la lengüeta de cierre utilizando la mano libre para girar la válvula del rociador a la posición "ON".

3. Caminar a paso lento constante a medida que rocía, utilizar un movimiento de barrido parejo y superponer levemente las áreas tratadas. Trabajar de espaldas al grifo para evitar caminar sobre el césped mojado ya tratado.

AL FINAL

1. Para dejar de rociar, presionar la lengüeta de cierre utilizando la mano libre para girar la válvula del rociador a la posición "OFF".
2. Cerrar el grifo de agua.
3. Reducir la presión de agua de la manguera girando la válvula del rociador nuevamente a la posición "ON" hasta que el agua lentamente gotee y luego girar la válvula del rociador a la posición "OFF".
4. Desconectar el rociador de la manguera del jardín.

PARA OBTENER MEJORES RESULTADOS

CUÁNDO APLICAR:

- Rociar cuando las malezas del césped son pequeñas y están en crecimiento activo y la temperatura es inferior a 90º F (32º C).
- Para controlar el césped Bermuda, pueden ser necesarias hasta 7 aplicaciones mes por medio. Realizar la primera aplicación en la primavera cuando el césped Bermuda comienza a reverdecer. Si fuera necesario, repetir la siguiente temporada de crecimiento.
- No realizar más de siete aplicaciones por año.
- Antes de tratar césped nuevo o renovado:
  - Los nuevos almácigos de césped deben tener al menos 1 mes (3 meses para el pasto azul de Kentucky).
  - El pan del pasto azul de Kentucky debe tener al menos 1 mes de edad desde la instalación.
- El césped de cañuela y ballico perenne tratados pueden resembrarse inmediatamente después de la aplicación; sin embargo, espere 3 semanas después de la aplicación al pasto azul de Kentucky antes de resembrar.
- NO utilizar alrededor de estas plantas ornamentales: enebro Barharbor, filodendro, pittosporum, podocarpus, salvia.

SEGADO: • No segar durante 24 horas después de rociar.

RIEGO: • Si el césped está seco, regar 1 ó 2 días antes o dentro de las 24 horas después de utilizar este producto.

- La lluvia o riego una hora después de la aplicación no afectará la eficacia del producto.

INDICACIONES DE USO *(continuación)*

CÓMO FUNCIONA

Este producto contiene un herbicida de Bayer probado para el control del césped Bermuda, el garranchuelo y otras malezas de la lista hasta la raíz sin dañar el césped u otras plantas deseables. Las hojas de las malezas absorben este producto, por consiguiente, es importante la cobertura minuciosa para asegurar el mejor control. Los efectos visibles generalmente aparecen dentro de los 4 a 10 días a medida que desaparece el color amarillento y/o rojizo de las malezas del césped.

ELIMINA LAS MALEZAS DEL CÉSPED

Césped Bermuda [control]	**Cola de zorro**	**Sorgo de alepo (almácigo)**
Garranchuelo (grande/pasto de cuaresma, suave)	**Grama caraspera (garranchuelo plateado)**	**Panicum**
Capín arroz	**Stiltgrass japonés**	**Roseta**

No permitir a las personas (excepto al aplicador) ni a las mascotas ingresar al área tratada durante la aplicación y hasta que el césped se haya secado.

IMPORTANTE-Indicaciones de almacenamiento y eliminación

CONDICIONES DE ALMACENAMIENTO

Almacenar en el contenedor original y en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un armario bajo llave. Proteger del congelamiento.

ELIMINACIÓN

Si está vacío:

- Contenedor no reusable. No volver a utilizar ni rellenar este contenedor.
- Colocar el contenedor vacío en la basura o entregarlo para reciclar si fuera posible.

Si está parcialmente lleno:

- Llamar a la agencia local de residuos sólidos o al número gratuito 1-877-229-3724 para solicitar indicaciones para la eliminación.
- Nunca colocar el producto sin utilizar debajo de algún desagüe interno o externo.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PELIGROS AMBIENTALES

• Este producto es tóxico para los peces e invertebrados acuáticos. No aplicar directamente a lagos, arroyos, ríos o estanques. • No aplicar cuando las condiciones climáticas favorezcan la deriva o el escurrimiento. • La deriva o el escurrimiento pueden dañar a invertebrados acuáticos y plantas no objeto del producto. • Para proteger el medio ambiente, no permitir que el pesticida ingrese o se escurra en las bocas de tormenta, zanjas, alcantarillas o aguas superficiales. Aplicar este producto cuando el clima esté calmo y no haya probabilidad de lluvia para las 24 horas siguientes, ayudará a garantizar que el viento o la lluvia no dispersen o escurran el pesticida del área de tratamiento. Enjuagar el equipo de aplicación sobre el área tratada ayudará a evitar el escurrimiento a los organismos acuáticos y los sistemas de desagüe.