

**KEEP OUT OF REACH
OF CHILDREN**

CAUTION: For external veterinary use only. Use only as directed. Avoid contact with eyes and mucous membranes. Do not use on cats. Prevent dogs from licking treated area. If redness, irritation, or swelling persists or increases, discontinue use and consult veterinarian. In case of serious burns, deep or puncture wounds, consult veterinarian. Not for use on food-producing animals. Avoid inhalation. Contents under pressure. Do not use or store near heat or open flame. Exposure to temperature above 120°F. may cause bursting. Do not puncture or incinerate can.



Dr. Naylor

RED-KOTE

**VETERINARY
SCARLET RED OIL**

**Antiseptic Wound Dressing
Non-Drying • Softening**

Active Ingredients: Phenol 3.25%, Biebrich Scarlet Red .19%. In a soothing, softening vegetable oil base. Isopropyl alcohol 4.2% by volume.

DANGER: EXTREMELY FLAMMABLE

Net Weight: Five Ozs. (142 grams)

H.W. NAYLOR CO., INC.
Morris, N.Y. 13808
USA

**SPRAY IT ON
HORSES • DOGS**

Superficial:

- Scratches
- Wire Cuts
- Lacerations
- Abrasions
- Slow-healing ulcers
- Chafes
- Surface Cuts
- Rope Burns

**ADHERING • SOOTHING
PROTECTIVE
FIGHTS INFECTION**

DIRECTIONS: Clean and dry affected area thoroughly before spraying. Keep wound clean and dry.

Shake Well. Remove protective cap. Hold container upright 4 to 6 inches from animal and direct spray at site to be treated by pressing down valve. Only a light coat is needed. Use either as an open wound treatment or under bandage. Repeat once or twice daily or as indicated until healing takes place.

**LIVESTOCK REMEDY –
NOT FOR HUMAN USE**