

**SMART UND SWISS SEIT 1876** 

**REA 15** AZ1

## Compact, ergonomic and powerful: Li-lon battery backpack sprayer



#### The new battery backpack sprayer: Powerful, versatile, ergonomic...

The new concept of the pressure-controlled pump, allows to adjust the working-pressure. As a result the battery operation time is lasting much longer. Everything is monitored and controlled by the electronic: constant rotational speed, detects status of electrical system (on/off) and monitors charge level of battery. The change battery system allows to work without any interruption. No electrical connection is required between the trigger assembly and the motor. This means low interferences and all accessories can be readily attached as needed.

#### Real work comfort

- Zero emission, quiet and environmentally friendly
- · Operating pressure can be continuously adjusted
- · Constant spray pattern
- Drop size adjustable
- · Re-defined ergonomics
- Click belt system
- No petrol storage neccessary anymore
- Stainless steel hand-cart (available as accessory)

### **Various applications**

- · Communal amenities
- Urban areas
- Cemeteries
- · Large gardens
- Facility management



#### **Proven Birchmeier technology**

- Robust pump
- Tank outlet via suction system
- · New designed click belt system
- Plastic / brass nozzle adjustable
- Top quality mountings
- Large filling opening with strainer



## **Electronically controlled**

«Look and feel»

the ergonomics

- Intelligent speed controlled
- Operating pressure adjustable (1 to 3 bar)

Vario Gun

- Energy efficient
- Protective setup for pump and battery









Spray tube, plastic 1 m

Telescopic extension 0.45 - 0.9 m Art.No. 11659001-SB


Spray boom, plastic Art.No. 11659801-SB

Accessories

**Further information** 

More accessories www.birchmeier.com

## www.birchmeier.com




# **Technical specifications**



Tank volume	15 litres (4 US gal)
Max. pressure	3 bar (43.5 psi)
Battery	Li-lon 14.4 V / 2.7 Ah
Battery charging time	2 h
Life span battery	approx. 800 charging cycles
Nozzle type	Adjustable nozzle
Nozzle material	PP / Brass
Nozzle hole size	1.7 mm
Gaskets	NBR
Fitting assembly	Compression
Pump	Diaphragm pump 12 V / DC
Min./max. temperature	5° C / 30° C (41° F / 86° F)
Dimension (L x W x H)	220 x 400 x 610 mm
Empty weight with battery	4.1 kg (42.1 lbs)
Sound pressure level	< 70 dB (A)
Stress class	3


## Spray period REA 15 AZ1 (Nozzle position mist)



#### **Further Birchmeier products:**



#### Your Birchmeier distributor



Birchmeier Sprühtechnik AG Im Stetterfeld 1 5608 Stetten Schweiz Telefon +41 56 485 81 81

Fax +41 56 485 81 82

www.birchmeier.com