AZOXY SELECT

FUNGICIDE

ACTIVE INGREDIENT Azoxystrobin, Difenoconazole

% ACTIVE INGREDIENT 18.2% Azoxystrobin, 11.4% Difenoconazole

BRAND ALTERNATIVE Briskway[®]

FORMULATION Suspension Concentrate

LABELED USES Golf Course Turf **CHEMICAL FAMILY** Strobilurin (FRAC 11) & Triazole (FRAC 3)

MODE OF ACTION Acropetal Penetrant & Demethylation Inhibitor Inhibits Sterol biosynthesis in Fungal Cell

SIGNAL WORD Caution

PACKAGING INFORMATION 4x1 gallon

AVERAGE USE RATE 0.2 to 0.725 ounces per 1,000 sq. ft. 13.1 to 31.6 ounces per acre



FUNGICIDE

PRODUCT INFORMATION

- Combination of two powerful active ingredients for control of foliar, stem and root diseases
- Can be used during higher temperatures and humidity without unwanted growth regulation to turf
- No phytotoxicity
- Broad-spectrum fungicide controls over 20 common turf diseases
- Two active ingredients from different chemical classes for resistance management
- Turf only fungicide
- Low use rate per acre
- Up to 28 days of control
- Convenient liquid formulation
- Defends against both soil-borne and foliar diseases
- Both curative and preventative properties



FUNGICIDE

TURF DISEASES

- Anthacnose
- Brown Patch
- Brown Ring Patch
- Dollar Spot
- Fairy Ring
- Gray Leaf Spot
- Leafspot
- Melting Out
- Michrodochium Patch
- Necrotic Ring Spot
- Pink Patch

- Powdery Mildew
- Read Thread
- Large Patch
- Rusts
- Southern Blight
- Summer Patch
- Take-All Patch
- Yellow Patch
- Zoysia Patch

