

SECTION 1: Identification

| Product identifier | | |
|--|---|--|
| Product name | Hi-Yield Aluminum Sulfate | |
| Other means of identification Aluminum Trisulfate, Dialuminum Trisulfate, Alum, Alum Salt Water | | |
| Supplier's details | | |
| Name Address | Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, TX 75418 USA | |
| Telephone | 855-270-4776 | |
| Emergency phone number(s) | | |
| | In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585 | |

SECTION 2: Hazard identification

Classification of the substance or mixture

- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Eye damage/irritation (chapter 3.3), Cat. 2

GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s) H315 H319

Causes skin irritation Causes serious eye irritation

| Precautionary statement(s) | |
|----------------------------|--|
| P262 | Do not get in eyes, on skin, or on clothing. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water and soap. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

Substances

Hazardous components

| 1. WATER Concentration CAS no. | 1 % 7732-18-5 |
|--|--------------------|
| 2. Aluminum sulfate Concentration CAS no. | 99 % 10043-01-3 |

SECTION 4: First-aid measures

Description of necessary first-aid measures

| If inhaled | Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. |
|-------------------------|--|
| In case of skin contact | In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. |
| In case of eye contact | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. |
| If swallowed | If swallowed, DO NOT induces vomiting. Get medical attention immediately. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. |

SECTION 5: Fire-fighting measures

Suitable extinguishing media

This material is compatible with all extinguishing media

Specific hazards arising from the chemical None.

Special protective actions for fire-fighters

The following protective equipment for fire fighters is recommended when this material ispresent in the area of a fire: chemical goggles, body-covering protective clothing, chemical resistant gloves, rubber boots, SCBA and insulated protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear basic PPE and approved dust mask. See section 8.

Environmental precautions

Avoid discharge to potable water net.

Methods and materials for containment and cleaning up

Small Spill:

Cleanup Shovel into clean, dry, and labeled containers and cover. Flush area with water. Do not get water inside containers or on spilled material.

Large Spill:

Cleanup Prevent solids from mixing with water or entering sewers or waterways. Shovel into clean, dry, labeled containers and cover. If liquid is present, dike with inert material (sand, earth, etc.). Consider in situ neutralization and disposal. Ensure adequate decontamination of tools and

equipment following clean up.

Reportable quantity:

If a spill goes off site, notification of state and local authorities is recommended.

SECTION 7: Handling and storage

Precautions for safe handling

Dry Alum is an irritating solid. Avoid generating dusts. Do not breathe dusts. Do not ingest. Do not get in eyes, on skin or on clothing. Use proper tools when opening containers. Keep containers closed when not in use. Empty containers may contain hazardous residues. When there is a largescale use, do not use in areas equipped with sprinkler systems. Post "DO NOT USE WATER" signs. Good housekeeping is important to prevent accumulations of dust. Dry sweeping is not recommended.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep container in a cool, dry, well-ventilated area. Store away from incompatible materials such as strong bases. Post warning signs.

Incompatible products: Alkalis.

SECTION 8: Exposure controls/personal protection

Appropriate engineering controls

Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. The most effective measures are

the total enclosure of processes and the mechanization of handling procedures to prevent all personal contact. Use a corrosion resistant ventilation system separate from other exhaust ventilation systems.

Individual protection measures, such as personal protective equipment (PPE)

Body protection

Wear body-covering protective clothing, gloves and appropriate industrial footwear.

Respiratory protection

Use an approved dust mask.

Thermal hazards No data available.

Environmental exposure controls No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance/form Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability limits Upper/lower flammability limits Upper/lower explosive limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature | Solid Insignificant No data available. >2.9 No data available. No data available. |
|---|--|
| • | |
| Partition coefficient: n-octanol/water | No data available. |

Other safety information

No data available.

SECTION 10: Stability and reactivity

Chemical stability

This material is stable under all conditions of use and storage.

Conditions to avoid

Incompatible with alkalis.

Incompatible materials

Avoid contact with aluminum, tin, lead, zinc, iron and alloys with these metals.

Hazardous decomposition products

Sulfur dioxide, sulfur trioxide.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Oral DL50, rat: 6,207 mg/kg Dermal DL50, rabbit: 1,930 mg/kg Intraperitoneal DL50, mouse: 2,70 mg/kg Inhalation CL50, rat: 2 - 4 mg Al/

STOT-single exposure

No data available.

STOT-repeated exposure No data available.

Aspiration hazard

No data available.

Additional information

Direct contact may cause moderate irritation in digestive apparatus.

SECTION 12: Ecological information

Toxicity

Gambusia affinic, CL50 48 hr: 69 mg/L Salvelinus fontinalis, CL50 96 hr: 3.0 mg/L Daphnia magna, CE50 48 hr: 136 mg/L

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Dilute with plenty water and neutralize with lime. Dispose in accordance with federal, state and local regulations and permits.

Other disposal recommendations

This material is not considered as hazardous waste without dilution.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG Not dangerous goods

IATA Not dangerous goods

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Aluminum sulfate CAS number: 10043-01-3

New Jersey Right To Know Components

Common name: ALUMINUM SULFATE CAS number: 10043-01-3

Pennsylvania Right To Know Components Chemical name: Sulfuric acid, aluminum salt (3:2) CAS number: 10043-01-3

NFPA Rating



SECTION 16: Other information

No data available.