

INSECT KILLER FOR LAWN & LANDSCAPE READY TO SPAN

FIRST All)
IF SWALLOWED	- Call poison control center or doctor immediately for treatment advice Have person spis a glass of water if able to swallow Do not induce vomitting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-265-0761 for

NOTE TO PHYSICIAN

NOTE TO PRESISTAN

Skin contact (vapor or powder) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment. This product is a pyrethroid, Flarge amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive.

For Information Regarding the Use of this Product Call 1-800-265-0761.

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

ENVIRONMENTAL THALARUS

This specificies is extensive broat from fax, aquatic invertebrates, oysters and shrimp, largested the environment, done allow pesticide len enter or run off into sterm broats, oftaning, efficient, entering extince, settlers ow strike neverts, applying this product in calm weather when rain is not predicted for the next 2A hours will help to ensure that word or run due son those or weath pestion left the reatment area. Similing application equipment over the treated area will help a word run off to water holdies or damped strike and application of the contraction of the c

STORAGE AND DISPOSAL

Pesticide Storage: Store in original container in a cool dry area away from heat or open flame and in an area inaccessible to children & pets. Keep from freezing. open name and me and early continued to the section of the continued of th

Distributed by: Central Garden & Pet, Garden Division 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

AMDRO.com 1800-265-0761 | gardendivision@central.com

ARTANIE, DA. 50359
PAR Reg., NO. 279-3347-30098
EPA Est., No. 29162-W-0010, 33595-MO-6₁₀ 67572-664-1, 67572-664-2, 59144-664-1,
Subscript used is first letter of Run Code on container.



Amdro Quick Kill, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

300534535 AM1086_V8 - 04/23

STORAGE AND DISPOSAL
Pesticide Storage: Store in original container in a cool dry area away from healt or open dame and in an area inaccessible to children & pests. Keep

THE OF THE PRINCE OF THE OFFICE OFFICE OF THE OFFICE OF THE OFFICE OFFIC







AY DRIES	ED AREA	ENTER	& PETS
MONEY BACK	OR YOUR	RESULTS	GUARANTEED

TOUSE	Lawns, Trees and Shrubs, Roses and Flowers
KILLS	Ants, Mosquitoes, Armyworms, Cutworms, Tent Caterpillar, Millipedes, Silverfish, Earwigs, Cockroaches, Fleas, Spiders, Grasshoppers, Crickets, Chinch Bug, Wihitefly, Aphids, Brown Dug, Irist, Wassak, Yellow Jackets, Carpenter Bees and other listed lawn & garden pests.
WHEN TO USE	To treat lawns and vegetation: When insects or damage first appear. When using as perimeter treatment: Early in season or when insects appear
HOW MUCH TO USE	Mixes automatically as you spray
COVERAGE	TREATS 4,267 SQ

Distributed by: Central Garden & Pet, Garden Division 1000 Parkwood Circle, Suite 700 At lanta, GA 30339

Planty, III, 752,020,009 Planty, III, 2005,046, 5075,045, 5075,042, 5075,042, 5046,04, Substitute out Sirst Ventur of Ann Duber or marker. Ser Inside Each Budder for Prezartionary Statements, Fest Alf and Complete Directions for Use.



NO 255-0781 | garbeninism@centuLonn

1-00-255-0781 | garb

at pers win this product.

If this product in a way that will contact adults, children, or affectly or through drift.

wadults, children, or pets to enter the treated area until sprays wadults, children.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent

er serve.

de constantine foot and cover fish aquarisms before spraying,
de constantine of food and electricitis, between or cover or sposed for
forming water before as plantation.

And use in food handling establishments in which food is held,
cessed, prepared, and/or served.

not apply directly to animals.

FOR OUTDOOR USES
All loutdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

(I) retinent to laiv or get interactions of the Transcript.

(I) applications to have, but a death requisition.

(I) applications to have life and admit requisition.

(I) applications to have life and applications at a light of the complete and the complete and

WITE the publicated risk product in what led admission shift (publicated by publicated and applicated publicated and publicated publicated and publicated publicated

HOW TO USE READY TO SPRAY Connect Hose

- Shake Well
 Shake well
 Make sure control lever is in the OFF position. Attach to hose.
 Turn on water.
 Surey
- Aim towards direction of application and away from you.
 Turn control lever to **ON** to begin spraying.
 Spray eventy and as directed for specified type of treatment area.
 Isla Note

- When finished turn control lever to OFF.
 If on Taucer OFF. Discharge residual water pressure by turning control lever
 ON and OFF again.
 Disconnect Sprayer and Store / Discard as instructed.

HOW TO USE - OUTDOORS

NUISANCE PESTS ON

OUTDOOR SURFACES

Indians, Energian other manifests on the tide Surfaces and Annual Studings

Indians, Energian other manifests on the tide Surfaces and Annual Studings

Indians, Surfaces and the structures.

For anal, apply has yells, appls, cacks and erretice unity, around a dons and minimus and other listencies.

For anal, appls has yells, appls, cacks and erretice unity, around a dons and minimus and other listencies.

For anal, appls has yells, appls, cacks and erretice unity, around a dons and minimus and other listens when an anal of surfaces when a surfaces and the perfect of the surfaces and any listens and a perfect of the surfaces and any listens and any li

ould be dry at the time of application.

Treat using 1 quart per 2,133 sq ft. Use a coarse spray to ensure thorough coverage.

nd buildings, apply an uninterrupted band up to 7 feet wide around erimeter of the building and up to 3 feet along the side or lation of the building

treatment only named doors and enhanced and only a laten where carpoints and their places where carpoints and tables also beared our ear expected the finance.

For best results, locate and freast appoints and ments.

- Apply a partiment remaints and sectioned above.

- Apply a partiment remaints and sectioned above.

- Do not see this proposite a base about some carpoint of the action.

- Do not see this proposite a base about some carpoint of the action.

- Do not see this proposite a base about some carpoint of the action.

- Some carpoints are the control of the state about some carpoint of the action.

- Some carpoints are the control is not a substitute for mechanical alteration, so all of thousands to resume the some of a supplement as the carpoint and the carpoints and the supplement as based in registered as a sub-described for more control and some carpoints and substitute for mechanical about all this supplement as based in registered as a sub-described for the carbon and some control and substitute for action.

To KAIl Bees and Wasps Outside
Application to nests should be made late in the evening when insects are at rest.

Thoroughly spray nest and entrance and surrounding areas where insects alight.

To Kill Blacklegged and Brown Day Ticks Outdoors
- In prevent infectation of the home, treat soil and vegetation around the
activity permitter of the home as described about the property
- Ticks still and vegetation adjacent to wooded area on the property
- Where bishd degged and own who gives on any behaviory.
- Ticks areas still aller vegetation up to 3ft, around the exterior of
- the accounts.

Spray to wet, do not apply to the point of runoff.

atment of Wood-in-Place to Kill Exposed Stages of Wood-Infesting

LAWNS ludiormly apply over lawn. Contents will treat using 1 quart per 2,133 st.ft. of lawn.
If possible, mow before application. Lawn should not be longer than 3 inches at the time of application. XIII Ants, Fire Ants, Beetles, Chinch Bugs, Sod Webworms, WeevIs and other listed Pests in Lawns

lication is necessary only if there are signs of renewed rity.

To XIII Heas, Spiders, Grasshoppers and Crickets
- Uniformly apply over lawn. Contents will treat up to 2.135 sq./f. of Jawn.
- Upossible, mow before application. Lawn should not be longer than
- Sinches at the time of application. Repeat application is necessary only if
there are signs of renewed insect activity.

Kill Fleas and Mosquitoes or best results, locate areas where these pests are most active or may treat ant mounds including imported fire ant mounds, focus the spray fully soak each mound and the immediate surrounding area. Use quart to treat 40 mounds. using 1 quart per 2,133 sq.ft. uniformly over lawn. Treat area directly using a coarse spray until ughly wet. Do not apply to the point of runoit.

ORNAMENTALS, ROSES, FLOWERS AND TREES

ply in cool weather, including in early morning or late not in the heat of the day.

To KIII Ants, (including cut ants), Aphids, Bagworms, Earwigs, Sow Bugs, Millpodes, Boetles, Weevils, Plant Bugs, Leaf-cutting Bees, Sawflies, Caterpillars, Moths and other listed pests on Ornamentals, Roses, Elowers and Trees

Spring up the plant of med finals grant to cover all sides of leaves and track. Altered if petr terrar.

For ground covers, scholling plants, fallings, anneals and petronistic apply as a uniform spray; four trafficts between 2.13 and 505 Spl. to a suniform spray; four trafficts between 2.13 and 100 Spl. to a suniform spray; four trafficts between 2.13 and 100 Spl. to a suniform spray; four trafficts and the section of the superior to the first spirit spatisfies. A failured are school for treatfied and between 100 spray splatfies. A failured are school for treatfied and between 100 spray splatfies. A failured are school for treatfied and between 100 spray splants, and the special spray splatfies.

PESTS CONTROLLED

Caterpillars, Butterflies and Moths
Tent forming caterpillars, cocoon forming caterpillars, chrysalis
forming caterpillars.

Leaf feeding care pillars (in their given of themset against shabs and other commentals, required the and recognition, shapes the distinct against care and concernment for earling carepillars, sugarshife feeding carepillars, sugarshife feeding carepillars, sugarshife feeding carepillars, stream share the winner garene concernment for earling carepillars, stream share the winner garene concernment for earling carepillars, stream share the winner garene control carepillars, stream share the stream of the stream share feeding carepillars, and exhibiting carepillars, stream share the stream of the stream share feeding care fe

Common Bristletails Silverfish Family including Silverfish, and Firebrat

Springtalls Springtall family including Snow Pea, Seashore Springtall; Podurid Springtall family including Ainsley's Springtall; Globular Entomobry vid Springtall family including Ainsley's Springtall; Globular Springtall family

no water
batting-rood termite lamity including Pacific Casat Fermite.
Batting-rood termite lamity including subterness at remite, but
subterness termite lamity including subterness at remite.
In our cash is subterness to make the lamit and
product at its sub-source of counted for active, subterne infectations by
subterness termited; but proposed the subjection to full in
more product the subsection of the counter of the counter
subsection for machine all presents on a plant document and
subsection for machine all termits on a plant document as identify
registered conventional product that is registered as a sele source for
termited counterflows and product that is registered as a sele source for
termited counterflows and product that is registered as a sele source for
termited counterflows and installation or
provide production against future in destation.

Geschängers & Crickets

Typen Geschänger den Jerken jedierung der Pypen Geschänger:

Typen Geschänger Einst jedierung der Geschänger

Synen Geschänger Einst jedierung der Geschänger

Linder Geschänger Jewie der Geschänger Geschänger

Linder Geschänger Jewie der Geschänger Geschänger

Linder Geschänger Jewie der Geschänger Geschänger

Linder Geschänger Jewie Linder Geschänger Geschänger

Synur ihnzur der Geschänger. Von errippie Geschänger, Fanders gerit

geschänger American lief Geschänger. Geschänger

Geschänger American liefer Geschänger. Geschänger

Geschänger American liefer Geschänger

Lang Warmer Linder und sieder Geschänger. Geschänger

Karyfelt, Mender weiger des sind karyfelt Camel

Christen Linder von Geschänder und sieder Geschänger

Karyfelt, Mender von Geschänder

Geschänger der Geschänger

Lang der Geschänger

Cicadas and Kin Cicada family including Periodical Cicadas, Dogday Harvestfly, and Grand Western Cicada

ned Earwig family including Ring legged Earwig, and Riparian Common Earwig family including European Earwig

Reeths:
Tigge Beath's manifyranchining Boundrish (Tigge Beath). Blank's light set type feet it.
Sex-Sponted Earn's light Sex l

Treehoppers Treehopper family, including Thorn-mimic Treehopper, Dak Treehopper, Buffalo freehopper, and Locust Treehopper

family including Grape Leafhopper, Scarlet-and-green r, Sharpshooter, Spotted Lanternfly

Banded Thrips family including Banded-wing Thrips; Common Thrips family

I week I wan on an William Story Seed Borr I mainly including Boat Week I wall Seed and the broad New Act of Seed Borr I mainly seed the Week I will Seed and Seed Act of Seed

Come by carm join below the developing found, from Wheten Cares Hy, and see Flow Them Care Hy and the Care Hy and the see of the See

THIS (cent ()

This (cent ())

Seafers

Indian proption point family including for at point," for any that hamily including California. Including California Califo

Ticks Blacklegged tick, Brown dog tick, Deer tick, Lone Star tick

Psyllid, Witherlies, Apalds, Neal-Purgs, Scale Breects
Psyllid and jour laining American Afeler Psyllid: Whetherly and jour loading
Careshouse Whetherly, Address almost called greater Apales Apaled, doors
Apale Apalish Rose. Fee and Petra to apale. Board Apaled, almost presented
Apales Apalish Rose. Fee and Petra to apale. Board Apales Apales,
Apales Apales Apales and Telephone and Calle Scheding
Accessived Apales. Apales and Telephone apales and Calle Scheding
Accessived Apales and Calles Apales and Calles Apales
Apales Apales Apales Apales Apales Apales Apales Apales Apales
Apales Apales Apales Apales Apales Apales Apales Apales
Apales Apales Apales Apales
Apales Apales Apales Apales Apales
Apales Apales Apales Apales
Apales Apales Apales Apales
Apales Apales Apales Apales
Apales Apales Apales Apales
Apales Apales Apales Apales
Apales Apales Apales
Apales Apales Apales
Apales Apales Apales
Apales Apales Apales
Apales Apales
Apales Apales
Apales Apales
Apales Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales
Apales

Millipedes Millipedes including soft millipedes, Florida millipede, Almond millipede, North American millipede and flat millipedes