

# **ARMADA® 50 WDG**

Version 3.0 / USA 102000024286

**1/12**Revision Date: 04/02/2020
Print Date: 04/03/2020

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name ARMADA® 50 WDG

Product code (UVP) 79974582

**SDS Number** 102000024286

**EPA Registration No.** 432-1513

Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer Environmental Science

A division of Bayer CropScience LP 500 Centregreen Way, Suite 400

Cary, NC 27513

**USA** 

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-800-331-2867

## **SECTION 2: HAZARDS IDENTIFICATION**

## Classification in accordance with regulation HCS 29CFR §1910.1200

Skin sensitisation: Category 1
Acute toxicity(Inhalation): Category 4
Acute toxicity(Oral): Category 4

Reproductive toxicity: Effects on or via lactation

Carcinogenicity: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200







2/12

# **ARMADA® 50 WDG**

Version 3.0 / USA 102000024286

Revision Date: 04/02/2020 Print Date: 04/03/2020

# Signal word: Warning

### **Hazard statements**

May cause an allergic skin reaction.

Harmful if inhaled.

Harmful if swallowed.

May cause harm to breast-fed children.

May cause cancer.

## **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust or mist.

Avoid contact during pregnancy/ while nursing.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation or rash occurs: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

IF exposed or concerned: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local regulation.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Triadimefon	43121-43-3	41.67
Trifloxystrobin	141517-21-7	8.33
Sodium lignosulphonate	8061-51-6	8.0
Sodium dodecylbenzenesulfonate	25155-30-0	1.85
Crystalline quartz (respirable)	14808-60-7	0.35



## ARMADA® 50 WDG

Version 3.0 / USA Revision Date: 04/02/2020 Print Date: 04/03/2020

### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

mixture

Advice for firefighters

equipment for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point Not applicable



## ARMADA® 50 WDG

Version 3.0 / USA 102000024286

Revision Date: 04/02/2020 Print Date: 04/03/2020

Auto-ignition temperature No data available
Lower explosion limit Not applicable
Upper explosion limit Not applicable
Explosivity No data available

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Keep unauthorized people away. Isolate hazard

area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up**Collect and transfer the product into a properly labelled and tightly

closed container. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.



## ARMADA® 50 WDG

Version 3.0 / USA Revision Date: 04/02/2020 Print Date: 04/03/2020

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control parameters**

No known occupational limit values.

## **Exposure controls**

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** tan

Physical State water-dispersible granules

**Odor** characteristic

Odour Threshold No data available

**pH** ca. 7.5

Viscosity, kinematic

Vapor Pressure

Vapor Density (Air = 1)

Density

No data available

Not applicable

No data available

**Bulk density** 0.513 - 0.609 g/ml (loose)

Evaporation rateNot applicableBoiling PointNot applicableMelting / Freezing PointNo data available

Water solubility dispersible



# **ARMADA® 50 WDG**

 Version 3.0 / USA
 Revision Date: 04/02/2020

 102000024286
 Print Date: 04/03/2020

Minimum Ignition Energy No data available

**Decomposition** Stable under normal conditions. **temperature** 

Self-accelarating

decomposition temperature

(SADT)

Partition coefficient: n- No

octanol/water

No data available

No data available

Flammability
No data available
Flash point
Not applicable
Auto-ignition temperature
No data available
Lower explosion limit
Not applicable
Upper explosion limit
Not applicable

Explosivity No data available

Particle size No data available

**Other information** Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

**Thermal decomposition** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

Incompatible materials Strong oxidizing agents, Acids

**Hazardous decomposition** 

products

Hydrogen chloride (HCI)

Amines

Nitrogen oxides (NOx) Carbon monoxide

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** 

Eye contact, Skin contact, Inhalation, Ingestion

**Immediate Effects** 



## ARMADA® 50 WDG

 Version 3.0 / USA
 Revision Date: 04/02/2020

 102000024286
 Print Date: 04/03/2020

**Eye** Moderate eye irritation.

**Skin** Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals. Harmful if absorbed through skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 500 - 5,000 mg/kg

Information given is based on data obtained from similar substances.

Acute inhalation toxicity LC50 (Rat) > 2.0 mg/l

Exposure time: 4 h

Determined in the form of dust. highest concentration tested

Information given is based on data obtained from similar substances.

Acute dermal toxicity LD50 (Rat) > 2,000 - 5,000 mg/kg

Information given is based on data obtained from similar substances.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Information given is based on data obtained from similar substances.

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

Information given is based on data obtained from similar substances.

**Respiratory or skin** Skin: Sensitising (Guinea pig)

sensitisation

Information given is based on data obtained from similar substances.

#### Assessment STOT Specific target organ toxicity - single exposure

Triadimefon: Based on available data, the classification criteria are not met. Trifloxystrobin: Based on available data, the classification criteria are not met.

# Assessment STOT Specific target organ toxicity – repeated exposure

Triadimefon did not cause specific target organ toxicity in experimental animal studies. Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Triadimefon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Triadimefon was not carcinogenic in a lifetime feeding study in rats. Triadimefon caused an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers these tumours is not relevant to humans.

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

#### **ACGIH**

Crystalline quartz (respirable) 14808-60-7 Group A2

NTP

Crystalline quartz (respirable) 14808-60-7

**IARC** 



# ARMADA® 50 WDG

Version 3.0 / USA 102000024286

Revision Date: 04/02/2020 Print Date: 04/03/2020

Crystalline quartz (respirable) 14808-60-7 Overall evaluation: 1

**OSHA** 

None.

## Assessment toxicity to reproduction

Triadimefon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Triadimefon caused reduced fertility, a reduced pup survival.

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

## Assessment developmental toxicity

Triadimefon caused developmental toxicity in only at dose levels toxic to the dams. Triadimefon caused an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

#### **Further information**

Acute toxicity studies have not been performed on this product as formulated.

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 4.08 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient triadimefon.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 7.16 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient triadimefon.

EC50 (Daphnia magna (Water flea)) 0.016 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient trifloxystrobin.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.01 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient triadimefon. EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

П



# ARMADA® 50 WDG

Version 3.0 / USA 102000024286

Revision Date: 04/02/2020 Print Date: 04/03/2020

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l

Growth rate: Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

**Biodegradability** Triadimefon:

Not rapidly biodegradable

Trifloxystrobin:

Not rapidly biodegradable

Koc Triadimefon: Koc: 150 - 510

Trifloxystrobin: Koc: 2377

**Bioaccumulation** Triadimefon: Bioconcentration factor (BCF) 31

Does not bioaccumulate.

Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

Mobility in soil Triadimefon: Moderately mobile in soils

Trifloxystrobin: Slightly mobile in soils

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

**RCRA** Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal. State and local laws and

are the user's responsibility. RCRA classification may apply.

When and if this material is determined to be a waste, if discarded, this

material will carry RCRA waste code(s) NON-RCRA. State and local laws may vary and must be considered.



# **ARMADA® 50 WDG**

10/12 Version 3.0 / USA Revision Date: 04/02/2020 102000024286 Print Date: 04/03/2020

### **SECTION 14: TRANSPORT INFORMATION**

Not dangerous goods / not hazardous material 49CFR

**IMDG** 

**UN** number 3077 Class 9 Packaging group Ш Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

(TRIFLOXYSTROBIN, TRIADIMEFON MIXTURE)

IATA

**UN** number 3077 9 Class Packaging group Ш Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TRIFLOXYSTROBIN, TRIADIMEFON MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

## **SECTION 15: REGULATORY INFORMATION**

432-1513 **EPA Registration No.** 

**US Federal Regulations** 

**TSCA list** 

Kaolin 1332-58-7 Sodium lignosulphonate 8061-51-6 Sodium aluminium silicate 1344-00-9 Sodium dodecylbenzenesulfonate 25155-30-0

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

**US States Regulatory Reporting** 

CA Prop65



# **ARMADA® 50 WDG**

Version 3.0 / USA Revision Date: 04/02/2020 Print Date: 04/03/2020

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Triadimefon 43121-43-3 Developmental toxin.
Triadimefon 43121-43-3 Male reproductive toxin.
Triadimefon 43121-43-3 Female reproductive toxin.

**US State Right-To-Know Ingredients** 

Triadimefon 43121-43-3 NJ
Kaolin 1332-58-7 MN, RI
Sodium aluminium silicate 1344-00-9 CA, MN
Sodium dodecylbenzenesulfonate 25155-30-0 CA, CT, IL, NJ

None.

### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Causes moderate eye irritation.

Harmful if swallowed, inhaled or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

### **SECTION 16: OTHER INFORMATION**

### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development



## **ARMADA® 50 WDG**

 Version 3.0 / USA
 Revision Date: 04/02/2020

 102000024286
 Print Date: 04/03/2020

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information. Section 12. Ecological information. Reviewed and updated for general editorial purposes.

**Revision Date:** 04/02/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.