### Fold Line

### Front Panel

#### FIRST AID:

IF ON SKIN Take off contaminated clothing. Rinse skin immediately with plenty of water for OR CLOTHING: 15-20 minutes. Call a poison control center or doctor for treatment advice.

YES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Your may also contact 1-800-424-9300 for emergency medical treatment information.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION.** Avoid contact with skin, eyes, or clothing. Wear goggles and chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: goggles, long-sleeved shirt and long pants, chemical resistant gloves, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This pesticide is slightly toxic to fish and aquatic invertebrates.

#### PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Manufactured for: Avian Enterprises Limited LLC ● 2000 Pontiac Drive, Sylvan Lake, MI 48320 Copyright © 2016, Avian Enterprises Limited LLC

# **Avian Fog Force™ TR**

## **BIRD REPELLENT**

Do not apply this product on or around food crops.

For use in or around Indoor and Outdoor Areas including Turf, Ornamentals, Buildings, Structures, and Non-Fish Bearing, Seasonal and Intermittent bodies of Water

#### **ACTIVE INGREDIENT**

Methyl Anthranilate (MA), methyl 2-aminobenzoate	20.0%
OTHER INGREDIENTS	80.0%
TOTAL	100.0%

This product contains 0.20 fluid ounces of Methyl Anthranilate per ounce of product. This can contains 0.11 lb (50 grams) of active ingredient, Methyl anthranilate.

Federal regulations prohibit CFC propellants in aerosols.

# KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No. 91897-4 EPA Est. No. 46813-CAN-003 (A) EPA Est. No. 70424-CAN-001 (B) ( ) code is last letter of can code

NET CONTENTS: 0.55 lb (250 g)

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Made in Canada



PEEL BACK BOOK HERE for continued information.



# **DIRECTIONS FOR USE (Cont.)**

Use this product to repel birds from small areas that are not suitable for conventional foggers such as roosting areas, sections of a golf course, airport structures, hangers, garages, and warehouses, building ledges and window sills, backyards, and other outdoor areas. Apply this product in non-crop areas that contain temporary surface water caused by the management activities, such as water collected in equipment ruts. **Avian Fog Force™ TR** can also be applied near intermittently flooded low-lying areas, transitional areas between upland and lowland sites, marshes, swamps, bogs, and seasonally dry flood plains and/or deltas provided no water is present or water has receded where birds are a hazard or nuisance. Do not apply directly to water, such as lakes, reservoirs, ponds, streams and canals; however, overspray to water bodies can be expected with proper use of this product.

Apply this product in areas to repel birds that congregate in large numbers, including starlings (Sturmus vulgaris), gulls, Canada geese, grackles, and pigeons (Columba livia), wild migratory waterfowl, house sparrows (Passer domesticus), house finches (Corpodacus mexicanus), mourning doves (Zenaidura macroura), common ground doves (Columbina passerine), other wild passerine birds, American crow (Corvus brachyrhynchus) or other species of birds that are reservoirs or vectors for human disease causing agents, bacterial, parasitic, fungal, and ectoparasitic pathogens that can be transmitted to humans and may present a health risk to humans or domestic poultry.

In the State of New York, areas where the above types of wild birds or their drops and humans or domestic birds come in close contact pose a risk to human health and in these settings, birds are considered pests. For use on or near domestic structures or buildings, Avian Fog Force<sup>TM</sup>TR should only be dispensed when no human or non-target animals are in the immediate vicinity and at risk of exposure to the application.

Do not smoke while applying this product. Use precautionary measures to ensure that there is no direct exposure to humans, pets, domestic animals or non-target wildlife. Do not apply directly to plants, painted structures, or other valuable property to avoid damage or discoloration. Do not apply to the point of drench.

Do not apply this product to food crops.

#### SHAKE WELL BEFORE USING

#### USE RESTRICTIONS IN THE STATE OF NEW YORK ONLY

Fogging application must be done by certified applicators. Applicators must use a dust/mist filtering respirator (MSHA/ NIOSH) approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, P, or HE filter. A minimum separation distance equal to 100 ft or the windward length of the proposed treatment area, whichever is greater, is required between the outer perimeter of the proposed area and any adjacent area of natural bird habitat such as a sex, wood lot, forested area, etc. The automated aerosol dispensers fogger should be shut off when the Avian Fog Force™ TR bearing fog has reached the downwind perimeter of the treatment area or sooner if the birds have been repelled.

#### **AUTOMATED USE**

**USE RESTRICTIONS:** For use in automated dispensers. Only for outdoor use and in buildings with openings that permit bird access.

APPLICATION DIRECTIONS: Place spray nozzle in the direction of the space to be protected or expected approach of birds so that birds are exposed to bursts of fog. Turn actuator on and leave the unit at the location until no birds are returning. Keep the spray nozzle directed away from and at least 5 feet from any object, painted surface, and especially plants and shrubbery to avoid discoloration or damage from direct contact with **Avian Fog Force™ TR**. In addition, do not allow product to accumulate to the point of runoff on any desirable surface.

# INDOOR FOGGING APPLICATIONS (WAREHOUSES, HANGERS, GARAGES, ASSEMBLY PLANTS. COMMERCIAL BUILDINGS. ETC.)

Apply **Avian Fog Force™TR** at a rate not to exceed one (1) ounce per 10,000 cubic feet of space to be treated. Point the spray can or the spray dispenser nozzle in the general direction of the nuisance birds. Keep the nozzle at least 5 feet from any structure or object to allow for complete dissipation of the fog. Expose as many birds as possible to the fog for fast and lasting results. Several treatments 1 to 4 days apart may be required for removal of all nuisance birds. For automated dispenser applications, set the spray interval for 10 – 30 second fooging pulses during the time of expected bird activity.

Fold Line

# Inside Panel B (Front of the backside of label)

# OUTDOOR FOGGING APPLICATIONS General Application Directions

Apply Avian Fog Force™ TR at a rate of 12-16 ounces per acre (43,500 sq. ft.) of area to be treated. Point the spray can or the spray dispenser nozzle in the general direction of the nuisance birds. Keep the nozzle pointed away from and at least 5 feet from any structure or object to allow for complete dissipation of the fog. Several treatments 1 to 4 days apart may be required for removal of all nuisance birds. For automated dispenser applications, set the spray interval for 10 − 30 second or other selected foqqinq pulses during the time of expected bird activity.

#### Electrical Substations, Farmsteads, Structures, Buildings, Airports and other Open Areas:

Apply **Avian Fog Force<sup>TM</sup> TR** as directed in the General Application Directions, above. Expose as many birds as possible to the fog for fast and lasting results. **Avian Fog Force<sup>TM</sup> TR** should be applied when birds have settled down or are roosting in the structure and/or wires of the substation. Withhold treatment until conditions favoring successful use arise (temperature, direction, and speed of wind) to be able to cover all the infested structure or infested area. For best results, make applications in the evening when most of the birds have arrived but before it gets too dark for the birds to leave once exposed to the fog.

#### Ornamental Trees and Shrubs:

Apply **Avian Fog Force™ TR** as directed in the General Application Directions, above. Expose as many birds as possible to the fog for fast and lasting results. Apply **Avian Fog Force™ TR** when birds have settled down. Withhold treatment until conditions favoring successful use arise (temperature, direction, and speed of wind). For best results, make applications in the evening when most of the birds have arrived but before it gets too dark for the birds to leave once exposed to the fog. Applications in the morning when the birds normally leave the trees or shrubs do not have much effect. To prevent damage to foliage, do not allow **Avian Fog Force™ TK** to accumulate to the point of runoff.

#### Turf (Golf Courses, Lawns, Sports Fields, etc.)

Apply **Avian Fog Force™ TR** as directed in the General Application Directions, above. Applications may be done at any time of day when birds are present. To control Canada geese, apply at any time when they are feeding or roosting, except when they sit on a nest during breeding season.

Harbors and Boat Docks, Fish and Shellfish Production Sites (Hatchery Buildings and around Culture Ponds), Ornamental Fountains, and Other Similar Man Made Materials:

Do not apply directly to water. However, it is expected that overspray may occur. Apply when wind and drift conditions are minimal. Apply **Avian Fog Force<sup>TM</sup> TR** as directed in the General Application Directions, above. Spray upwind of target pests so that the wind will carry the fog in the general direction of the birds. For roosting birds, the product is best applied in the evening when most of the birds have arrived but before it gets too dark for the birds to leave.

California only: Handlers must wear coveralls over normal work clothes.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE**: Store only in original container in a dry place inaccessible to children, pets, and domestic animals. **PESTICIDE DISPOSAL:** Product that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures.

**CONTAINER DISPOSAL:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling option is not available, discard in the trash.

WARRANTY STATEMENT: Notice: The statements on this label are believed to be true and accurate, but because conditions are beyond our control, Avian Enterprises Limited LLC does not make, nor does it authorize any agent or representative to make any oral, or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. To the extent consistent with applicable law, Avian Enterprises Limited LLC and the seller make no other warranty resulting in the handling, storage, or use of this material not in accordance with the written directions.