

PFlear-7

Carpet & Upholstery Powder

Kills Fleas & Brown Dog Ticks on carpet and upholstered furniture

Control reinfestation for up to 7 MONTHS

ACTIVE INGREDIENTS

MGK 264*		
Pyrethrins	CAS No. 8003-34	4-7) 0.10%
Pýriproxyfen	CAS No. 95737-0	68-1) 0.02%
OTHER INGREDI	ENTS:	<u>99.38%</u>
TOTAL:		100.00%
EPA Est. No. 4-NY	'-1 EPA Reg. N	lo. 53883-291-4

*MGK 264 is a synergist

*MGK 264 is a synergist
*MGK 264 is a registered trademark of McLaughlin Gormley King

Keep Out Of Reach Of Children CAUTION See back pare for First Ad and Net Weight 1 LB. (0.45 kg)



Fresh citrus

PART OF POWDER Carpet & Upholstery Powder

- √ Kills all stages of the flea life cycle
- √ Freshens home with pleasant citrus fragrance
- ✓ Control reinfestation for up to 7 months
- √ 1 lb. treats up to 400 square feet

Store and transport in an upright position. EPA Est. No. 4-NY-1 EPA Reg. No. 53883-291-4 Buyers Guarantee Limited to Label Claims. ©Bonide Products, Inc. All Rights Reserved

Distributed by: Bonide Products, Inc. 6301 Sutliff Road, Oriskany, NY 13424

BN





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

- Apply this product only as specified on this label.
 Do not contaminate food or feedstuffs.
- Aerial applications are prohibited.
- THIS PRODUCT IS FOR INDOOR USE ONLY.
 - Applications with powder duster equipment are prohibited.
 - Applications to pets are prohibited.
- Do not allow adults, children or pets to enter the treated area until dusts have settled.
 Do not apply this product in a way that will contact adults.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
 Remove or cover exposed food and drinking water before
- Rémove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Do not apply more than 1 time per day.
- Do not apply this product directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application.
- Remove pets, birds and cover fish aquariums before use.

Shake well before using.

One 16 ounce canister contains enough powder to treat 1 to 2 rooms (200 - 400 square feet). When using this product at the lower rate, allow the powder to remain in place for 24 hours before vacuuming. Apply powder more heavily to areas off flooring or furniture on which pets spend most of their time. Keep children and pets off treated carpet and upholstered furniture during treatment while powder is still visible on these surfaces. Apply to dry surfaces only. Do not wet powder.

DIRECTIONS FOR USE Cont.

Camets: Shake powder evenly across surface. Brush lightly with broom to force powder deep into carpet where fleas and their larvae exist. Do not apply as a broad carpet treatment. Only apply as a spot treatment to areas no greater than 3 feet by 3 feet per room. Weit at least 60 minutes before (lightly) vacuuming to remove visible surface powder. For maximum efficacy, delay vacuuming for up to 24 hours. Do not apply more than 1 time per day.

Upholstery. Remove loose cushions. Sprinkle along creases and into corners. Brush lightly to work powder into folds and creases. Only apply as a spot freatment to areas no greater than 3 feet by 3 feet per room. Vacuum to remove visible powder on surfaces. Do not use on exposed fabric without first testing on a hidden surface for effects on color (staining) or texture. If powder adheres to a spot, brush out and vacuum that area immediately. Do not apply more than 1 time per day.

When emptying vacuum bag after use, wrap contents or disposable bag in several layers of newspaper and discard in trash.

Treat pets with a registered flea and tick control product prior to re-entry into treated areas.

Settling of contents occurs naturally during transportation and handling. You can be assured of proper contents as this container is sold by weight, not by volume.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refilable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking,

chewing gum, using tobacco or using the toilet.

USER SAFETY RECOMMENDATIONS
Users should wash hands with plenty of s

Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

thoroughly and put on clean clouding.		
	FIRST AID	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty functor for 15, 20 minutes.	
CLUTHING:	of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
	HOT LINE NUMBER	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at (800)858-7378 emergency medical treatment information.

To the extent consistent with applicable law, buyer assumes all risk when product is not used according to label directions or established safe practice.