

Got pests...get

REVENGE[®]

Home Pest Control

Concentrate

kills for **6 MONTHS***

Kills 549 listed insects

Makes 3 gallons

**Kills listed home
invading insects,
indoors & out**

*listed cockroaches

Keep Out Of Reach Of Children

CAUTION (See back panel for First Aid, Precautionary Statements, Directions for Use & Storage & Disposal)

ACTIVE INGREDIENTS:

Lambda-cyhalothrin ^{T**}	1.20%
Novaluron	0.39%
Pyriproxyfen ^T	0.39%

OTHER INGREDIENTS: 98.02%
TOTAL: 100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 4-501

^TLambda-cyhalothrin and Pyriproxyfen are encapsulated.

^{**}Synthetic pyrethroid

Contains 0.084 lbs. lambda-cyhalothrin, 0.027 lbs. novaluron and 0.027 pyriproxyfen per gallon

Got pests...get

REVENGE[®]

**Home Pest
Control Concentrate**



- Triple threat against listed pests
- Kills listed bugs indoors. Keeps listed bugs out
- Controls fleas for 7 months and listed cockroaches for 6 months

Store and transport in an upright position.
EPA Est. No. 4-NY-1 EPA Reg. No. 4-501
Buyers Guarantee Limited to Label Claims.
©Bonide Products, LLC All Rights Reserved
Bonide Products, LLC
6301 Sutliff Road
Oriskany, NY 13424

BN

- **Kills Ants, beetles, cockroaches crickets, earwigs, fleas, flies, mosquitoes, moths, pillbugs & roly-poly bugs, silverfish, sow bugs, spiders, springtails, sting bugs and ticks**
- **Inhibits re-infestation by fleas for 7 months**
- **Leaves no odor**
- **Dries Fast**

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE.

Intended for Residential use only.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

USE RESTRICTIONS

- Do not apply indoors when occupants, pets or companion animals are present.
- Do not permit humans or pets to contact treated surfaces until spray has dried.
- Do not reapply indoor applications within 21 days, if re-treatment is necessary
- Cover all food processing surfaces and utensils in the treatment area during treatment or thoroughly wash before reuse. Cover or removed exposed food.
- DO NOT mix or apply this product with oil.
- DO NOT apply this product to edible growing crops or stored raw agricultural commodities used for food or feed. Do not apply to pasture or cropland.
- DO NOT allow applications to contact water inhabited by fish, such as in aquariums and ornamental fish ponds that are located in/around structures being treated.
- Do not allow the product to enter any drain during or after application, except as directed by this label.

Application Restrictions for Residential Outdoor Surface and Space Sprays:

- All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 1. Applications to soil or vegetation around structures;
 2. Applications to lawns, turf, and other vegetation;
 3. Applications to building foundations, up to a maximum height of 2 feet above grade;
 4. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning or other structure;
 5. Applications around potential pest entry points into buildings, when limited to a surface band not to exceed one inch in width;
 6. Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutters, or surface waters, in order to control occasional invaders or aggregating pests.
- Do not apply or irrigate the treated area to the point of runoff.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, fish pools, ponds, streams or lakes, or aquatic habitat can occur, except as directed by this label.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

HOW TO USE

Using a hand-held or power-operated tank sprayer equipment, apply as a coarse spray for crack and crevice and general surface treatments to nonfood/nonfeed areas only. Mix only the amount of spray solution required. Fill tank with desired amount of water, add this product, close tank and shake well to ensure proper mixing. Re-agitate solution regularly during use to maintain uniform mixture. Mixed spray solution may also be applied using a paintbrush or other porous applicator as a general surface treatment.

INDOORS

Kills **ANTS** (including **IMPORTED FIRE ANTS**), **BED BUGS**, **COCKROACHES**, **CRICKETS**, **EARWIGS**, **FIREBRATS**, **SILVERFISH**, **STINK BUGS**, **FLEAS**, **TICKS**, **FLIES** (including **HOUSE FLIES**, **NUISANCE FLIES & STABLE FLIES**), **GNATS**, **MIDGES**, **MOSQUITOES**, **MOTHS** and other similar flying pests); **STORED PRODUCT PESTS** (including **CARPET BEETLES**, **INDIAN MEAL MOTHS**, **RICE MOTHS**, **TOBACCO MOTHS**, **RED FLOUR BEETLES**, **CONFUSED FLOUR BEETLES**, **LESSER GRAIN BORERS**, **MERCHANT GRAIN BEETLES**, **SAW-TOOTHED GRAIN BEETLES**, **WAREHOUSE BEETLES**, **CIGARETTE BEETLES**, and **DERMESTID BEETLES**), **BOXELDER BUGS**, **CENTIPEDES**, **MILLIPEDES**, **PILLBUGS**, **SOWBUGS**:

Mix 6 fl. oz. of product in 1 gallon of water to cover 1,000 sq. ft. of treatment area.

Contact as many insects as possible. Apply as a coarse, low spray to all areas where these pests may hide: behind and beneath refrigerators, sinks, furnaces and stoves, cracks and crevices, around garbage cans, in and behind cabinets and closets, infested furniture, along the outside of baseboards, corners, door and window sills door and window frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, infested furniture and the

inside of cabinets and closets. Do not reapply within 21 days.

For Ants: Apply to ant trails around doors and windows and other places where ants may be found. Locate and treat nests.

For Bed Bugs: Clean floors and surfaces by vacuuming. Apply to harborage areas: crevices, baseboards, loose plaster, behind bed frames and headboards, beneath beds and furniture, and to box springs and bed frames. Do not apply to furniture surfaces or mattresses where people will be lying or sitting. Do not treat infested bedding. Instead place in sealed plastic bags; launder and dry infested bedding at high temperatures.

For Fleas & Ticks: Apply to pet resting areas, walls, floors, animal bedding & run areas (kennels and doghouses). Do not apply directly to pets. Treat pets with a product labeled for on-pet use, in conjunction with indoor application of this product as part of a complete flea control program. Remove pets prior to spraying treatment area. Begin applications in Spring and continue until frost to control both larvae and adult ticks. Repeat application at 7-month intervals or as needed, but, not more than every 21 days.

For Flying Insect Pests: Apply directly to walls, ceilings, window screens and other resting areas, (including moist breeding areas such as potted plants) as a residual treatment.

For Stored Product Pests: Remove all utensils, uncovered foodstuffs (or any having original package opened), and shelf paper before making application. Allow treated surfaces to dry and cover shelves with clean paper before replacing any utensils, foodstuff or other items. Destroy any foodstuff accidentally contaminated with treatment solution.

OUTDOORS

Crawling Insect Pests: Kills ANTS (including IMPORTED FIRE ANTS), COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, SILVERFISH, STINK BUGS, FLEAS, TICKS, BOXELDER BUGS, CENTIPEDES, MILLIPEDES, PILLBUGS, SOWBUGS:

Mix 6 fl. oz. of product in 1 gallon of water to cover 1,000 sq. ft. of treatment area.

Prior to treatment, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch or other potential pest harborage next to the foundation. Do not spray into air – spray onto specific use sites only. Apply as a coarse spray to cover a 7 ft. wide band around the structure and up to 2 ft. high along the foundation. Thoroughly and uniformly wet the treated area so that the insecticide will reach the soil or thatch level where pests may be active. Spray around window frames, doors, garage doors, decks, carports, shutters, around garbage areas, sill plate, and other areas where pests may congregate. Apply to foliage of ornamental plants as well as into moist breeding areas: potted plants, moist debris or litter, or into areas holding standing water such as gutters, drains, pools and fountains. Do not reapply within 14 days or, if heavy rainfall occurs, retreat as needed.

For Fleas & Ticks: Apply to animal runs, lawns, trees, ornamental plants & shrubs and other areas where animals are known to rest. Begin applications in Spring and continue until frost to control both larvae and adult ticks. Treat entire area rather than making spot treatments.

Flying Insect Pests: Kills FLIES (including HOUSE FLIES, NUISANCE FLIES & STABLE FLIES) GNATS, MIDGES, MOSQUITOES, MOTHS and other similar flying pests):

Mix 6 fl. oz. of product in 1 gallon of water to cover 1,500 sq. ft. of treatment area (1,000 sq. ft. as a crack & crevice application).

This product's insect growth regulator activity causes a decrease in the number and hatching of eggs laid by treated adults. Fly larvae (maggots) treated with this product cannot develop into normal adults.

Mosquito Control Only: For best results, apply when the mosquitoes are most active during cooler hours of the night or early mornings. Contact as many mosquitoes as possible. Apply to areas where mosquitoes may rest, harbor or breed: tall grass, foliage, landscape plantings, building foundations, soil beneath decks, backyards and lawns. Pay particular attention to the bottom 20 feet of trees and the underside of plant leaves. Do not make broadcast applications when wind speed is 15 mph or greater. Retreatment may be necessary to achieve and/or maintain control during periods of high pest pressure or if there are signs of renewed insect activity. Do not apply more than once every 14 days.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store upright at room temperature. Avoid exposure to extreme temperatures. Store in a locked area out of reach of children and domestic animals. **PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call you local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

FIRST AID

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, DO NOT allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run - off to water bodies or drainage systems. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. DO NOT apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT mix or allow coming in contact with oxidizing and reducing agent hazardous chemical reaction may occur. DO NOT use this product in or on electrical equipment due to the possibility of shock hazard.

NOTICE: To the extent consistent with applicable law, Bonide Products, LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Bonide Products, LLC.