BRANDT

SAFETY DATA SHEET

1. Identification

Product identifier N-Boron

Other means of identification

Product code 28123

Recommended use Agricultural/ Horticultural Use- Fertilizer- Refer to product label

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co E-mail wsds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Reproductive toxicity Category 2

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Suspected of damaging fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life

Category 3

with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear

protective gloves/protective clothing/eye protection/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

Material name: N-Boron sps us

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Boric acid (H3BO3) reaction products with ethanolamine		94095-04-2	20 - < 30*
Urea		57-13-6	10 - < 20*
Glycine, N,N-1,2-ethanediylbis[N-(carboxym ethyl)-, tetrasodium salt		64-02-8	< 1*
2-Amino Ethanol (Ethanolamine)		141-43-5	< 0.3*
Cupric Nitrate		3251-23-8	< 0.3*
Formaldehyde		50-00-0	< 0.1*
Sodium hydroxide, (Na(OH))		1310-73-2	< 0.1*
Other components below reportable	levels		60 - < 70

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

General information

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

_ ...

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Fire fighting

During fire, gases hazardous to health may be formed.

attendance. Wash contaminated clothing before reuse.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

equipment/instructions

move demanded from the area if you dail do de without flore.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
Components	Туре	Value	
Formaldehyde (CAS 50-00-0)	STEL	2 ppm	
·	TWA	0.75 ppm	
US. OSHA Table Z-1 Limits for Air	Contaminants (29 CFR 1910.1	000)	
Components	Туре	Value	
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	Form
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)	STEL	6 ppm	
,	TWA	3 ppm	
Cupric Nitrate (CAS 3251-23-8)	TWA	1 mg/m3	Dust and mist.
,		0.2 mg/m3	Fume.
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm	
Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)	Ceiling	2 mg/m3	

US. NIOSH: Pocket Guide to Chel Components	mical Hazards Type	Value	Form
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)	STEL	15 mg/m3	
,		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
Cupric Nitrate (CAS 3251-23-8)	TWA	1 mg/m3	Dust and mist.
Formaldenyde (CAS 50-00-0)	Ceiling	0.1 ppm	
,	TWA	0.016 ppm	
Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. AIHA Workplace Environmen	tal Exposure Level (WEEL) Gui	des	
Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance Aqueous solution.

Physical stateLiquid.FormLiquid.ColorBlue

Odor Not available.
Odor threshold Not available.
pH 7 - 9 (neat)

Melting point/freezing point Not Applicable / 32 °F (0 °C) (approximate)

Initial boiling point and boiling

range

> 212 °F (> 100 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.09 hPa estimated

Vapor density Not available.

Relative density 1.16 (typical)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)Auto-ignition temperatureDecomposition temperatureNot available.

Not available.

Other information

Viscosity

Explosive properties

Oxidizing properties

Percent volatile

pH in aqueous solution

Pounds per gallon

Specific gravity

Not explosive.

Not explosive.

71.75 % estimated

7 - 8 (1% Solution)

9.65 (typical)

1.36 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

12.1 % estimated

Possibility of hazardous

reactions

VOC

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis, Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Product	Species	Test Results
N-Boron		
<u>Acute</u>		
Inhalation		
LC50	Mouse	46000 mg/l, 4 Hours estimated
		44444 mg/l, 2 Hours estimated
	Rat	91111 mg/l, 0.5 Hours estimated
		53333 mg/l, 4 Hours estimated
		650 mg/l, 6 hours estimated

Oral LD50 Rat 58991 mg/kg estimated Components Species Test Results 2-Amino Ethanol (Ethanolamine) (CAS 141-43-5) Acute Dermal LD50 Rabbit 1025 mg/kg Inhalation LC50 Rat > 1.3 mg/l, 6 hours Oral LD50 Guinea pig 620 mg/kg Mouse 700 mg/kg Rat 10.2 g/kg Cupric Nitrate (CAS 3251-23-8) Acute Oral LD50 Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Acute 0.41 mg/l, 2 Hours Acute Inhalation LC50 Mouse 0.41 mg/l, 2 Hours Acute Inhalation LC50 Rat 0.82 mg/l, 0.5 Hours Acute Oral LD50 Guinea pig Mouse 260 mg/kg LD50 Guinea pig Mouse 260 mg/kg Acute Oral LD50 Rat 100 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8) Acute Oral LD50 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg D50 Rat 8471 mg/kg	Product	Species	Test Results
Components Species Test Results 2-Amino Ethanol (Ethanolamine) (CAS 141-43-5) Acute Dermal Domal LD50 Rabbit 1025 mg/kg Inhalation 1,3 mg/l, 6 hours LD50 Rat > 1,3 mg/l, 6 hours Oral (20 mg/kg LD50 Mouse 700 mg/kg Cupric Nitrate (CAS 3251-23-8) 10,2 g/kg Cupric Nitrate (CAS 3251-23-8) 4 mg/l, 2 mg/kg LD50 Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Rat 0,414 mg/l, 4 Hours LC50 Rat 0,82 mg/l, 0,5 Hours 0,48 mg/l, 4 Hours 0,48 mg/l, 4 Hours LC50 Quinea pig 260 mg/kg Mouse 42 mg/kg Mouse 42 mg/kg Pacute 100 mg/kg Oral 200 mg/kg LD50 Rat 200 mg/kg Glycine, N,N-1,2-ethanediylbis[N-tc=trosymethyl)-, tetrasodium salt (CAS 64-02-8) 200 mg/kg <t< td=""><td>Oral</td><td></td><td></td></t<>	Oral		
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5) Acute Dermal	LD50	Rat	58991 mg/kg estimated
Acute Dormal Do	Components	Species	Test Results
Dermal LD50	2-Amino Ethanol (Ethanolamin	e) (CAS 141-43-5)	
LD50	<u>Acute</u>		
Inhalation			
LC50	LD50	Rabbit	1025 mg/kg
Oral Cub50 Guinea pig 620 mg/kg LD50 Mouse 700 mg/kg Rat 10.2 g/kg Cupric Nitrate (CAS 3251-23-8) Acute Oral LD50 Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Acute Inhalation 0.4 mg/l, 4 Hours LC50 Mouse 0.4 mg/l, 2 Hours LC50 Rat 0.82 mg/l, 0.5 Hours 0 As mg/l, 4 Hours 0.48 mg/l, 4 Hours Oral Endown pig 260 mg/kg LD50 Runea pig 260 mg/kg Mouse 42 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(car-oxymethyl)-, tetrasodium salt (CAS 64-02-8) Page (CAS 57-13-6) Acute Oral > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg			
LD50 Mouse Acute	LC50	Rat	> 1.3 mg/l, 6 hours
Mouse Rat 10.2 g/kg 10			
Rat 10.2 g/kg	LD50	Guinea pig	620 mg/kg
Cupric Nitrate (CAS 3251-23-8) Acute Oral LD50 Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Acute Inhalation LC50 Mouse 0.414 mg/l, 4 Hours 0.4 mg/l, 2 Hours 0.4 mg/l, 2 Hours 0.48 mg/l, 2 Hours 0.48 mg/l, 4 Hours 0.49 mg/l, 2 Hours 0.49 mg/l, 2 Hours 0.49 mg/l, 2 Hours 0.40 mg		Mouse	700 mg/kg
Acute Oral LD50 Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Acute Inhalation Value 0.414 mg/l, 2 Hours LC50 Mouse 0.4 mg/l, 2 Hours LC50 Rat 0.82 mg/l, 0.5 Hours Oral 0.48 mg/l, 4 Hours LD50 Guinea pig 260 mg/kg Mouse 42 mg/kg Rat 100 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8) Acute Oral LD50 Rat > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg		Rat	10.2 g/kg
Oral LD50 Rat 940 mg/kg Formaldehyde (CAS 50-00-0) Acute Inhalation 0.414 mg/l, 4 Hours LC50 Mouse 0.4 mg/l, 2 Hours A mg/l, 2 Hours 0.82 mg/l, 0.5 Hours A mg/l, 4 Hours 0.48 mg/l, 4 Hours Dral LD50 Guinea pig 260 mg/kg Mouse 42 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(cas-vsymethyl)-, tetrasodium salt (CAS 64-02-8) 300 mg/kg Glycine, D,N-1,2-ethanediylbis[N-(cas-vsymethyl)-, tetrasodium salt (CAS 64-02-8) 300 mg/kg Gral LD50 Rat 2000 mg/kg Urea (CAS 57-13-6) 400 mg/kg 400 mg/kg Coral 500 mg/kg 400 mg/kg LD50 Rat 400 mg/kg	Cupric Nitrate (CAS 3251-23-8	3)	
LD50 Rat	<u>Acute</u>		
Formaldehyde (CAS 50-00-0) Acute			
Nation N	LD50	Rat	940 mg/kg
Inhalation	Formaldehyde (CAS 50-00-0)		
LC50 Mouse 0.414 mg/l, 2 Hours 0.4 mg/l, 2 Hours 0.82 mg/l, 0.5 Hours 0.82 mg/l, 0.5 Hours 0.48 mg/l, 4 Hours Oral LD50 Guinea pig 260 mg/kg Mouse 42 mg/kg Rat 100 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8) Acute Oral LD50 Rat > 2000 mg/kg Utrea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg			
Rat			
Rat	LC50	Mouse	-
Oral LD50 Guinea pig 260 mg/kg Mouse 42 mg/kg Rat 100 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8) Acute Oral LD50 Rat > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg			
Oral LD50 Guinea pig 260 mg/kg Mouse 42 mg/kg Rat 100 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8) Acute Oral 2000 mg/kg Urea (CAS 57-13-6) 2000 mg/kg Acute Oral LD50 Rat 8471 mg/kg		Rat	0.82 mg/l, 0.5 Hours
LD50 Guinea pig 260 mg/kg Mouse 42 mg/kg Rat 100 mg/kg Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8) Acute Oral LD50 Rat > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg			0.48 mg/l, 4 Hours
Mouse Rat 100 mg/kg 10	Oral		
Rat 100 mg/kg	LD50	Guinea pig	260 mg/kg
Glycine, N,N-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (CAS 64-02-8)		Mouse	42 mg/kg
Acute Oral LD50 Rat > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg		Rat	100 mg/kg
Oral LD50 Rat > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral DTal LD50 Rat 8471 mg/kg	Glycine, N,N-1,2-ethanediylbis	[N-(carboxymethyl)-, tetrasodium salt (C	CAS 64-02-8)
LD50 Rat > 2000 mg/kg Urea (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg	<u>Acute</u>		
Urea (CAS 57-13-6)	Oral		
Acute Oral LD50 Rat 8471 mg/kg	LD50	Rat	> 2000 mg/kg
Oral LD50 Rat 8471 mg/kg	Urea (CAS 57-13-6)		
LD50 Rat 8471 mg/kg	<u>Acute</u>		
Sheen 28500 malka	LD50		
Sheep 20000 hig/kg		Sheep	28500 mg/kg
* Estimates for product may be based on additional component data not shown.	* Estimates for product ma	av be based on additional component da	ata not shown
Skin corrosion/irritation Causes skin irritation.			

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

ACGIH sensitization

Formaldehyde (CAS 50-00-0) Dermal sensitization Respiratory sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ

Not classified.

toxicity - single exposure

Specific target organ toxicity - repeated

toxicity - repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product		Species	Test Results
N-Boron			
Aquatic			
Crustacea	EC50	Daphnia	143.3099 mg/l, 48 hours estimated
Fish	LC50	Fish	453.8798 mg/l, 96 hours estimated
Components		Species	Test Results
2-Amino Ethanol (Ethanol	olamine) (CAS 14	41-43-5)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
Cupric Nitrate (CAS 325	1-23-8)		
Aquatic			
Crustacea	EC50	Water flea (Moina dubia)	0.037 - 0.044 mg/l, 48 hours
Fish	LC50	Winter flounder (Pleuronectes americanus)	0.057 - 0.1061 mg/l, 96 hours
Formaldehyde (CAS 50-	-00-0)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours
Glycine, N,N-1,2-ethane	diylbis[N-(carbox	ymethyl)-, tetrasodium salt (CAS 64-02-8)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours
Sodium hydroxide, (Na(OH)) (CAS 1310-	73-2)	
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours
Urea (CAS 57-13-6) Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours

Material name: N-Boron SDS US

28123 Version #: 11 Revision date: 05-07-2018 Issue date: 03-12-2014

Components Species Test Results

Mozambique tilapia (Tilapia

590 - 730 mg/l, 96 hours

mossambica)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-Amino Ethanol (Ethanolamine) -1.31 Formaldehyde 0.35 Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

Formaldehyde (CAS 50-00-0) U122

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Cupric Nitrate (CAS 3251-23-8)

Formaldehyde (CAS 50-00-0)

Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)

Listed.

Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

Skin sensitization
Respiratory sensitization

Eye irritation Skin irritation

respiratory tract irritation

Acute toxicity

Material name: N-Boron sps us

^{*} Estimates for product may be based on additional component data not shown.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold Threshold Threshold quantity planning quantity planning quantity, lower value upper value

Formaldehyde 50-00-0 100 500 lbs

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Formaldehyde (CAS 50-00-0)

Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)

US. Massachusetts RTK - Substance List

2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)

Cupric Nitrate (CAS 3251-23-8)

Formaldehyde (CAS 50-00-0)

Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)

Cupric Nitrate (CAS 3251-23-8)

Formaldehyde (CAS 50-00-0)

Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)

Cupric Nitrate (CAS 3251-23-8)

Formaldehyde (CAS 50-00-0)

Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)

US. Rhode Island RTK

Cupric Nitrate (CAS 3251-23-8)

Formaldehyde (CAS 50-00-0)

Sodium hydroxide, (Na(OH)) (CAS 1310-73-2)

US. California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*AustraliaAustralian Inventory of Chemical Substances (AICS)No

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

 Korea
 Existing Chemicals List (ECL)
 Yes

 New Zealand
 New Zealand Inventory
 No

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Inventory name

Domestic Substances List (DSL)

 Issue date
 03-12-2014

 Revision date
 05-07-2018

Version # 11

Country(s) or region

Canada

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage

or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision information Physical & Chemical Properties: Multiple Properties

GHS: Classification

Material name: N-Boron sps us

On inventory (yes/no)*

Yes

No