SAFETY DATA SHEET

CB-80 Insecticide

SDS #: 6545-A

Revision date: 2019-04-03

Format: NA Version 2.01



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name CB-80 Insecticide

Other means of identification

Product Code(s) 6545-A

Synonyms Pyrethrins, PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether,

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Active Ingredient(s) Pyrethrins, Piperonyl Butoxide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number Medical Emergencies :

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 2

GHS Label elements, including precautionary statements

SDS #: 6545-A **Revision date**: 2019-04-03

Version 2.01

Warning

Hazard Statements

H332 - Harmful if inhaled

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H223 - Flammable aerosol

H229 - Pressurized container: May burst if heated



Precautionary Statements - Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P280 - Wear eye protection/ face protection

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
1,1-Difluoroethane	75-37-6	50-70
Isopropanol	67-63-0	15-30
Petroleum distillates, hydrotreated light	64742-47-8	1-5
Piperonyl butoxide	51-03-6	4
Pyrethrins	8003-34-7	0.5

SDS #: 6545-A Revision date: 2019-04-03

Version 2.01

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry chemical. Water spray.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact

No information available.

Contents under pressure.

Sensitivity to Static Discharge No information available.

Protective equipment and precautions for firefighters

Isolate fire area. Evaluate upwind. As in any fire, wear self-contained breathing apparatus

hters and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize

spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Rinsate may be disposed at a waste water treatment plant.

7. HANDLING AND STORAGE

CB-80 Insecticide

SDS #: 6545-A **Revision date:** 2019-04-03

Version 2.01

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on

flames or red-hot objects.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products Strong oxidizing agents. Bases. Powdered earth metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Isopropanol	STEL 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm	Mexico: TWA 200 ppm
(67-63-0)	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm	Mexico: STEL 400 ppm
			TWA: 980 mg/m ³	
			STEL: 500 ppm	
			STEL: 1225 mg/m ³	
Pyrethrins	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 5000 mg/m ³	Mexico: TWA 5 mg/m ³
(8003-34-7)	-		TWA: 5 mg/m ³	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Isopropanol	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm	TWA: 200 ppm
(67-63-0)	STEL: 400 ppm	TWA: 985 mg/m ³		TWA: 492 mg/m ³
		STEL: 500 ppm		STEL: 400 ppm
		STEL: 1230 mg/m ³	STEL: 400 ppm	STEL: 984 mg/m ³
Petroleum distillates,	TWA: 200 mg/m ³	-	-	-
hydrotreated light	Skin			
(64742-47-8)				
Pyrethrins	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
(8003-34-7)			_	
·				

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

SDS #: 6545-A Revision date: 2019-04-03

Version 2.01

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Yellow, Aerosolized liquid

Physical State
Color
Odor
Liquid Aerosol
yellow
Pyrethrins

Odor threshold No information available No information available

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point 14.4 °C / 58 °F (Flame extension 5" - no flashback)

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density

No information available
No information available
No information available
No information available
7.29 lb/gal (0.874 g/cm³)

Specific gravity 0.8746

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available Oxidizing properties No information available No information available Molecular weight **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials Strong oxidizing agents. Bases. Powdered earth metals. **Hazardous Decomposition Products** Carbon oxides (COx), Hydrogen fluoride, Carbonyl fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 2,370 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rabbit)

 LC50 Inhalation
 2.5 mg/L 4 hr (rat)

Eye ContactSlightly or non-irritating (rabbit)Skin ContactSlightly or non-irritating (rabbit)

Sensitization May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropanol (67-63-0)	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h

SDS #: 6545-A Revision date: 2019-04-03

Version 2.01

(64742-47-8)			
Piperonyl butoxide	= 4570 mg/kg (Rat) = 6150	= 1880 mg/kg (Rabbit) > 7950	
(51-03-6)	mg/kg (Rat)	mg/kg (Rat)	
Pyrethrins	= 200 mg/kg (Rat)	= 1350 mg/kg (Rat) = 2060	= 3.4 mg/L (Rat) 4 h
(8003-34-7)		mg/kg (Rabbit) = 300 mg/kg (-
		Rabbit)	

Information on toxicological effects

Symptoms

Carcinogenicity

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Reproductive toxicity No information available.

Developmental toxicity Isopropanol has been reported to cause teratogenicity in laboratory animals.

STOT - single exposure Not classified. STOT - repeated exposure Not classified.

Target organ effects

Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight

and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group

showed preneoplastic changes, including enlargement of hepatocyte nuclei and

multinucleated cells. Kidney damage was also seen.

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0		Group 3		
Piperonyl butoxide 51-03-6		Group 3		
Pyrethrins 8003-34-7		Group 2A		

Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION

Ecotoxicity

Piperonyl butoxide (51-03-6)					
Active Ingredient(s)	Duration	Species	Value	Units	
Piperonyl Butoxide	LC50	Fish	3.94	ppm	
	LD50	Bee	25	μg/bee	
	LD50	Bobwhite quail	>2250	mg/kg	
	LD50	Mallard duck	>5620	ppm	

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
Petroleum distillates, hydrotreated		96 h LC50: = 2.2 mg/L (Lepomis	96 h LC50: = 4720 mg/L
light		macrochirus) static 96 h LC50: = 2.4	(Den-dronereides heteropoda)
64742-47-8		mg/L (Oncorhynchus mykiss) static	
		96 h LC50: = 45 mg/L (Pimephales	
		promelas) flow-through	
Isopropanol	72 h EC50: > 1000 mg/L	96 h LC50: = 11130 mg/L	48 h EC50: = 13299 mg/L (Daphnia
67-63-0 (Desmodesmus subspicatus) 96 h		(Pimephales promelas) static 96 h	magna)
	EC50: > 1000 mg/L (Desmodesmus		
	subspicatus)	promelas) flow-through 96 h LC50:	

SDS #: 6545-A **Revision date:** 2019-04-03

Version 2.01

	> 1400000 µg/L (Lepomis
	macrochirus)
Pyrethrins	96 h LC50: 0.003 - 0.0046 mg/L
8003-34-7	(Lepomis macrochirus) flow-through
	96 h LC50: 0.0031 - 0.0038 mg/L
	(Oncorhynchus mykiss)
	flow-through 96 h LC50: 0.02 - 0.03
	mg/L (Oncorhynchus mykiss) static
	96 h LC50: 0.0322 - 0.0472 mg/L
	(Lepomis macrochirus) static 96 h
	LC50: 0.0425 - 0.121 mg/L
	(Pimephales promelas) flow-through
	96 h LC50: 0.224 - 0.458 mg/L
	(Pimephales promelas) static 96 h
	LC50: = 0.054 mg/L (Oncorhynchus
	mykiss) 96 h LC50: = 0.074 mg/L
	(Lepomis macrochirus)

Persistence and degradability

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

<u>DO</u>T

Packaging Type 17 oz. Container

UN/ID no 17 oz. Container: UN1950 13 lb. Cylinder: UN1954

Proper Shipping Name 17 oz. Container: Consumer Commodity

13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)

Hazard class 17 oz. Container: ORM-D

13 lb. Cylinder: 2.1

TDG

UN/ID no 17 oz. Container: UN1950

13 lb. Cylinder: UN1954 17 oz. Container: Aerosols

13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)

Hazard class 2.1

Proper Shipping Name

ICAO/IATA

UN/ID no 17 oz. Container ID8000

13 lb. Cylinder: UN 1954

Proper Shipping Name 17 oz. Container: Consumer Commodity

13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)

Hazard class 17 oz. Container: 9 13 lb. Cylinder: 2.1

IMDG/IMO

UN/ID no 17 oz. Container: UN1950

13 lb. Cylinder: UN1954

Proper Shipping Name 17 oz. Container: Aerosols

SDS #: 6545-A

Revision date: 2019-04-03

Version 2.01

13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol) 2.1

Hazard class

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	15-30	1.0
Piperonyl butoxide - 51-03-6	51-03-6	4	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Ï	Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
	Pyrethrins 8003-34-7	1 lb			

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrins	1 lb	
8003-34-7	0.454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Contains petroleum distillates. Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Prolonged or repeated contact with the skin may cause allergic reactions in some individuals

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersev	Massachusetts	Pennsylvania

SDS #: 6545-A **Revision date**: 2019-04-03

Version 2.01

1,1-Difluoroethane 75-37-6	X	X	
Isopropanol 67-63-0	X	X	Х
Piperonyl butoxide 51-03-6	X		
Pyrethrins 8003-34-7	X	X	Х

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
1,1-Difluoroethane 75-37-6	Х	Х	X	Х	Х	X	Х	Х
Isopropanol 67-63-0	Х	Х	X	Х	Х	X	Х	Х
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	X		Х	X	Х	Х
Piperonyl butoxide 51-03-6	Х	Х	Х	Х	Х	Х	Х	Х
Pyrethrins 8003-34-7		Х	Х		Х	Х	Х	Х

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico	
Isopropanol		Mexico: TWA 200 ppm	
		Mexico: STEL 400 ppm	
Pvrethrins		Mexico: TWA 5 mg/m ³	

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities	
Pyrethrins	500 2500 kg/yr	500 kg/yr	

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

A - Compressed gases B5 - Flammable aerosol D1B - Toxic materials D2B - Toxic materials









16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 3	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 3	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

SDS #: 6545-A

Revision date: 2019-04-03 Version 2.01

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2019-04-03

Reason for revision: SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet