PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin or eyes. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before reuse. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT — IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. Apply artificial respiration mouth to mouth. Get medical attention.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container.

Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of a shock hazard. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the 'Directions for Use' on this label

DIRECTIONS FOR USE

Highly Flamr Ingrediente Alton

DIRECTIONS FOR USE

Tighty Fannmable Ingredient Alt is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Use. Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. DO NoT use more than one fogger per room. DO NOT use in mannel enclosed spaces such as closeste, cabinets or under counters or tables. Do not use in a room 5 ft × 5 ft or smaller, instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e. refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights. Use one 9 oz. unit for sood oubic feet of unobstructed space. Do not remain in the area during treatment, and ventilate thoroughly before reentry.

To OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks, or when necessary.

To KIII Ticks and Fleas: Destroy pet's old bedding and replace. Use this product as above, Pets should be treated with a registered tick and flea control product prior to reentry. Repeat as necessary to bring infestation under control.

reentry. Repeat as necessary to bring infestation under control.

Territy in the state of the sta cleaning compound followed by a potable water rinse prior to use.

In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: This container my be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.

Authorized by USDA for Use in Federally Inspected Meat and Poultry Plants.









KILLS EXPOSED STAGES OF: Cockroaches, Fleas, Ticks, Houseflies, Mosquitoes, Small Flying Moths, Wasps, Crickets and Silverfish

FOR USE IN: Food and Non-Food Areas of Homes, Food Processing Plants, Restaurants, Industrial Buildings, Schools Warehouses Offices Theaters, Garages, Hotels, Motels, Hospitals and Kennels

ACTIVE INGREDIENTS:

100.00% *Equivalent to 8.0% of (butylcarbity!)
(6-propylpiperonyl) ether and 0.20% related compounds.
**MGCONTAINS AND CETS OF OTHER OZOME ODTAINS AND CETS ON OTHER OZOME DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROBINET CFC PROPELLANTS IN AEROSOLS

KEEP OUT OF REACH OF CHILDREN

CAUTION See Back Panel for Additional Precautionary Statements.

EPA Reg No. 9444-185 EPA Est. No. 9444-LA-1 NET WEIGHT 5 oz / 142 g



