



COMPLETE^{BRAND} INSECT KILLER

For Soil & Turf Ready-To-Spray

EXCLUSIVE 2-WAY FORMULA

**Kills Surface Insects
in 24 Hours**

**Kills Soil Insects
for up to 3 Months**

FÓRMULA DE DOBLE ACCIÓN EXCLUSIVA
Mata los insectos de la superficie en 24 horas
Mata los insectos del suelo por 3 meses

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional
precautionary statements
Not for sale, sale into, distribution and or use in Nassau, Suffolk,
Kings, and Queens counties of New York.

79264615 R.1

Active Ingredient:
Imidacloprid 0.72%
β-Cyfluthrin 0.36%
Other Ingredients ... 98.92%
Total 100.00%



NET CONTENTS 32 FL OZ (946ml) ^{Covers} **5,334sqFt**



BAYER
ADVANCED

COMPLETE
BRAND
INSECT KILLER
For Soil & Turf Ready-To-Spray

PRECAUTIONARY STATEMENTS (cont'd)

CAUTION Hazards to Humans and Domestic Animals

- Harmful if swallowed or inhaled.
- Causes moderate eye irritation.
- Avoid contact with skin, eyes or clothing.
- Avoid breathing spray mist.
- Removing and washing contaminated clothing before reuse may reduce exposure.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID +

IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF INHALED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information.

Active Ingredients: 0.36% Beta-cyfluthrin [CAS # 68359-37-5] and 0.72% Imidacloprid [CAS #138261-41-3].

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for:
Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709
Made in USA

EPA Reg. No. 72155-29
EPA Est. No. indicated by 2nd and 3rd digits of the batch number on this package. (65) = 432-TX-1 (39) = 58996-MQ-1 (49) = 072155-AL-001
Tempo, Merit, Bayer Advanced, **Bayer** and  are trademarks of Bayer.

PRESS TO RESEAL

79256760 RT



BAYER
ADVANCED

COMPLETE BRAND INSECT KILLER

For Soil & Turf Ready-To-Spray

Contains Bayer's exclusive 2-way formula for control of surface insects like ants, fleas, and ticks plus subsurface insects like grubs and European crane fly larvae in one easy step. Just attach to your hose and spray for long lasting protection. Keeping your lawn free of listed nuisance pests has never been easier.

OPEN
Resealable Label
for Directions &
Precautions

READ THE LABEL FIRST!

QUICK FACTS



Indicaciones
en español
después de las
de inglés

- Fast Acting Formula Works 2 Ways for Powerful Insect Control
- Kills Insects Both Above & Below Ground
- Long-Lasting - up to 90-Day Subsurface Insect Protection

KILLS	Ants, Fleas, Ticks, Grubs, Chinch Bugs, Mole Crickets, European crane fly larvae and other listed pests
COVERAGE	• Covers 5,334 sq. ft. of lawn • Makes up to 64 gallons of spray solution
WHERE TO USE	Lawns, Ground Covers, Flowers, Trees & Shrubs, along building foundations
WHEN TO USE	• When insects or damage first appear • Grubs May through July
HOW MUCH TO USE	No measuring or mixing needed. Dilutes automatically as you spray.
 	For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724), or visit us on-line at www.BayerAdvanced.com

ACTIVE INGREDIENTS:

Imidacloprid 0.72%
β-cyfluthrin 0.36%

OTHER INGREDIENTS 98.92%
TOTAL 100.00%

β-cyfluthrin is the chemical name for Tempo® Ultra Insecticide.

Imidacloprid is the chemical name for Merit® Insecticide.

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-29

EPA Est. No. indicated by 2nd and 3rd digits of the batch number on this package. (65) = 432-TX-1 (39) = 58996-MO-1 (49) = 072155-AL-001



6 870731 002801 5

79256760 R.1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE

Read and follow directions when using.

- When spraying the product on plants with flowers, apply during early morning or late evening, when bees are not present.
- Do not spray the product into fish pools, ponds, streams, or lakes.
- Remove animal feeding dishes prior to application. Keep children and pets away from treated areas until spray has dried.
- Do not apply to fruits or vegetables used for food.

HOW TO USE Shake Well Before Use

This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray. For grubs water product in soon after application.

HOW TO ATTACH & SPRAY



1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the **OFF** position. Turn on water at faucet.

2. To maximize the effectiveness of this product against your specific insect problems, two application settings have been developed. Be certain to choose the setting below which describes your use area (see below).

For Lawn use and along Building Foundations: Pull the small star-shaped, blue product-control button out until it stops. Twist the blue product-control button so that the "L" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open. Proceed to step #3.



For All other uses: Pull the small star-shaped, blue product-control button out until it stops. Twist the product-control button so that the "G" on the product-control button is at the top of the control valve AND the product control valve is aligned with the flat portion of the lock tab. Push the button in to open (The button will only go half way in for this setting). Proceed to step #3.



3. To begin spraying, point nozzle toward the area to be treated and turn the blue water control valve to the **ON** position. Tab will be horizontal. Spray leaves and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.



(cont'd)

DIRECTIONS FOR USE (cont'd)

HOW TO ATTACH & SPRAY (con't)



4. To stop spraying, turn the blue water control valve on top of the spray nozzle to **OFF**. To close, push in the small round button opposite the star-shaped product-control button. Turn off faucet.
5. Relieve water pressure by turning blue water control valve to the **ON** position until water slows to a drip. Turn blue water control valve back to **OFF**. Disconnect garden hose from bottle.

KILLS

On Lawns & along Foundations

Annual Bluegrass Weevil (hyperodes weevil)	Clover Mites	Japanese Beetles
Ants	Cockroaches	Mole Crickets
(including Carpenter Ants)	Crickets	Mosquitoes
Armyworms	Cutworms	Pillbugs
Billbugs	Earwigs	Sod Webworms
Bluegrass Billbugs	European crane fly larvae	Sowbugs
Boxelder Bugs	Fire Ants	Spiders
Caterpillars	Fleas	Ticks (including deer ticks)
Chiggers	Flies	Wasps
Chinch Bugs	Grasshoppers	White Grubs
	Hyperodes Weevils	

On Flowers, Roses, Shrubs & Trees, Evergreens, Ground Covers, & Foliage Plants

Adelgids	Lace Bugs	Psyllids
Ants	Leaf-Feeding Beetles	Rose Midges
Aphids	Leaf-Feeding Caterpillars	Rose Slugs
Bagworms	Leafhoppers	Sawflies
Boxelder Bugs	(including Glassy-Winged Sharpshooters)	Scale Insects (Crawler Stages)
Clover Mites	Leafminers	Spittlebugs
Cutworms	Mealybugs	Thrips
Elm Leaf Beetles	Midges	Weevils
Fungus Gnats	Pine Shoot Moths	(including Root Weevils)
Grasshoppers	Pine Tip Moths	Whiteflies
Gypsy Moths	Plant Bugs	
Japanese Beetles		

DIRECTIONS FOR USE (cont'd)

HOW THIS PRODUCT WORKS

This product is a totally different way to control the insects that want to destroy your prized lawn, roses, flowers, and other ornamental plants. The residual component is actually taken into the plant. Rain or water cannot wash off this internal protection! Insects are killed when they come into contact with the product or when they attempt to eat the plant.

FOR BEST RESULTS

- Rain or watering one hour after application will not wash away effectiveness.
- After spraying the lawn, wait 24 hours before mowing.
- To avoid serious damage to plants, eliminate pests early in the season before they multiply. For severe infestations, repeat every 7 to 14 days as needed.



Children and pets may re-enter the treated area after the spray has dried.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

IMPORTANT-Directions for Storage and Disposal

STORAGE CONDITIONS

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

DISPOSAL



If Empty:

- Do not reuse this container.
- Place in trash or offer for recycling if available.

If Partly Filled:

- Call your local solid waste agency or call toll-free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

- Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates and fish.
- Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
- This pesticide is highly toxic to bees. Do not apply this product when bees are present.

¡LEER LA ETIQUETA PRIMERO!

DATOS RÁPIDOS

- La fórmula de rápida acción controla los insectos de 2 maneras
- Mata tanto los insectos de la superficie como los del suelo
- Protección duradera, hasta 90 días de protección subterránea contra los insectos

MATA	Hormigas, pulgas, garrapatas, larvas, chinches, grillos cebolleros, larvas de la típula europea y otras plagas de la lista.
COBERTURA	• Cubre 5,334 pies cuadrados de césped (aprox. 495 m²) • Puede preparar hasta 64 galones de producto (aprox. 242 l)
DÓNDE USAR	Césped, cubiertas vegetales, flores, árboles y arbustos, alrededor de las edificaciones.
CUÁNDO USAR	• Cuando aparezcan los primeros insectos o daños. • Para gusanos, de mayo hasta julio.
CUÁNTO USAR	No es necesario medir o mezclar. Se diluye automáticamente al rociar.
 	Para hacer preguntas y comentarios, llamar al número gratuito 1-877-BayerAG (1-877-229-3724), o visite nuestra página www.BayerAdvanced.com

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INGREDIENTES ACTIVOS:

Imidacloprida	0.72%
Betaciflutrina	0.36%
OTROS INGREDIENTES	98.92%
	100.00%

Betaciflutrina es la denominación química del insecticida Tempo® Ultra.

Imidacloprida es la denominación química del insecticida Merit®

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a lo indicado en la etiqueta.

ANTES DE USAR

Leer y seguir estas indicaciones de uso:

- Aplicar el producto a las plantas que están floreciendo a la mañana temprano o al atardecer, cuando las abejas no estén presentes.
- No rociar el producto en peceras, lagunas, arroyos o lagos.
- Quitar los platos donde se alimentan los animales antes de la aplicación. Mantener a los niños y mascotas alejados de las áreas bajo tratamiento hasta que el producto se haya secado.
- No aplicar a las frutas u hortalizas comestibles.

CÓMO USAR

Agitar bien antes de usar

Este producto está listo para rociar. Sólo hay que acoplar esta botella a la manguera según las indicaciones. El agua se mezcla automáticamente con el concentrado al rociar. Para gusanos, rociar el área con agua después de la aplicación.

CÓMO ACOPLAR Y ROCIAR



1. Conectar la manguera a la botella. Asegurarse que la válvula azul de control de agua que está encima de boquilla esté en la posición **OFF** (cerrado). Abrir la llave de agua.

2. Para maximizar la eficacia de este producto contra sus problemas específicos de insectos, existen dos ajustes posibles para la aplicación. Escoger el ajuste que describe su área de uso (ver a continuación).

Para uso en césped y cimientos de edificios: Tirar del pequeño botón azul en forma de estrella para controlar el producto hasta que se detenga. Girar el botón azul de control del producto hasta que la letra "L" esté encima de la válvula de control Y la válvula de control esté alineada con la parte plana de la lengüeta de cerrado. Presionar el botón para abrir. Avanzar al paso N°3.



Para todos los usos restantes: Tirar del pequeño botón azul en forma de estrella para controlar el producto hasta que se detenga. Girar el botón azul de control del producto hasta que la letra "G" esté encima de la válvula de control Y la válvula de control esté alineada con la parte plana de la lengüeta de cerrado. Presionar el botón para abrir (el botón sólo llegará hasta la mitad en este ajuste). Proceder al paso N°3.



3. Para comenzar a rociar, apuntar la boquilla hacia el área a tratar y girar la válvula azul de control de agua hasta que esté en la posición **ON** (abierto). La lengüeta estará en posición horizontal.

(cont.)

INDICACIONES DE USO (continuación)

CÓMO ACOPLAR Y ROCIAR (continuación)



(continuación)

Rociar las hojas y los brotes tiernos nuevos. Para matar insectos que estén escondidos, rociar la parte inferior de las hojas. Aplicar hasta que las hojas estén cubiertas por el producto de manera uniforme, pero sin gotear.

4. Para dejar de rociar, girar la válvula azul de control de agua que está encima de la boquilla del rociador a la posición **OFF** (cerrado). Para cerrar apretar el pequeño botón redondo que se encuentra en frente del botón en forma de estrella del control del producto. Cerrar la llave de agua.



5. Disminuir la presión de agua girando la válvula azul de control de agua a la posición **ON** (abierto) hasta que gotee. Girar la válvula azul de control de agua a la posición **OFF** (cerrado) nuevamente. Desconectar la manguera de la botella.

MATA

En césped y alrededor de las edificaciones

Larvas de gorgojo	Cucarachas	Grillos cebolleros
Hormigas (incluyendo hormigas carpinteras)	Grillos	Mosquitos
Gusanos soldado	Gusanos cortadores	Cochinillas
Escarabajos picudos	Tijeretas	Orugas de tierra
Escarabajos picudos del Bluegrass	Larvas de la típula europea	Lepismas
Chinchas del arce	Hormigas de fuego	Arañas
Orugas	Pulgas	Garrapatas (incluso garrapatas de venado)
Aradores	Moscas	Avispas
Chinchas del maíz	Saltamontes	Gusanos blancos
Ácaros	Gorgojos de los Andes	
	Escarabajos japoneses	

En flores, rosas, arbustos y árboles, plantas de hoja perenne, cubiertas vegetales y plantas de follaje

Adélgidos	Gusanos del saco	Escarabajos de la
Hormigas	Chinchas del arce	hoja del olmo
Áfidos	Ácaros	Moscas de los hongos
	Gusanos cortadores	Saltamontes
		Polillas gitanas

(cont.)

INDICACIONES DE USO (continuación)

MATA (continuación)

En flores, rosas, arbustos y árboles, plantas de hoja perenne, cubresuelos y plantas de follaje (continuación)

Escarabajos japoneses	Mosquitos	Himenóptero diprionido
Chinchas de encaje	Polillas de los brotes del pino	Escamas (en etapas de arrastre)
Escarabajos desfoliadores	Palomillas de la punta del pino	Salivazos
Orugas desfoliadoras	Chinchas de las plantas	Trips
Saltaarillas (incluso la chicharra de las alas cristalinas)	Psílidos	Gorgojos (incluso los gorgojos de la raíz)
Minadores de las hojas	Mosquitos de la rosa	Moscas blancas
Cocos	Babosas de la rosa	

CÓMO FUNCIONA ESTE PRODUCTO

Este producto ofrece una manera totalmente diferente para controlar los insectos que tratan de destruir su preciado césped, rosas, flores, y otras plantas ornamentales. El componente residual es absorbido por la planta. La lluvia o el agua no pueden quitar esta protección interna. Los insectos son exterminados por contacto con el producto o cuando tratan de comer la planta.

PARA OBTENER MEJORES RESULTADOS

- La lluvia o riego una hora después de la aplicación no quitará efectividad.
- Después de la aplicación, espere 24 horas antes de segar.
- Para evitar un daño serio a las plantas, eliminar las plagas a comienzos de temporada antes de que se multipliquen. Para infestaciones severas, repetir cada 7 a 14 días, si es necesario.



Los niños y mascotas pueden reingresar al área tratada después de que el producto se haya secado.

NOTA: Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. El Comprador asume la responsabilidad por la falta de rendimiento o seguridad si no es utilizado de acuerdo con las indicaciones.

IMPORTANTE: Indicaciones de almacenamiento y eliminación

CONDICIONES DE ALMACENAMIENTO

Almacenar el contenedor original en un lugar fresco y seco fuera del alcance de los niños, preferentemente, en un armario bajo llave. Proteger del congelamiento.

ELIMINACIÓN



Si está vacío:

- No volver a utilizar el contenedor.
- Colocar el contenedor vacío en la basura o entregarlo para reciclar si fuera posible.

Si está parcialmente lleno:

- Llamar al centro local de residuos sólidos o al número gratuito 1-877-229-3724 para solicitar indicaciones para la eliminación.
- Nunca colocar el producto sin usar debajo de algún desagüe interno o externo.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PELIGROS AMBIENTALES

- No aplicar directamente al agua.
- Este producto es altamente tóxico para los invertebrados acuáticos y peces.
- No contaminar el agua al limpiar el equipo o al eliminar el agua de lavado o enjuague del equipo.
- Este pesticida es altamente tóxico para las abejas. No aplicar este producto cuando hay abejas presentes.

PRECAUCIÓN Peligros para seres humanos y animales domésticos

- Es perjudicial si se ingiere o se inhala.
- Causa irritación moderada en los ojos.
- Evitar el contacto con la piel, los ojos o la ropa.
- Evitar inhalar del producto.
- Quitarse y lavar la ropa contaminada antes de volver a usarla puede reducir la exposición al producto.
- Lavarse las manos prolijamente con agua y jabón después de manipular el producto y antes de comer, beber, mascar goma de mascar o fumar.

PRIMEROS AUXILIOS +

EN CASO DE INGESTIÓN

- Llamar a un centro de control de envenenamiento o al médico inmediatamente para consultas sobre el tratamiento.
- Hacer que la persona beba tragos de agua, si puede tragar.
- No inducir el vómito a menos que lo indique un centro de control de envenenamiento o el médico.
- No administrar nada por boca a una persona que está inconciente.

EN CASO DE CONTACTO CON LOS OJOS

- Mantener los ojos abiertos y enjuagar lenta y suavemente con agua durante 15 a 20 minutos.
- Quitar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, luego continuar enjuagando los ojos.
- Llamar a un centro de control de envenenamiento o al médico para consultas sobre el tratamiento.

EN CASO DE INHALACIÓN

- Trasladar a la persona a un lugar fresco.
- Si hay de paro respiratorio, llamar al 911 o a una ambulancia, luego practicar respiración artificial, preferentemente boca a boca si fuera posible.
- Llamar al médico o a un centro de control de envenenamiento para mayores consultas sobre el tratamiento.

NOTA: Al llamar al centro de control de envenenamiento, tener la etiqueta de este producto a mano. En caso de buscar ayuda en una sala de emergencia o consultorio médico, llevar la etiqueta de este producto para mostrarla al personal médico. Para solicitar información médica de emergencia, llamar al número gratuito 1-877-229-3763. Ingredientes activos: 0.36% betaciflutrina (CAS# 68359-37-5) y 0.72% imidacloprida (CAS# 138261-41-3)

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.