

INDICATIONS: D-Thrush™ is indicated in the treatment of thrush in horses and ponies.

GENERAL DIRECTIONS:

Clean the hoof thoroughly, removing debris and necrotic material prior to application of D-Thrush™. Apply daily to affected hooves with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess D-Thrush™ onto hair since contact with D-Thrush™ may cause some hair loss. Do not contaminate feed.

NOTE: D-Thrush™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL -
REMOVE BEFORE USE.**

SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.

Rev. 10-13

TAKE TIME  **OBSEVE LABEL DIRECTIONS**

Distributed by: Durvet, Inc.
Blue Springs, MO 64014
www.durvet.com

NDC# 30798-640-31

**NO
BANDAGING**

durvet

D-THRUSH™



Water-Resistant Protection

**Recommended as an
Aid in Treating Horses and
Ponies With Thrush
Due to Organisms Susceptible
to Copper Naphthenate.**

**Do Not Use in Horses Intended for
Human Consumption.**

FOR EXTERNAL USE ONLY

CAUTION: COMBUSTIBLE MIXTURE

For Animal Use Only • Keep Out of Reach of Children

ANADA 200-304, Approved by FDA

NET CONTENTS: 16 oz (473 mL)

ACTIVE INGREDIENT:

Copper Naphthenate.....37.5% w/w

INACTIVE INGREDIENTS: 62.5% w/w

Total.....100.0%

CAUTION: Do not use in horses intended for human consumption.

CAUTION: COMBUSTIBLE MIXTURE. Use in well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF
CHILDREN AND PETS.**

STORAGE: Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

Lot No.

Exp. Date

NO VARNISH

