

Double Barrel® VP Insecticide Ear Tags (MERCK ANIMAL HEALTH)

- Label
- White papers
- Coupons
- Other
- Image

MERCK ANIMAL HEALTH
Intervet Inc.
2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767
 Order Desk: 800-648-2118
 Technical Service (Companion Animal): 800-224-5318
 Technical Service (Livestock): 800-211-3573
 Fax: 973-937-5557
 Website: www.merck-animal-health-usa.com



Every effort has been made to ensure the accuracy of the information provided. Please consult your veterinarian for more information. Use the product information contained on the USA product label.

DOUBLE BARREL® VP INSECTICIDE EAR TAGS

Intervet/Merck Animal Health

For up to 5 months' control of Horn flies and Face flies. Use two tags per head.

ACTIVE INGREDIENTS:
Lambdacyhalothrin: [1 α-(S), 3 α (Z)]-(±)-cyano (3-phenoxyphenyl)-methyl-3-(2-chloro-4-methylcyclopropanecarboxylate
Pirimiphos methyl 0-[2-diethylamino-6-methyl-4-pyrimidinyl], 0,0-dimethylphosphorotriethylthio
OTHER INGREDIENTS
Total

KEEP OUT OF REACH OF CHILDREN

DANGER

EPA Reg. No. 773-81 EPA Est. No. 618-LA-1

U.S. Patent No. 4,953,313

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Handlers must wear protective eyewear, long-sleeved shirt, long pants, shoes plus any waterproof material. Follow manufacturer's instructions for cleaning/maintain and hot water. Keep and wash PPE separately from other laundry.

USER RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or if it gets inside. Wash the outside of gloves before removing PPE immediately after handling.

ENVIRONMENTAL HAZARDS

Do not add directly to water. Do not contaminate water by disposal of used tags.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center.

Mountain Poison Control Center at 1-303-595-4869 for emergency medical treatr

Note To Physician: This product is an organophosphate. Pirimiphos-methyl is a and red blood cell cholinesterase tests may indicate significance of exposure (ba: subcutaneously and repeat if symptoms of poisoning reappear. Pralidoxime (2 P/ conjunction with atropine. In case of severe poisoning, use antidote immediately : damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its time of pesticide application. Do not handle or apply this product in a way that wil label.




FIGURE 1

Place male button onto pin until it projects through the tip.



FIGURE 2

Dip tag button into disinfectant solution.




FIGURE 3

Press female tag under the clip by depressing lever.



FIGURE 4

Apply through ear between second and third rib, halfway between ear tip and head. For optimum control and to minimize development of insect resistance, use two tags. Apply when flies first appear in spring. Replace as necessary. Apply with Remove tags in fall.

Continual exposure of Horn flies to a single class of insecticide (eg, pyrethroids or that class of insecticide. In order to reduce the possibility of Horn flies developing and/or the method of Horn fly control on a seasonal basis. For advice concerning consult resources in resistance management programs such as veterinarian and/

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in cool place away from direct sunlight. Opened pouch

Pesticide Disposal: Pesticides are acutely hazardous. Improper disposal of exci If these wastes cannot be disposed of by use according to label instructions, conti

Hazardous Waste representative at the nearest EPA Regional Office for guidance
Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration
 stay out of smoke.

Copyright © 1998, 2000, 2007, 2012, Intervet Inc (d/b/a Merck Animal Health), S
 DOUBLE BARREL is a registered trademark of Merck Animal Health.

*ALLFLEX is a registered trademark of Allflex USA, Inc.

Net Wt:	Contents:		
9.5 grams per tag	20 tags and buttons	0061-5004-01	131669 R1 Rev. 7/12
Treats 10 Head Of Cattle			

CPN: 1047046.4

By using this site, you agree to the [Terms of Service](#) and [Pri](#)

Copyright 2018 - Animalytix LLC