

FOR MEDIUM AND LARGE DOGS

Triple Wormer™

(pyrantel pamoate/praziquantel)

2

tablets

CHEWABLE FLAVORED DOG DE-WORMER TABLETS

Broad Spectrum De-Wormer

For Medium & Large Dogs
Greater than 25 lbs.

For the treatment and control of
tapeworms (*Dipylidium caninum*, *Taenia pisiformis*)
roundworms (*Toxocara canis*, *Toxascaris leonina*)
hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*)

in dogs and puppies

Active ingredients: Each flavored chewable contains 114 mg pyrantel pamoate and 114 mg praziquantel.

KEEP OUT OF REACH OF CHILDREN

FOR USE ONLY AS DIRECTED ON PACKAGE INSERT & BACK PANEL

NET CONTENTS: 2 FLAVORED TABLETS
NADA #141-261, APPROVED BY FDA



Triple Wormer™
(pyrantel pamoate/praziquantel)



CHEWABLE FLAVORED DOG DE-WORMER TABLETS

Triple Wormer™

(pyrantel pamoate/praziquantel)

2

tablets

MEDIUM
AND
LARGE DOGS

DIRECTIONS FOR USE: For the removal of large roundworms, hookworms and tapeworms in adult dogs or young dogs, weighing more than 25 lbs., administer these tablets according to the weight of the animal.

Weight	No. of Tablets
6.0 to 25.0 lbs.	Use the 30 mg size
25.1 to 50.0 lbs.	Give 1 tablet
50.1 to 100.0 lbs.	Give 2 tablets
100.1 to 150.0 lbs.	Give 3 tablets
150.1 to 200.0 lbs.	Give 4 tablets

Note: For puppies or small dogs weighing less than 25 lbs., use Durvet Triple Wormer™ Chewable Flavored Dog De-Wormer Tablets for Puppies and Small Dogs. Durvet Triple Wormer™ Chewables are recommended for dogs 12 weeks of age and older.

Offer the proper dosage by hand or in the dog's food container, with or without food. Do not withhold food from your dog prior to or after treatment.

RECOMMENDED DE-WORMING

SCHEDULE: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

PRECAUTION: The safety of Durvet Triple Wormer™ Chewables in breeding dogs and pregnant bitches has not been determined. In case of ingestion by humans, contact a physician immediately. Physicians may contact a Poison Control Center for advice concerning cases of ingestion by humans.

NOT FOR HUMAN CONSUMPTION

Store at controlled room temperature 15-30°C (59-86°F).

If you have questions or comments about this product, please call 1-800-821-5570 or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64014

Manufactured for: Durvet, Inc.,
Blue Springs, MO 64014
Visit us at www.durvet.com

AVRR P002628-2 REV0911

TAKE TIME



OBSERVE LABEL
DIRECTIONS



7 45801 17703 1



www.durvet.com

FOR MEDIUM AND LARGE DOGS

Triple Wormer™

(pyrantel pamoate/praziquantel)

12

tablets

CHEWABLE FLAVORED DOG DE-WORMER TABLETS

Broad Spectrum De-Wormer

For Medium & Large Dogs
Greater than 25 lbs.

For the treatment and control of
tapeworms (*Dipylidium caninum*, *Taenia pisiformis*)
roundworms (*Toxocara canis*, *Toxascaris leonina*)
hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*)

in dogs and puppies

Active ingredients: Each flavored chewable contains 114 mg pyrantel pamoate and 114 mg praziquantel.

KEEP OUT OF REACH OF CHILDREN

FOR USE ONLY AS DIRECTED ON PACKAGE INSERT & BACK PANEL

NET CONTENTS: 12 FLAVORED TABLETS
NADA #141-261, APPROVED BY FDA



Triple Wormer™
(pyrantel pamoate/praziquantel)



CHEWABLE FLAVORED DOG DE-WORMER TABLETS

Triple Wormer™

(pyrantel pamoate/praziquantel)

12

tablets

MEDIUM
AND
LARGE DOGS

DIRECTIONS FOR USE: For the removal of large roundworms, hookworms and tapeworms in adult dogs or young dogs, weighing more than 25 lbs., administer these tablets according to the weight of the animal.

Weight	No. of Tablets
6.0 to 25.0 lbs.	Use the 30 mg size
25.1 to 50.0 lbs.	Give 1 tablet
50.1 to 100.0 lbs.	Give 2 tablets
100.1 to 150.0 lbs.	Give 3 tablets
150.1 to 200.0 lbs.	Give 4 tablets

Note: For puppies or small dogs weighing less than 25 lbs., use Durvet Triple Wormer™ Chewable Flavored Dog De-Wormer Tablets for Puppies and Small Dogs. Durvet Triple Wormer™ Chewables are recommended for dogs 12 weeks of age and older.

Offer the proper dosage by hand or in the dog's food container, with or without food. Do not withhold food from your dog prior to or after treatment.

RECOMMENDED DE-WORMING

SCHEDULE: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

PRECAUTION: The safety of Durvet Triple Wormer™ Chewables in breeding dogs and pregnant bitches has not been determined. In case of ingestion by humans, contact a physician immediately. Physicians may contact a Poison Control Center for advice concerning cases of ingestion by humans.

NOT FOR HUMAN CONSUMPTION

Store at controlled room temperature 15-30°C (59-86°F).

If you have questions or comments about this product, please call 1-800-821-5570 or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64014

Manufactured for: Durvet, Inc.,
Blue Springs, MO 64014
Visit us at www.durvet.com

AVRR P002629-2 REV0911

TAKE TIME



OBSERVE LABEL
DIRECTIONS



7 45801 17712 3



www.durvet.com

Triple Wormer™

(pyrantel pamoate/praziquantel)

FOR MEDIUM AND LARGE DOGS

Durvet Triple Wormer™ Flavored Chewables

Package contents: Blisters of 2 or 12 chewables

DRUG FACTS

Active Ingredients (in each chewable):

Pyrantel Pamoate (114 mg) and Praziquantel (114 mg)

Purpose: De-wormer for Medium and Large Dogs Only
(Greater than 25 pounds)

Uses: For the treatment and control of

- Roundworms (*Toxocara canis*, *Toxascaris leonina*)
- Hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, and *Uncinaria stenocephala*)
- Tapeworms (*Dipylidium caninum*, *Taenia pisiformis*)

Human Warning: Keep this and all medication out of the reach of children. To obtain product information, including a Material Safety Data Sheet (MSDS), call 1-800-821-5570.

When Using This Product:

- Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- Do not de-worm a dog or puppy that is sick. Consult a veterinarian for diagnosis of the illness.
- Durvet Triple Wormer™ Flavored Chewables are safe for use in puppies 12 weeks or older and adult dogs. Safety in breeding dogs and pregnant bitches has not been tested.

You May Notice: Vomiting, loose stools (with or without blood) and decreased activity following treatment. If you notice these signs, contact a veterinarian.

Directions: Each flavored chewable contains 114 mg of pyrantel pamoate and 114 mg of praziquantel. The dose for each drug is 2.27 mg per pound of body weight (5 mg/kg). Please refer to the following dosing table for help finding the right dose for your dog.

Durvet Triple Wormer™ Flavored Chewables Dosing Table

Dog Weight	Number of Chewables
6.0 to 25 pounds	Use the 30 mg size
25.1 to 50 pounds	1
50.1 to 100 pounds	2
100.1 to 150 pounds	3
150.1 to 200 pounds	4

- You should weigh your dog to make sure you are giving the right dose.
- Durvet Triple Wormer™ Flavored Chewables are palatable if offered by hand. If your dog does not voluntarily eat the chewable, you can hide the chewable in a small amount of food or place it in the back of the dog's mouth for forced swallowing.
- Make sure that the dog eats the complete dose.
- Watch the dog for a few minutes after dosing to make sure the chewable is not rejected.

OTHER INFORMATION:

Recommended De-Worming Schedule: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

Re-treatment: Re-treatment of your dog may be necessary as determined by laboratory fecal examination and/or if your dog is living where re-infections are likely to occur. Consult your veterinarian for assistance in the diagnosis and prevention of re-infection. In case of re-infection with tapeworms (*Dipylidium caninum*), consult your veterinarian for advice on how to remove fleas from the dog and the environment.

Storage:

Store at controlled room temperature of 59-86°F (15-30°C).

Questions? Comments?

To report a suspected adverse reaction, call 1-800-821-5570

If you have questions or comments about this product, please write: Durvet, Inc., PO Box 279, Blue Springs, MO 64013

Manufactured for:

Durvet, Inc., 100 S.E. Magellan Drive, Blue Springs, MO 64014

MADE IN USA

NADA 141-261, Approved by FDA ACAV P002622-1 06/07