DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on horses or foals intended for slaughter. Do not apply over cuts. wounds, or irritated skin. Do not apply near eyes, nose and mouth, Apply sparingly around ears. Wash hands with soap and water promptly after use. Do not use in outdoor residential misting systems. Only spray in a well ventilated area. Do not spray product when food is present. Do not apply this product in a way that will contact any person either directly or through drift. Keep people out of the area during application. For initial treatment, apply daily for 2-3 days. As infestation subsides, repeat treatment every 5-10 days or as prescribed by a veterinarian. Also reapply every time animal is washed or exposed to heavy rain. Do not reapply within 3 days for dogs and puppies. Do not apply more than one time per day for horses and foals. Consult a veterinarian before applying this product on medicated, debilitated, aged. pregnant or nursing animals.

USE ONLY IN WELL VENTILATED AREA. HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING:

Dogs: Do not allow product to contact animal's eyes, nose, mouth, or sores during application. Do not use on puppies under 12 weeks old. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cover animal's eves with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eves. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long-haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks.

Horses: Do not allow product to contact animal's eyes, nose, mouth, or sores during application. Do not use on foals under 12 weeks old. Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Wait until coat is completely dry before applying. Cover entire surface of animal with spray but avoid getting product into horse's eyes, nose, mouth, or sores. Brush coat against grain while spraying to insure adequate penetration of product. As a wipe, apply liberally with a clean cloth or sponge. Make sure spray has completely dried before covering with any tack.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, seed, fertilizers, and veterinary supplies.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Manufactured for: FARNAM COMPANIES, INC.

Horse Products Division

P.O. Box 34820 • Phoenix, AZ 85067-4820 • farnamhorse.com

©2002-2004, 2007-2009, 2011, 2012 Farnam Companies, Inc.

Equicare, the Equicare design, Flysect, Super-7, Farnam and Farnam with design are trademarks of Farnam Companies, Inc. Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.



FLYSECT®

SUPER-7™ REPELLENT SPRAY

WITH ALOF & LANOLIN

For puppies, dogs, horses or foals

Contains two insecticide systems and two repellents for immediate and residual control of gnats, flies, mosquitoes, mites, chiggers, fleas, ticks & lice

Also for use as a grooming aid & coat conditioner

ACTIVE INGREDIENTS:

Permethrin*	0.20%
Pyrethrins	
Piperonyl Butoxide**	0.50%
N-Octyl bicycloheptene dicarboximide	2.00%
Di-n-propyl isocinchomeronate	1.00%
Butoxypolypropylene glycol	5.00%
OTHER INGREDIENTS:	91.10%
TOTAI 1	00.00%

*[(3-phenoxyphenyl) methyl (+/-) cis/trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate] **(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements

Net Contents: 32 fl oz (1 at) (946 ml)



ntly with water for 15-20 minutes.

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON PUPPIES, DOGS, HORSES OR FOALS PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Humans: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Animals: Avoid contact with eyes, or mucous membranes. Do not use on nursing puppies and foals under 12 weeks of age unless prescribed by a veterinarian. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

If in Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minut Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed:	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on Skin or	If you suspect a reaction to this product:

Discontinue use.

· Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

In case of medical emergencies or health and safety inquiries, or in case of fire. leaking or damaged containers or for product use information, call 800-234-2269.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help

to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Clothina:

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS FLAMMABLE. Keep away from heat and open flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

Product Code: 100502019 RM #: 300512328 • 12-0279 EPA Reg. No. 270-300 FPA Fst. No. 11623-GA-3

