# SAFETY DATA SHEET

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200, the EU Directive, 91/155/EEC and other regulatory requirements.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information as defined by OSHA for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use. Whereas product labeling provides information specifically for product use as required under FIFRA 25b(2).

Issuing Date 8 Sep 2016 Revision Date 31 Jul 2017 Revision Number 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name EcoSMART Wasp & Hornet Killer

Other means of identification

**UN-No.** UN1950

Synonyms KIT041

Item # 33195

Recommended use of the chemical and restrictions on use

Recommended Use Insecticide, Wasp & Hornet - Aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Name** EcoSMART, a division of Kittrich Corp.

Supplier Address1585 West Mission BlvdPomona, CA 91766, USASupplier Phone NumberPhone: (714) 736-1000

Fax: (714) 736-2000 Supplier Email DwightD@kittrich.com

Emergency telephone number Info Trac Chemical Response System

800-535-5053 (24 hours) / International 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Flammable Aerosols	Category 2.1

#### GHS Label elements, including precautionary statements

\_\_\_\_\_

### **Emergency Overview**

### Signal word

### Danger

### **Hazard Statements**

May cause serious eye irritation May cause an allergic skin reaction

May cause respiratory irritation. May cause drowsiness or dizziness

Extremely flammable aerosol under pressure



**Appearance** Colorless

Physical State Liquid spray Aerosol

Odor Wintergreen

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray
Keep away from flames and hot surfaces - no smoking
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Pressurized container: Do not pierce or burn, even after use
Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

### Inhalation

IF INHALED: Move exposed person to fresh air and keep at rest in a position comfortable for breathing

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **Hazards not otherwise classified (HNOC)**

Not applicable

### **Unknown Toxicity**

Not applicable

### Other information

Revision Date 31 Jul 2017

May cause mild skin irritation

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Specific data regarding toxicity to fish and other aquatic organisms is not available for this product. Care should always be taken to prevent insecticides from entering aquifers.

### **Interactions with Other Chemicals**

Irritants. Sensitizers. Epoxies.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No.	Weight-%	Trade Secret
2-phenethyl propionate	122-70-3	0.5	-
Peppermint oil	8006-90-4	1.0	-
white mineral oil, wintergreen oil, isopropyl alcohol,	-	-	To 100%
canola oil, isopropyl myristate, carbon dioxide			

## 4. FIRST AID MEASURES

#### First aid measures

#### **General Advice**

Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.

### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician

### **Skin Contact**

Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.

#### Inhalation

Remove to fresh air.

#### Ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

### Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved.

### Most important symptoms and effects, both acute and delayed

#### **Most Important Symptoms and Effects**

Burning sensation. Itching. Rashes. Hives.

Revision Date 31 Jul 2017

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

#### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient. Do not use dry chemical extinguishers to control fires involving nitromethane or nitroethane. Do not use straight streams.

### Specific Hazards Arising from the Chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code Aerosols: Level II

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

### Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

**Methods for Containment** A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

**Methods for cleaning up**Use clean non-sparking tools to collect absorbed material.

\_\_\_\_\_

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Avoid contact with eyes. Keep away from open flames, hot surfaces and sources of ignition.

### Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with

the particular national regulations. Store in accordance with local regulations.

**Incompatible Products** Strong oxidizing agents. Acids. Chlorinated compounds.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

Eye/Face Protection None required for consumer use. If splashes are likely to occur: Tight sealing safety

goggles.

Skin and Body Protection Not required for consumer use. Wear protective gloves and protective

clothing is recommended.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

\_\_\_\_\_

No information available

Citrus

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Odor

**Odor Threshold** 

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical State Liquid spray Aerosol

Appearance Colorless

**Color** No information available

Property Values Remarks/ Method

pH Not applicable (contains no water)

Melting / freezing pointNo data availableBoiling point / boiling rangeNo data availableFlash Point27.9°C (82.2°F)Evaporation RateNo data availableFlammability (solid, gas)No data available

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density
No data available
No data available
No data available
No data available

Specific Gravity 0.86 g/mL

Water Solubility No data available Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available **Autoignition temperature** No data available **Decomposition Temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidizing Properties** No data available

## Other Information

Softening Point No data available

VOC Content (%) 9%

Particle Size No data available Particle Size Distribution No data available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

### **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

.

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye Contact Specific test data for the substance or mixture is not available. Irritating to eyes. Expected

to be an irritant based on components. May cause redness, itching, and pain. May cause

temporary eye irritation.

**Skin Contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg ( Rabbit )	= 16000 ppm (Rat)8 h

### Information on toxicological effects

**Symptoms** May cause redness and tearing of the eyes. Itching. Rashes. Hives.

\_\_\_\_\_

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization of susceptible persons. May cause sensitization by skin contact.

May cause sensitization by inhalation.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X
67-63-0				

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects Eyes. Skin. Respiratory system. Blood. Kidney. Liver. Spleen. Systemic Toxicity.

**Aspiration Hazard** No information available.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Specific data regarding toxicity to fish and other aquatic organisms is not available for this product. Care should always be taken to prevent insecticides from entering aquifers.

## Persistence and Degradability

No information available.

### **Bioaccumulation**

Chemical Name	Log Pow
Isopropyl alcohol	0.05
67-63-0	

### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements. Should not be released into the environment. Dispose of contents/containers in accordance with local regulations. Dispose of waste in

accordance with environmental legislation.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001

#### California Hazardous Waste Codes 232

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

## 14. TRANSPORT INFORMATION

**GROUND** 

Proper Shipping Name AEROSOL
Hazard Class 2.1
Packing Group NONE

Description LTD QTY (ORM-D), 30 KG GROSS MAX PER PACKAGE

MARINE

Proper Shipping Name AEROSOL Hazard Class 2.1 Packing Group NONE

**Description** LTD QTY (ORM-D), 30 KG GROSS MAX PER PACKAGE

<u>AIR</u>

Proper Shipping Name AEROSOL
Hazard Class 2.1
Packing Group NONE

**Description** ID8000, CONSUMER COMMODITY, 9, Y963, 30 KG GROSS

**Description** UN1950, AEROSOLS, 2.1

## 15. REGULATORY INFORMATION

This SDS is prepared to meet the requirements of OSHA and the GHS, and may contain precautionary statements and signal words that are different than or in addition to the pesticide label, which is regulated through the US EPA under Federal Insecticide, Fungicide and Rodenticide Act ("FIFRA").

### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

## **SARA** 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	15	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl alcohol	Х	X	Χ	X	
67-63-0					

## International Regulations

### **Mexico**

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Isopropyl alcohol		Mexico: TWA 400 ppm
67-63-0 ( 40 - 70 )		Mexico: TWA 980 mg/m <sup>3</sup>
		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### **WHMIS Hazard Class**

A - Compressed gases B5 - Flammable aerosol D2B - Toxic materials



## **16. OTHER INFORMATION**

NFPA Health Hazards 1 Flammability 3 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazards 1 Flammability 3 Physical Hazard 0 Personal Protection

Χ

Prepared By Kittrich Corp.

1585 West Mission Blvd Pomona, CA 91766 (714) 736-1000

Revision Date 31 Jul 2017

Revision Note Added new item code

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**