

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

SECTION 1. IDENTIFICATION

Product identifier

Product name Endius™ Cockroach Gel Bait

Other means of identification

Product code 50002620

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version 1.0 Revision Date: 01/05/2024 SDS Number: 50002620 Date of last issue: -
Date of first issue: 01/05/2024

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Harmful to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	0.6
bronopol (INN)	52-51-7	$\geq 0.1 - < 1$
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	$\geq 0.001 - \leq 0.005$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Do not give milk or alcoholic beverages.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

- Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray, fog, or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Bromine compounds
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	solid
Form	:	gel
Color	:	brown
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	5 - 6
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	partly miscible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 75000 mm ² /s
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 Oral (Rat): 407 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version 1.0 Revision Date: 01/05/2024 SDS Number: 50002620 Date of last issue: -
Date of first issue: 01/05/2024

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg

Components:

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 281 - 291 mg/kg
Method: OECD Test Guideline 420
Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions
GLP: yes

LD50 (Rat, female): 179 mg/kg
Method: OECD Test Guideline 401
Target Organs: Nervous system
Symptoms: hypoactivity, Tremors, ataxia, Fatality
GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge, lethargy
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

bronopol (INN):

Acute oral toxicity : LD50 (Rat, male and female): 305 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.588 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: runny nose, Eye irritation

Acute dermal toxicity : LD50 (Rat, male): 1,600 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 Oral (Rat, female): 200 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat, male and female): 0.33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit, male): 87 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant

Remarks : May cause skin irritation and/or dermatitis.

Components:

indoxacarb (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

bronopol (INN):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment : Not classified as irritant

Remarks : May cause irreversible eye damage.

Components:

indoxacarb (ISO):

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes
Remarks : Product dust may be irritating to eyes, skin and respiratory system.

bronopol (INN):

Species : Rabbit

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Result : Irreversible effects on the eye

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Result : Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : May cause sensitization by skin contact.

Remarks : Causes sensitization.

Components:

indoxacarb (ISO):

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Assessment : The product is a skin sensitizer, sub-category 1B.
Method : OECD Test Guideline 429
Result : May cause sensitization by skin contact.
GLP : yes

Test Type : Maximization Test
Species : Guinea pig
Assessment : May cause sensitization by skin contact.
Method : US EPA Test Guideline OPPTS 870.2600
Result : May cause sensitization by skin contact.
GLP : yes

bronopol (INN):

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : The product is a skin sensitizer, sub-category 1A.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version 1.0 Revision Date: 01/05/2024 SDS Number: 50002620 Date of last issue: -
Date of first issue: 01/05/2024

Germ cell mutagenicity

Not classified based on available information.

Components:

indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

bronopol (INN):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

indoxacarb (ISO):

Species : Rat, female
Application Route : Oral
Exposure time : 24 m
: 2.13 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

bronopol (INN):

Species : Rat
Application Route : Oral

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Exposure time : 104 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Species: Rabbit
General Toxicity Maternal: NOEL: 500 mg/kg bw/day
Developmental Toxicity: NOEL: 500 mg/kg bw/day
Method: EPA OPP 83-3

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

bronopol (INN):

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Result: negative

STOT-single exposure

Not classified based on available information.

Components:

indoxacarb (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

bronopol (INN):

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

indoxacarb (ISO):

Target Organs : Blood, Nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species : Rat, female
NOAEL : 1.7 mg/kg
LOAEL : 4.1 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Target Organs : Blood

bronopol (INN):

Species : Rabbit
NOAEL : 5 mg/kg
Application Route : Dermal
Exposure time : 21d

Species : Rat
NOAEL : 7 mg/kg
Application Route : Oral
Exposure time : 104 weeks

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species : Dog
NOAEL : 22 mg/kg
Application Route : Oral

Species : Rat
NOAEL : 16.3 - 24.7 mg/kg
Application Route : Skin contact

Species : Rat
NOAEL : 2.36 mg/m³
Application Route : Inhalation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Components:

indoxacarb (ISO):

Remarks : Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic effects include cyanosis

Remarks : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.17 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 0.17 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (algae)): 0.0793 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

plants		Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes EbC50 (Lemna gibba (duckweed)): 0.084 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l Exposure time: 90 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l Exposure time: 28 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.09 mg/l Exposure time: 21 d Method: OECD Test Guideline 202 GLP: yes NOEC (Daphnia magna (Water flea)): 0.0351 mg/l Exposure time: 21 d Test Type: Static renewal test Method: OECD Test Guideline 211 GLP: yes
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,250 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization. Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization.
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): 0.232 µg/bee Exposure time: 48 d End point: Acute oral toxicity Method: OECD Test Guideline 213 LD50 (Apis mellifera (bees)): 0.068 µg/bee Exposure time: 48 d End point: Acute contact toxicity Method: OECD Test Guideline 214

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

NOEC (Colinus virginianus (Bobwhite quail)): 144 ppm
Exposure time: 147 d
End point: Reproduction Test

bronopol (INN):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 35.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Skeletonema costatum (Diatom)): 0.08 mg/l
Exposure time: 72 h

EC50 (Skeletonema costatum (Diatom)): 0.25 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : (Oncorhynchus mykiss (rainbow trout)): 39.1 mg/l
Exposure time: 49 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 43 mg/l
Exposure time: 150 min
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

aquatic invertebrates	: Exposure time: 48 h
	NOEC (Daphnia magna (Water flea)): 0.1 mg/l Exposure time: 21 d
	EC50 (Daphnia magna (Water flea)): 0.18 mg/l Exposure time: 21 d
Toxicity to algae/aquatic plants	: NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
	NOEC (Skeletonema costatum (marine diatom)): 0.019 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Skeletonema costatum (marine diatom)): 0.037 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 0.02 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.1 mg/l Exposure time: 21 d
	Chronic Toxicity Value (Daphnia magna (Water flea)): 0.18 mg/l Exposure time: 21 d
Toxicity to microorganisms	: NOEC (activated sludge): 0.91 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes
	EC50 (activated sludge): 4.5 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes

Persistence and degradability

Components:

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

bronopol (INN):

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 77.3
Exposure time: 21 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.52 (68 °F / 20 °C)
Method: OECD Test Guideline 107
GLP: yes

bronopol (INN):

Partition coefficient: n-octanol/water : log Pow: -0.34 - 0.22

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Bioaccumulation : Bioconcentration factor (BCF): < 54
Exposure time: 28 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : Pow: 0.75

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil.

Kd: 46 - 150

Stability in soil :

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

indoxacarb (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

49 CFR Road

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Not Assigned

Maine Chemicals of High Concern

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

indoxacarb (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait


Version
1.0

Revision Date:
01/05/2024

SDS Number:
50002620

Date of last issue: -
Date of first issue: 01/05/2024

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Sub-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Endius™ Cockroach Gel Bait

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2024	50002620	Date of first issue: 01/05/2024

stance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet