



# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

Date of issue: 07/23/2009

Revision date: 06/12/2017

Supersedes: 05/11/2017

Version: 1.2

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Trade name : Equicare Flysect Citronella Spray With Lanolin  
Synonyms : EPA Reg. No.: 270-302, 11301, 11302

#### 1.2. Recommended use and restrictions on use

Recommended use : Insecticide.  
Restrictions on use : Avoid contact with eyes and clothing, Do NOT take internally, Do not use or store near heat or open flame, Keep out of reach of children, Avoid inhalation of vapors or fumes.

#### 1.3. Supplier

Farnam Companies, Inc.  
1501 E. Woodfield Road, Suite 200W  
Schaumburg, IL 60173 - United States  
www.farnam.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-234-2269  
1-800-424-9300 - CHEMTREC  
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flammable liquids Category 4	Combustible liquid
Skin corrosion/irritation Category 2	Causes skin irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Specific target organ toxicity (single exposure) Category 3	May cause drowsiness or dizziness
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07



GHS08

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

Combustible liquid  
May be fatal if swallowed and enters airways  
Causes skin irritation  
May cause an allergic skin reaction  
May cause drowsiness or dizziness

Precautionary statements (GHS-US) :

Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash hands, forearms and face thoroughly after handling  
Use only outdoors or in a well-ventilated area  
Contaminated work clothing must not be allowed out of the workplace  
Wear protective gloves/protective clothing/eye protection/face protection  
If swallowed: Immediately call poison center or doctor  
If on skin: Wash with plenty of water  
If inhaled: Remove person to fresh air and keep comfortable for breathing  
Call poison center or doctor if you feel unwell  
Do NOT induce vomiting  
If skin irritation or rash occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse  
Wash contaminated clothing before reuse

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

In case of fire: Use media other than water to extinguish  
Store in a well-ventilated place. Keep container tightly closed  
Store locked up  
Dispose of contents/container to in accordance with local/regional/national/international regulations

### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This pesticide is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Pyrethrins	(CAS-No.) 8003-34-7	0.1
Piperonyl butoxide	(CAS-No.) 51-03-6	1
Butoxy Polypropylene Glycol	(CAS-No.) 9003-13-8	15
Distillates (petroleum), hydrotreated light	(CAS-No.) 64742-47-8	80.4
Citronella oil	(CAS-No.) 8000-29-1	1
Other ingredients	(CAS-No.) N/A	Balance

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Causes skin irritation.

Symptoms/effects after ingestion : Aspiration Hazard - may be fatal if swallowed and enters airways.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical, CO2, alcohol-resistant foam.

Unsuitable extinguishing media : Avoid heavy hose streams.

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.  
Incompatible materials : Heat, sparks, open flame. Strong oxidizers.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Pyrethrins (8003-34-7)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
IDLH	US IDLH (mg/m³)	5000 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Protective gloves

##### Eye protection:

Safety glasses

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Pale yellow to amber liquid.
Color	: Yellow to amber
Odor	: Moderate
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 175.1 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.81 g/ml
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 10 cP
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Strong oxidizing agents. Heat, sparks, open flame.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Pyrethrins (8003-34-7)

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

Pyrethrins (8003-34-7)	
LD50 oral rat	2370 mg/kg Adult male; 1030 mg/kg Adult female
LD50 dermal rat	2000 mg/kg
LC50 inhalation rat (mg/l)	3.4 mg/l/4h
Piperonyl butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Butoxy Polypropylene Glycol (9003-13-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2.62 mg/l
Distillates (petroleum), hydrotreated light (64742-47-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	5 mg/l/4h
Citronella oil (8000-29-1)	
LD50 oral rat	2420 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 3.1 mg/l/4h

GHS-US Properties	Classification
Acute toxicity	Not classified
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cells mutagen	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

### Potential health effects

#### Inhalation

Acute : May cause drowsiness and dizziness.

#### Skin

Acute : Causes skin irritation, May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide and/or Citronella oil.

#### Eye

Acute : May cause mild irritation.

#### Ingestion

Acute : Aspiration Hazard - may be fatal if swallowed and enters airways.

#### Mutagenicity

: Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells, Piperonyl butoxide was not mutagenic in a battery of tests, Butoxypolypropylene glycol is not a mutagen.

#### Carcinogenicity

: Pyrethrins are not listed as a carcinogen by OSHA, IARC, or NTP, Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA, Butoxypolypropylene glycol is not listed as a carcinogen by OSHA, IARC or NTP.

#### Reproductive Effects

: Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits, Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits, Butoxypolypropylene glycol does not cause birth defects.

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : This pesticide is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

Pyrethrins (8003-34-7)	
LC50 Acute fish 1	0.0051 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	0.016 mg/l (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0014 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0116 (Exposure time: 48h - Daphnia magna)
NOEC Chronic fish 1	0.0019 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.0059 mg/l (Sheepshead minnow - Estimated)
NOEC Chronic crustacea 1	0.00086 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.0001 ml/l (Mysid shrimp - Estimated)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)
Distillates (petroleum), hydrotreated light (64742-47-8)	
LC50 Acute fish 1	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Acute fish 2	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 Acute fish 3	2.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Citronella oil (8000-29-1)	
LC50 Acute fish 1	> 17.3 mg/l (Exposure time: na - Rainbow trout)
EC50 Daphnia 1	> 26.4 mg/l (Exposure time: na - Daphnia magna)

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

Piperonyl butoxide (51-03-6)	
Log Kow	4.75
Distillates (petroleum), hydrotreated light (64742-47-8)	
BCF fish 1	61 - 159

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NA1993	Packaging 1000 lbs. or greater: Combustible liquid, n.o.s. (Petroleum)	Combustible liquid	III	RQ = Pyrethrins = 1 lb.

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

		distillates)			
<b>IMDG</b>	UN3082	Packaging 5 L or greater: Environmentally hazardous substance, liquid, n.o.s (Pyrethrins, Piperonyl butoxide)	9	III	Marine pollutant
<b>IATA</b>	UN3082	Packaging 5 L or greater: Environmentally hazardous substance, liquid, n.o.s (Pyrethrins, Piperonyl butoxide)	9	III	Acute aquatic toxicity

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Pyrethrins (8003-34-7)

CERCLA RQ 1 lb listed under Pyrethrins

#### Piperonyl butoxide (51-03-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1 %

#### Butoxy Polypropylene Glycol (9003-13-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).

#### Distillates (petroleum), hydrotreated light (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Citronella oil (8000-29-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### FIFRA Labelling

EPA Registration Number 270-302

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Signal Word **Caution**

FIFRA Hazard Statement KEEP OUT OF REACH OF CHILDREN.

FIFRA Hazards to Humans and Domestic Animals Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIFRA First Aid IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 800-234-2269. Have the product container or label with you when calling a poison control center or doctor or going for treatment. NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

FIFRA Environmental Hazards This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

# Equicare Flysect Citronella Spray With Lanolin

## Safety Data Sheet

### 15.2. US State regulations

No additional information available

## SECTION 16: Other information

Date of issue	: 23 July 2009
Revision date	: 12 June 2017
Supersedes	: 11 May 2017

SDS US (GHS HazCom 2012) - CGP

*The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.*