



**CONTAINS  
NEEM**

**ferti·lome<sup>®</sup>**

# Triple Action Plus

Ready To Use

**Insecticide • Fungicide • Miticide**

Broad Spectrum Insecticide, Fungicide, and Miticide For Control of Insects, Diseases, and Mites on Vegetables, Fruits, Nuts, Herbs, Spices, Roses, Flowers, and Shrubs Around the Home

**KEEP OUT OF REACH  
OF CHILDREN**

**CAUTION**

SEE BACK PANEL

FOR ADDITIONAL PRECAUTIONARY  
STATEMENTS

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.02%
Piperonyl Butoxide* .....	0.20%
Clarified Hydrophobic	
Extract of Neem Oil.....	0.90%

<b>OTHER INGREDIENTS</b> .....	<b>98.88%</b>
<b>TOTAL</b> .....	<b>100.00%</b>


\* (butyl carbityl)(6-propylpiperonyl)ether  
and related compounds

NET CONTENTS ONE QUART (32 FL. OZ. / 946ML)

fertilome® Triple Action Plus Ready-To-Use

## FIRST AID

<b>If Inhaled:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>If On Skin Or Clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If In Eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have affected person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.   
In the event of a medical or chemical emergency, contact ChemTel Inc.  
North America 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585

Manufactured By:



230 FM 87 • BONHAM, TEXAS 75418

EPA Reg. No. 70051-74-7401 • EPA Est. No. 7401-TX-01

Visit Us At: [www.fertilome.com](http://www.fertilome.com)

Product Questions? 855-270-4776



7 32221 10251 4

PEEL FROM CORNER OF BOOKLET



### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause reactions in some individuals. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet.

### ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

**BEE HAZARD:** This product is highly toxic to bees exposed to direct treatment, on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

### DIRECTIONS FOR USE

**SHAKE WELL BEFORE AND DURING USE.** Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of insects. Prevents Fungal attack of plants' tissues. Not for use in food handling areas. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial Insects, conduct a small trial to assure compatibility before using on a large scale. As with other products that contain oils, take care in timing applications to early morning/late afternoon/early evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: Impatiens flowers, Fuchsia flowers, Hibiscus flowers, some Rose flowers, ornamental Olive Trees, Red Maples, some Carnation varieties or similar plants without prior testing. Keep unprotected persons out of treated areas until sprays have dried.

### FUNGICIDE USE

**FOR USE ON FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS.** Application Instructions: **ferti•lome® TRIPLE ACTION PLUS RTU** is an effective Fungicide for the prevention and control of various Fungal diseases including Powdery Mildew, Black Spot, Downy Mildew, Anthracnose, Rust, Leaf Spot, Botrytis, Needle Rust, Scab and Flower, Twig and Tip Blight. As a preventative, apply **ferti•lome® TRIPLE ACTION PLUS RTU** on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply **ferti•lome® TRIPLE ACTION PLUS RTU** on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent Rust Leaf Spot diseases, Anthracnose and Scab, begin applications at the first sign of spring budding. To prevent Powdery Mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists. Thoroughly spray all plant leaf surfaces (including undersides of leaves) until foliage is uniformly wet, but not dripping. Excessive application is unnecessary and should be avoided.

### INSECTICIDE USE

**FOR USE ON FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS.** Application Instructions: Apply **ferti•lome® TRIPLE ACTION PLUS RTU** at the first sign of Insects/Mites. For control of the following: Aphids, Spider Mites, Scale, Mealybugs, Whiteflies, Beetles (including Japanese), Loopers, Leafminers, Leafrollers, Armyworms, Webworms, Weevils, Tent Caterpillars, Fungus Gnats, Leafhoppers, Cabbageworms, Squash Bugs, Squash Vine Borer, Stink Bugs, Thrips, Tomato Hornworm, Lace Bugs, Boxelder Bugs, Grasshoppers, Crickets, Ants, Fleas, Ticks, Earwigs, Cockroaches, Mosquitos, Chinch Bugs, Chiggers and many other insect pests. **ferti•lome® TRIPLE ACTION PLUS RTU** is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule. Thoroughly spray all plant surfaces (including undersides of leaves) until completely wet, but not dripping. Excessive application is unnecessary and should be avoided.

#### USE RESTRICTIONS

**Entry Restrictions:** Do not allow adults, children, or pets to enter the treated area until sprays have dried.

**Application Restrictions:** Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

*Remove pets, birds, and cover fish aquariums before spraying.*

Do not use in outdoor misting systems.

Do not make applications during rain.

Do not water the treated area to the point of run-off.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store upright at room temperature. Avoid exposure to extreme temperatures. **Pesticide Disposal and Container Handling: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY AND LIMITATION OF DAMAGES

Voluntary Purchasing Groups, Inc. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the Directions For Use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

Manufactured By:



230 FM 87 • BONHAM, TEXAS 75418  
EPA Reg. No. 70051-74-7401  
EPA Est. No 7401-TX-01

Visit Us At: [www.fertilome.com](http://www.fertilome.com)  
Product Questions? 855-270-4776

10251-1015-TC

