DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET READ ENTIRE LABEL AND ATTACHED DIRECTIONS BEFORE EACH USE.

Follow all directions and precautionary statements carefully. Use only on dogs or cats. Do not use on rabbits. Do not use on any other animals.



How to remove cap: Refer to top of cap

- 1. Wear protective rubber gloves.
- 2. Hold canister in any position. Ruffle the pet's hair with one gloved hand while applying spray to the pet's back, sides, abdomen, legs, shoulders and neck.



Spray 1 to 2 seconds per pound of the dog's or cat's body weight. Use higher rate to control lice. Replace cap securely after each use.



Do not get this product in your pet's eyes or mouth.

Apply spray until pet's hair is damp to thoroughly wet. Pets with long or dense hair require the higher rate.

As with any flea control product, wash hands and exposed skin thoroughly with soap and water after use. Dispose of gloves after use.



Apply FLEE Plus IGR Aerosol monthly, for year-round protection. Application directly onto ticks is not required for control. Do not reapply spray for 30 days, FLEE Plus IGR Aerosol remains effective

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container. Keep away from fire, sparks and heated surfaces. Store in a cool, dry place inaccessible to children and pets.

after bathing and exposure to water and sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.





Flea Larvae

Flea Eggs

EPA Rea. No:



- Starts to kill existing fleas and ticks on dogs in 5 minutes
- control of fleas and ticks
- Controls flea re-infestation for up to four weeks on cats and up to six weeks on dogs

87093-8-53883

FPA Fst No: 11623-GA-1 11623-GA-2



.0.27% (S)-methoprene.. .99.44% Other Ingredients: **Precautionary Statements** 100.00%





Manufactured for: Control Solutions Inc.

Pasadena, TX 77507

5903 Genoa-Red Bluff

First Aid and Other

NET CONTENTS: 6.5 OZ.

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS, CATS, PUPPIES AND KITTENS 8 WEEKS OF AGE & OLDER PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Persons applying this product must wear protective rubber gloves.

HAZARDS TO DOMESTIC ANIMALS. For external use only, Do not use on kittens or puppies under 8 weeks of age. Causes moderate eye irritation. Take care not to spray in the pet's eyes or facial area. Individual sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID If in eyes: • Hold eyes open and rinse slowly and gently with water for 15-20 Remove contact lenses, if present, after the first 5 minutes, then continue rinsina. · Call a poison control center or doctor immediately for treatment advice. If on Take off contaminated clothing. skin or Rinse skin immediately with plenty of water for 15-20 minutes. clothina: Call a poison control center or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. · Call a poison control center or doctor for further treatment advice. If swal- Call a poison control center or doctor immediately for treatment lowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor · Do not give anything to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may contact SafetyCall® (866) 897-8050.

FLEE Plus IGR Aerosol kills fleas, ticks, and chewing lice to control infestations for at least 30 days. May provide 90 day flea protection for dogs. Stops and prevents infestation of fleas and brown dog ticks, American dog ticks, lone star ticks and deer ticks, which may transmit Lyme disease.