

Ferti-Iome® Fruit Tree Spray

In the event or a medical or chemical emergency contact ChemTel, Inc. North America 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 26, 2012

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT: Ferti-lome® Fruit Tree Spray

EPA No.: 70051-75-7401

COMPANY IDENTIFICATION:

Voluntary Purchasing Groups, Inc.

230 FM 87

Bonham, TX. 75418

2. COMPOSITION/INFORMATION ON INGREDIENTS:

INGREDIENTS:	CAS. Reg. #	% (Wt.)	OSHA TLV	TWA TLV	STEL TLV
Clarified Neem Oil	5989-65-1	70.00	NA	NA	NA
Pyrethrins	8003-34-7	0.25	Not Est.	*5 mg/m ₃	Not Est.
Piperonyl Butoxide	51-03-6	2.50	Not Est.	Not Est.	Not Est.
Inerts		27.25			

^{*}Supplier Recommendation

3. HAZARDOUS IDENTIFICATIONS:

CAUTION

Potential Health Effects (Pyrethrins):

ROUTE(S) OF ENTRY: Eyes, Skin, Oral, Inhalation.

HUMAN EFFECTS AND

SYMPTOMS OF OVEREXPOSURE: None noted.

ACUTE EYE CONTACT: May cause temporary eye irritation.

CHRONIC EYE CONTACT: Chronic exposure not likely from normal use.

ACUTE SKIN CONTACT: May be irritating to skin. Repeat exposure may cause dermatitis. **CHRONIC SKIN CONTACT:** May be irritating to skin. Repeat exposure may cause dermatitis.

ACUTE INGESTION: LD50 > 2 g/kg CHRONIC INGESTION: None noted. ACUTE INHALATION: LC50 > 3 mg/L CHRONIC INHALATION: None noted.

CARCINOGENICITY

*Marginal increases in benign thyroid, parathyroid, ovary, and liver tumors were observed in rats and in the lungs of mice, following lifetime high dose exposure to pyrethrins. The significance of this observation is questionable and under review. The doses at which tumors were observed for pyrethrins greatly exceeded potential human exposures from labeled uses. Doses at which these effects were observed greatly exceed anticipated human dietary intake. At anticipated dietary exposure levels, it is highly unlikely that this product would result in carcinogenic effects.

Potential Heal Effects (Piperonyl Butoxide):

ROUTES(S) OF ENTRY: Eyes, Skin, Oral, Inhalation.

HUMAN EFFECTS AND

^{*}Supplier Recommendations



Ferti-lome® Fruit Tree Spray

In the event or a medical or chemical emergency contact ChemTel, Inc. North America 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 26, 2012

SYMPTOMS OF OVEREXPOSURE: None noted.

ACCUTE EYE CONTACT: May cause temporary eye irritation.

CHRONIC EYE CONTACT: Chronic exposure not likely from normal use.

ACUTE SKIN CONTACT: LD50 > 2 g/kg

CHRONIC SKIN CONTACT: May be irritating to skin. Repeat exposure may cause dermatitis.

ACUTE INGESTION: LD₅₀ > 4.5 g/kg CHRONIC INGESTION: None noted. ACUTE INHALATION: LC₅₀ > 5.9 mg/L CHRONIC INHALATION: None noted.

CARCINOGENICITY

*Marginal increases in benign liver tumors in mice were observed in the following lifetime high dose exposure to Piperonyl butoxide. The significance of this observation is questionable and under review. The doses at which tumors were observed greatly exceeded potential human exposures from labeled uses. Doses at which these effects were observed greatly exceed anticipated human dietary intake. At anticipated dietary exposure levels, it is highly unlikely that this product would result in carcinogenic effects.

MUTAGENICITY

*Piperonyl butoxide was not genotoxic in several tests including the Ames mutagenicity assay, chromosome aberration in Chinese hamster ovary (CHO) cells, CHO/HGPRT assay with S9 activation, and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells.

TERATOLOGY / REPRODUCTIVE EFFECTS

*There were no birth defects or adverse effects on reproductive parameters in rats or rabbits. Piperonyl butoxide is not considered to be teratogenic.

MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE: None Noted.

4. FIRST AID MEASURES:

FIRST AID FOR EYES: Flush immediately with a steady, gentle stream of water for at least 15 minutes. Seek medical attention if irritation persists.

FIRST AID FOR SKIN: Wash with soap and water. Remove contaminated clothing. Seek medical attention if irritation persists.

FIRST AID FOR INHALATION: Remove victim to fresh air. Seek medical attention if irritation persists.

FIRST AID FOR INGESTION: Do not induce vomiting. Vomiting may cause aspiration pneumonia. Contact a physician or poison control immediately.

5. FIRE FIGHTING MEASURES:

NEPA HAZARD CLASSIFICATION: HEALTH HAZARD 2

FIRE HAZARD 1 REACTIVITY 0

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, alcohol or polymer foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

SPECIAL FIRE FIGHTING PROCEDURES: Do not inhale smoke vapors. Evacuate non-essential personnel from the area to prevent human exposure to fire, smoke, fumes or combustion products. Prevent spread of contaminated runoff.

^{*}Supplier Recommendation



Ferti-Iome® Fruit Tree Spray

In the event or a medical or chemical emergency contact ChemTel, Inc. North America 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 26, 2012

6. ACCIDENTAL RELEASE MEASURES:

SPILL OR LEAK PROCEDURES: Wear chemical safety glasses with side shields or chemical goggles, chemical resistant gloves, shoes and socks, long-sleeved shirt, and long pants to prevent contact with the product. Cover the spilled area with absorbent material. Sweep the absorbent material onto a shovel, and put the sweepings into a salvage drum. Wash the spill area with water containing a strong detergent. Absorb the rinsate, and sweep the absorbent into a salvage drum. Avoid runoff into storm sewers and ditches that lead to waterways.

7. STORAGE AND HANDLING:

STORAGE TEMPERATURE (MIN. / MAX.): N/A 95° F / N/A 35° C **SHELF LIFE:** Stable for upwards of 1 year at ambient conditions. **SPECIAL SENSITIVITY:** Avoid temperature extremes, direct sunlight.

HANDLING AND STORAGE PRECAUTIONS: Keep container tightly closed when not in use. Store in a cool, dry place away from feed and foodstuffs.

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

EYE PROTECTION REQUIREMENTS: To avoid eye contact, the use of safety goggles is recommended.

SKIN PROTECTION REQUIREMENTS: To avoid skin contact, the use of chemical resistant gloves, shoes and socks, long-sleeved shirt, and long pants is recommended.

RESPIRATORY / VENTILATION REQUIREMENTS: To avoid inhalation, the use of a NIOSH approved chemical cartridge respirator with organic particle mask is required.

EXPOSURE LIMITS: N/A

9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL FORM: Liquid COLOR: Yellow / Red ODOR: Garlic Citrus

BOILING POINT RANGE: >200° C MELT POINT / FREEZE POINT: 3° C

FLASH POINT: 74° C AUTO IGNITION: N/A

UPPER EXPLOSIVE LIMITS (UEL): Not determined LOWER EXPLOSIVE LIMITS (LEL): Not determined

pH: 3.37 in 1% emulsion SOLUBILITY IN WATER: N/A SPECIFIC GRAVITY: 7.494 lb / gal

BULK DENSITY: N/A

% VOLATILE BY WIEGHT: Not determined VAPOR PRESSURE at 20° C: Not determined

VAPOR DENSITY: Not determined

10. STABILITY & REACTIVITY DATA:

STABILITY: Stable.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: None known.

DECOMPOSITION PRODUCTS: None known.



Ferti-lome® Fruit Tree Spray

In the event or a medical or chemical emergency contact ChemTel, Inc. North America 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 26, 2012

CONDITIONS TO AVOID: Keep away from direct flame.

11. TOXICOLOGICAL INFORMATION:

Potential Health Effects (Pyrethrins):

ROUTE(S) OF ENTRY: Eyes, Skin, Oral, Inhalation.

HUMAN EFFECTS AND

SYMPTOMS OF OVEREXPOSURE: None noted.

ACUTE EYE CONTACT: May cause temporary eye irritation.

CHRONIC EYE CONTACT: Chronic exposure not likely from normal use.

ACUTE SKIN CONTACT: May be irritating to skin. Repeat exposure may cause dermatitis. **CHRONIC SKIN CONTACT:** May be irritating to skin. Repeat exposure may cause dermatitis.

ACUTE INGESTION: LD50 > 2 g/kg CHRONIC INGESTION: None noted. ACUTE INHALATION: LC50 > 3 mg/L CHRONIC INHALATION: None noted.

CARCINOGENICITY

*Marginal increases in benign thyroid, parathyroid, ovary, and liver tumors were observed in rats and in the lungs of mice, following lifetime high dose exposure to pyrethrins. The significance of this observation is questionable and under review. The doses at which tumors were observed for pyrethrins greatly exceeded potential human exposures from labeled uses. Doses at which these effects were observed greatly exceed anticipated human dietary intake. At anticipated dietary exposure levels, it is highly unlikely that this product would result in carcinogenic effects.

Potential Health Effects (Piperonyl Butoxide):

ROUTE(S) OF ENTRY: Eyes, Skin, Oral, Inhalation.

HUMAN EFFECTS AND

SYMPTOMS OF OVEREXPOSURE: None noted.

ACUTE EYE CONTACT: May cause temporary eye irritation.

CHRONIC EYE CONTACT: Chronic exposure not likely from normal use.

ACUTE SKIN CONTACT: LD50 > 2 g/kg

CHRONIC SKIN CONTACT: May be irritating to skin. Repeat exposure may cause dermatitis.

ACUTE INGESTION: LD50 > 4.5 g/kg CHRONIC INGESTION: None noted. ACUTE INHALATION: LC50 > 5.9 mg/L CHRONIC INHALATION: None noted.

CARCINOGENICITY

*Marginal increases in benign liver tumors in mice were observed in the following lifetime high dose exposure to Piperonyl butoxide. The significance of this observation is questionable and under review. The doses at which tumors were observed greatly exceeded

^{*}Supplier Recommendation



Ferti-lome® Fruit Tree Spray

In the event or a medical or chemical emergency contact ChemTel, Inc. North America 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 26, 2012

potential human exposures from labeled uses. Doses at which these effects were observed greatly exceed anticipated human dietary intake. At anticipated dietary exposure levels, it is highly unlikely that this product would result in carcinogenic effects.

MUTAGENICITY

*Piperonyl butoxide was not genotoxic in several tests including the Ames mutagenicity assay, chromosome aberration in Chinese hamster ovary (CHO) cells, CHO/HGPRT assay with S9 activation, and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells.

TERATOLOGY / REPRODUCTIVE EFFECTS

*There were no birth defects or adverse effects on reproductive parameters in rats or rabbits. Piperonyl butoxide is not considered to be teratogenic.

*Supplier Recommendation

12. ECOLOGICAL INFORMATION:

This product may be hazardous to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or in areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of water.

13. DISPOSAL:

Do not contaminate water, food or feed by disposal.

WASTE DISPOSAL METHOD: Rinse water must be disposed of on-site or in an approved waste disposal facility.

14. TRANSPORTATION INFORMATION:

Not regulated by DOT or IMDG.

15. REGULATORY INFORMATION:

OSHA STATUS: N/A
TSCA STATUS: N/A
CERCLA REPORTABLE QUANTITY: N/A

SARA TITLE III:

SECTION 302 EXTREMELY

HAZARDOUS SUBSTANCES: N/A

SECTION 311/312

HAZARD CATEGORIES: N/A

SECTION 313

TOXIC CHEMICALS: N/A RCRA STATUS: N/A

STATE REGULATORY INFORMATION:

The following chemicals are specifically listed by individual states; other products specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.



Ferti-lome® Fruit Tree Spray

In the event or a medical or chemical emergency contact ChemTel, Inc. North America 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 26, 2012

16. OTHER INFORMATION:

To the best of our knowledge, the information contained herein is accurate. However, neither *Voluntary Purchasing Groups nor any of its subsidiaries* assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All material may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.