SAFETY DATA SHEET Scion Insecticide

SDS # : FO002177-2-A Revision date: 2018-12-07 Format: NA Version 2.03



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name	Scion Insecticide
Other means of identification	
Product Code(s)	FO002177-2-A
Legacy Product Code	15F/1526
Synonyms	GAMMA-CYHALOTHRIN: (S)-cyano(3-phenoxyphenyl)methyl(1R,3R)-3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-d imethylcyclopropanecarboxylate (CAS name); (S)-α-cyano-3-phenoxybenzyl(1R,3R)-3-[(Z)-2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethylcy clopropanecarboxylate (IUPAC name)
Active Ingredient(s)	Gamma-cyhalothrin
Formula	C23H19CIF3NO3 (Gamma-cyhalothrin)
Chemical Family	Pyrethroid Pesticide
Recommended use of the chemica	and restrictions on use
Recommended Use:	Insecticide
Restrictions on Use:	Use as recommended by the label.
Supplier Address	FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information)
Emergency telephone number	
	For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate) Medical Emergencies:
	1 800 / 331-3148 (U.S.A. & Canada) 1 651 / 632-6793 (All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1B

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H317 - May cause an allergic skin reaction H320 - Causes eye irritation H332 - Harmful if inhaled H410 - Very toxic to aquatic life with long lasting effects



Precautionary Statements - Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Gamma-cyhalothrin	76703-62-3	5.9
Naphtha (petroleum), heavy aromatic	64742-94-5	1-5
Ethylendiamine	107-15-3	<1
Microcrystalline cellulose	9004-34-6	<1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES				
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.			
Skin Contact	Remove contaminated clothing and shoes. Do not start with flushing with water, but wipe off with dry cloth or using talcum powder, followed by washing with water and soap. Thereafter apply vitamin E cream or fatty skin care oil or cream. Call a poison control center or doctor for further treatment advice.			
Inhalation	Move to fresh air. Remove from exposure, lie down. Call a poison control center or doctor for further treatment advice. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.			
Ingestion	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.			
Most important symptoms and effects, both acute and delayed	Gamma-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia).			
Indication of immediate medical attention and special treatment needed, if necessary	Induced vomiting as first aid for this substance may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Dry chemical, Carbon dioxide (CO ₂), Water spray, Foam. Avoid heavy hose streams.			
Specific Hazards Arising from the Chemical	None known			
Hazardous Combustion Products	The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as. Hydrogen chloride, Hydrogen fluoride, Hydrogen cyanide, Carbon monoxide, Carbon dioxide (CO ₂), Nitrogen oxides (NOx), various chlorinated and fluorinated organic compounds.			
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available. No information available.			
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.			
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.			
	Page 3/10			

Environmental Precautions	Contain the spill to prevent any further contamination of surface, soil or water. Keep material out of lakes, streams, ponds, and sewer drains. Local authorities should be advised if significant spillages cannot be contained. Keep people and animals away from and upwind of spill/leak.			
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.			
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.			
7. HANDLING AND STORAGE				
Handling	Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. Refer to Section 8.			
Storage	Keep container tightly closed in a dry and well-ventilated place. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs. Keep/store only in original container. Keep in properly labeled containers. Protect against extremes of heat and cold.			
Incompatible products	Oxidizing agents			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Ethylendiamine	TWA: 10 ppm	TWA: 10 ppm	IDLH: 1000 ppm	Mexico: TWA 10 ppm
(107-15-3)		TWA: 25 mg/m ³	TWA: 10 ppm	Mexico: TWA 25 mg/m ³
			TWA: 25 mg/m ³	Mexico: STEL 3 mg/m ³
Microcrystalline cellulose	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	Mexico: TWA 10 mg/m ³
(9004-34-6)		TWA: 5 mg/m ³	TWA: 5 mg/m ³	Mexico: STEL 20 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Ethylendiamine	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
(107-15-3)	Skin	TWA: 25 mg/m ³		TWA: 25 mg/m ³
		Skin		Skin
			Skin	
Microcrystalline cellulose (9004-34-6)	TWA: 10 mg/m ³ TWA: 5			
(9004-34-0)	TWA: 3 mg/m ³			mg/m³

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.
---------------------	---

- Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots.
- Hand ProtectionUse protective gloves made of chemical materials such as nitrile or neoprene. Wash the
outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Remove and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Physical State Color Odor Odor threshold pH Melting point/freezing point Boiling Point/Range Flash point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Specific gravity Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing properties** Molecular weight **Bulk density**

Beige Liquid Suspension Beige Slight No information available 5.71 @ 23°C (1% solution in water) < 0 °C Not applicable (Decomposes) > 100 °C / > 200 °F Seta Closed Cup No information available Not applicable (Product is a liquid)

No information available No information available No information available No information available 1.019 g/mL @ 20°C No information available Dispersible in water No information available No information available > 400 °C No information available High viscosity High viscosity Not explosive Non-oxidizina No information available No information available

10. STABILITY AND REACTIVITY

Rea	ctiv	vitv
	~	

None under normal use conditions

Chemical Stability Possibility of Hazardous Reactions Hazardous polymerization	Decomposes on heating. None under normal processing. Hazardous polymerization does not occur.
Conditions to avoid	Heating can release hazardous gases
Incompatible materials	Oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide (CO), Hydrogen chloride, Hydrogen fluoride, Nitrogen o

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	: 3257 mg/kg (rat)
LD50 Dermal	: > 5000 (rat) mg/kg
LC50 Inhalation	: > 2.31 mg/L 4 hr (rat)
Serious eye damage/eye irritation	Moderately irritating to eyes.
Skin corrosion/irritation	Slightly irritating.
Sensitization	May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy aromatic (64742-94-5)	> 5,000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	>5.28 mg/L(Rat)4 h
Ethylendiamine (107-15-3)	= 637 mg/kg(Rat)	= 560 mg/kg (Rabbit)	4916 - 9832 mg/m ³ (Rat) 8 h
Microcrystalline cellulose (9004-34-6)	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)> 2000 mg/kg (Rabbit)	> 5800 mg/m³(Rat)4 h

Information on toxicological effects

Symptoms	Gamma-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia).
Delayed and immediate effects as	well as chronic effects from short and long-term exposure
Mutagenicity	Gamma-cyhalothrin: Not mutagenic
Carcinogenicity	Tests on similar substances have shown that gamma-cyhalothrin is unlikely to be carcinogenic.
Neurological effects	Gamma-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia).
Reproductive toxicity	Gamma-cyhalothrin: No toxicity to reproduction in animal studies.
STOT - single exposure STOT - repeated exposure	None known. Central Nervous System.
Neurological effects	Gamma-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia).
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethylendiamine 107-15-3	72 h EC50: = 645 mg/L (Pseudokirchneriella subcapitata) 96 h EC50: = 151 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 98.6 - 131.6 mg/L (Pimephales promelas) static 96 h LC50: 191 - 254 mg/L (Pimephales promelas) flow-through 96 h LC50: = 115.7 mg/L (Pimephales promelas) semi-static 96 h LC50:	48 h EC50: = 17 mg/L (Daphnia magna)

	Version 2.03				
	180 - 560 mg/L (Poecilia reticulata) semi-static				
Dipropylene glycol 25265-71-8	24 h LC50: > 5000 mg/L (Carassius auratus) static				
Persistence and degradability	Gamma-cyhalothrin. Not readily biodegradable.				
Bioaccumulation	Gamma-cyhalothrin: The substance has a potential for bioconcentration.				
Mobility	Gamma-cyhalothrin: Is not likely mobile in the environment.				
	13. DISPOSAL CONSIDERATIONS				
Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.				
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.				
	14. TRANSPORT INFORMATION				
DOT	NOT REGULATED				
TDG UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Gamma-cyhalothrin. UN3082, Environmentally hazardous substance, liquid, n.o.s. (gamma-cyhalothrin), 9, III, Marine pollutant				
ICAO/IATA					
UN/ID no Proper Shipping Name Hazard class Packing Group Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III UN3082, Environmentally hazardous substance, liquid, n.o.s. (gamma-cyhalothrin), 9, III, Marine pollutant				
IMDG/IMO UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Gamma-cyhalothrin UN3082, Environmentally hazardous substance, liquid, n.o.s. (gamma-cyhalothrin), 9, III, Marine pollutant				

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Aluminum Sulfate 10043-01-3	5000 lb			Х
Ethylendiamine 107-15-3	5000 lb			Х
Sodium Hydroxide 1310-73-2	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Aluminum Sulfate	5000 lb	
10043-01-3	2270 kg	
Methylene bisphenyl isocyanate (MDI)	5000 lb	
101-68-8	2270 kg	
Ethylendiamine	5000 lb	5000 lb
107-15-3	2270 kg	
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

This pesticide is extremely toxic to fish and aquatic organisms and toxic to wildlife.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethylendiamine 107-15-3	Х	Х	Х
Microcrystalline cellulose	Х	Х	Х

9004-34-6		

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Gamma-cyhalothrin 76703-62-3			Х					
Naphtha (petroleum), heavy aromatic 64742-94-5	X	Х	Х		X	X	Х	Х
Ethylendiamine 107-15-3	X	Х	Х	Х	Х	Х	Х	Х
Microcrystalline cellulose 9004-34-6	X	Х	Х	Х	X	Х	Х	Х

Mexico - Grade

Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
Ethylendiamine		Mexico: TWA 10 ppm
-		Mexico: TWA 25 mg/m ³
		Mexico: STEL 3 mg/m ³
Microcrystalline cellulose		Mexico: TWA 10 mg/m ³
·		Mexico: STEL 20 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Methylene bisphenyl isocyanate (MDI)	100 5000 kg/yr	100 kg/yr

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D1B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazard	s 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazard	s 2*	Flammability 1	Physical hazard 0	Personal Protection -
*Indicates a chronic health ha	zard.		•	· ·	
NFPA/HMIS Ratings Lege	end Se	evere = 4;	Serious = 3; Moderate	= 2; Slight = 1; Minimal = 0	
Revision date: Reason for revision:)18-12-07 DS sectior	is updated		

SDS # : FO002177-2-A Format: NA Revision date: 2018-12-07 Version 2.03

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet