

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : GALLERY™ SC

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 800-992-5994

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
isoxaben (ISO)	82558-50-7	45.45

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Propylene glycol	57-55-6	$\geq 3 - < 10$
ethanol	64-17-5	$\geq 0.1 - < 0.3$
Balance	Not Assigned	> 40

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from firefighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Combustion products may include and are not limited to:
Nitrogen oxides (NOx)
Carbon oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

Further information : Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Special protective equipment for fire-fighters : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors/dust.
Handle in accordance with good industrial hygiene and safety

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
 Date of first issue: 01/13/2022

- practice.
 Smoking, eating and drinking should be prohibited in the application area.
 Take care to prevent spills, waste and minimize release to the environment.
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Keep in properly labeled containers.
 Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL
ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1

Engineering measures : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection

Remarks : Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection,

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use safety glasses (with side shields).
Skin and body protection : Wear clean, body-covering clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Color : white

Odor : Odorless

Odor Threshold : No data available

pH : 7.7

Melting point/range : Not applicable

Freezing point : No data available

Boiling point/boiling range : > 212 °F / > 100 °C

Flash point : > 212 °F / > 100 °C
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.09 (68 °F / 20 °C)

Density : 1.1148 g/cm³ (68 °F / 20 °C)
Method: Digital density meter

Solubility(ies)
Water solubility : No data available

Autoignition temperature : > 752 °F / > 400 °C

Viscosity
Viscosity, dynamic : No data available

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Explosive properties : No

Oxidizing properties : No significant increase (>5C) in temperature.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.
Decomposition products can include and are not limited to:
Nitrogen oxides (NOx)
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Symptoms: No deaths occurred at this concentration.

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.71 mg/l
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: No deaths occurred at this concentration.

Components:

isoxaben (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: Prolonged excessive exposure to dust may cause adverse effects.
Based on the available data, narcotic effects were not observed.
Based on the available data, respiratory irritation was not ob-

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

served.

LC50 (Rat, male and female): > 2.93 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Symptoms: No deaths occurred at this concentration.
 Remarks: Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
 Symptoms: No deaths occurred at this concentration.
 Assessment: The substance or mixture has no acute dermal toxicity

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l
 Exposure time: 2 h
 Test atmosphere: dust/mist
 Symptoms: No deaths occurred at this concentration.
 Assessment: The substance or mixture has no acute inhalation toxicity
 Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
 Symptoms: No deaths occurred at this concentration.
 Assessment: The substance or mixture has no acute dermal toxicity

ethanol:

Acute oral toxicity : LD50 (Rat): > 7,000 mg/kg

LDLo (human): 1,400 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
 Exposure time: 4 h
 Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Skin corrosion/irritation**Product:**

Species : Rabbit
 Method : OECD Test Guideline 404
 Result : No skin irritation

GALLERY[™] SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Components:**Propylene glycol:**

Species : Rabbit
Result : No skin irritation

ethanol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:**Propylene glycol:**

Species : Rabbit
Result : No eye irritation

ethanol:

Species : Rabbit
Result : Eye irritation

Respiratory or skin sensitization**Product:**

Remarks : Did not demonstrate the potential for contact allergy in mice.

Components:**isoxaben (ISO):**

Remarks : Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Propylene glycol:

Species : human
Assessment : Does not cause skin sensitization.

ethanol:

Species : Guinea pig
Assessment : Does not cause skin sensitization.

GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Germ cell mutagenicity**Components:****isoxaben (ISO):**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were predominantly negative.

Propylene glycol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

ethanol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****isoxaben (ISO):**

Carcinogenicity - Assessment : An increase in nonmalignant liver tumors was observed with isoxaben in one of two species tested.

Propylene glycol:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

ethanol:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects., Ethanol when not consumed in an alcoholic beverage is not classifiable as a human carcinogen., Epidemiology studies provide evidence that drinking of alcoholic beverages (containing ethanol) is associated with cancer, and IARC has classified alcoholic beverages as carcinogenic to humans.

IARC Group 1: Carcinogenic to humans
ethanol 64-17-5

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****isoxaben (ISO):**

Reproductive toxicity - Assessment : In animal studies, has been shown to interfere with reproduction in females., Effects have been seen only at doses that produced significant toxicity to the parent animals.
Has caused birth defects in laboratory animals only at doses

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

toxic to the mother.

Propylene glycol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility. Did not cause birth defects or any other fetal effects in laboratory animals.

ethanol:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility. Has caused birth defects in lab animals at high doses.

STOT-single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

isoxaben (ISO):

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Propylene glycol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

ethanol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT-repeated exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Repeated dose toxicity

Components:

isoxaben (ISO):

Remarks : In animals, effects have been reported on the following organs:
Liver.
Kidney.

GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Propylene glycol:

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

Aspiration toxicity**Product:**

Based on physical properties, not likely to be an aspiration hazard.

Components:**isoxaben (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

Propylene glycol:

Based on physical properties, not likely to be an aspiration hazard.

ethanol:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (Oncorhynchus mykiss (rainbow trout)): > 200 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 544 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Lemna minor (duckweed)): 0.044 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: static test

ErC50 (Chlorella vulgaris (Fresh water algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
End point: mortality

Toxicity to terrestrial organisms : contact LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee
Exposure time: 48 h

oral LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Components:

isoxaben (ISO):

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1.2 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent
Remarks: The LC50 value is above the water solubility.

LC50 (*Cyprinodon variegatus* (sheepshead minnow)): > 0.87 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent
Remarks: The LC50 value is above the water solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1.3 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : EbC50 (*Lemna minor* (duckweed)): 0.011 mg/l
End point: Biomass
Exposure time: 7 d
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1.2 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Test Type: static test

ErC50 (*Skeletonema costatum* (marine diatom)): > 0.49 mg/l
Exposure time: 72 h
Test Type: static test

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.4 mg/l
End point: growth
Exposure time: 33 d
Test Type: semi-static test

LOEC (Pimephales promelas (fathead minnow)): > 0.40 mg/l
End point: growth
Exposure time: 33 d
Test Type: semi-static test

MATC (Maximum Acceptable Toxicant Level) (Pimephales promelas (fathead minnow)): > 0.40 mg/l
End point: growth
Exposure time: 33 d
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.69 mg/l
End point: growth
Exposure time: 21 d
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

LOEC (Daphnia magna (Water flea)): 1.01 mg/l
End point: growth
Exposure time: 21 d
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

MATC (Maximum Acceptable Toxicant Level) (Daphnia magna (Water flea)): 0.85 mg/l
End point: growth
Exposure time: 21 d
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

NOEC (saltwater mysid Mysidopsis bahia): 0.841 mg/l
Exposure time: 28 d
Test Type: flow-through test

LOEC (saltwater mysid Mysidopsis bahia): > 0.841 mg/l
Exposure time: 28 d
Test Type: flow-through test

NOEC (Midge (Chironomus riparius)): 32 mg/l
End point: mortality
Exposure time: 28 d
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

LOEC (Midge (Chironomus riparius)): 64 mg/l
End point: mortality
Exposure time: 28 d

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

MATC (Maximum Acceptable Toxicant Level) (Midge (*Chironomus riparius*)): 48 mg/l
End point: mortality
Exposure time: 28 d
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
End point: Respiration rates.
Exposure time: 3 h
Test Type: Respiration inhibition

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is moderately toxic to birds on a dietary basis (LC50 between 501 and 1000 ppm).

oral LD50 (*Colinus virginianus* (Bobwhite quail)): > 2000 mg/kg bodyweight.
Exposure time: 14 d

LC50 (*Colinus virginianus* (Bobwhite quail)): > 937 mg/kg diet.
Exposure time: 8 d

oral LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee

contact LD50 (*Apis mellifera* (bees)): > 100 micrograms/bee
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Propylene glycol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Ceriodaphnia dubia* (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 19,000 mg/l

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

End point: Growth rate inhibition
Exposure time: 96 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
End point: number of offspring
Exposure time: 7 d
Test Type: semi-static test

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

ethanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11,200 - 13,000 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: Method Not Specified.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,414 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : EbC50 (Skeletonema costatum (marine diatom)): 10,943 - 11,619 mg/l
End point: Biomass
Exposure time: 5 d
Method: OECD Test Guideline 201 or Equivalent

Persistence and degradability

Components:

isoxaben (ISO):

Biodegradability : Result: Not biodegradable.
Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.
Biodegradation rate may increase in soil and/or water with acclimation.

Chemical Oxygen Demand (COD) : 1.77 mg/g

ThOD : 1.98 kg/kg

Stability in water : Test Type: Hydrolysis
Degradation half life (half-life): > 5 d pH: 7.0

Photodegradation : Test Type: Half-life (direct photolysis)
Method: Measured

Test Type: Half-life (direct photolysis)

Test Type: Half-life (indirect photolysis)

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

Sensitizer: OH radicals
 Concentration: 1,500,000 1/cm³
 Rate constant: 2.045E-10 cm³/s
 Method: Estimated.

Propylene glycol:

Biodegradability : aerobic
 Result: Readily biodegradable.
 Biodegradation: 81 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F or Equivalent
 Remarks: 10-day Window: Pass

Biodegradation: 96 %
 Exposure time: 64 d
 Method: OECD Test Guideline 306 or Equivalent
 Remarks: 10-day Window: Not applicable

Biochemical Oxygen Demand (BOD) : 69.000 %
 Incubation time: 5 d

70.000 %
 Incubation time: 10 d

86.000 %
 Incubation time: 20 d

Chemical Oxygen Demand (COD) : 1.53 kg/kg
 ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm³/s
 Method: Estimated.

ethanol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: > 70 %
 Exposure time: 5 d
 Method: OECD Test Guideline 301D or Equivalent
 Remarks: 10-day Window: Pass

ThOD : 2.08 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)
 Sensitizer: OH radicals
 Rate constant: 3.58E-12 cm³/s
 Method: Estimated.

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

Bioaccumulative potential**Components:****isoxaben (ISO):**

Partition coefficient: n-octanol/water : log Pow: 2.64
 Method: Measured
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Propylene glycol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
 Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: -1.07
 Method: Measured
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.31
 Method: Measured
 Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil**Components:****isoxaben (ISO):**

Distribution among environmental compartments : Koc: 700 - 1290
 Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

Stability in soil : Test Type: aerobic degradation
 Dissipation time: 0.358 - 0.883 yr
 Test Type: Photolysis
 Dissipation time: 248 d

Propylene glycol:

Distribution among environmental compartments : Koc: < 1
 Method: Estimated.
 Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.
 Potential for mobility in soil is very high (Koc between 0 and 50).

SAFETY DATA SHEET



GALLERY™ SC

Version 1.0 Revision Date: 01/13/2022 SDS Number: 800080005721 Date of last issue: -
Date of first issue: 01/13/2022

ethanol:

Distribution among environmental compartments : Koc: 1.0
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Components:

isoxaben (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Propylene glycol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

ethanol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations**UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isoxaben)
Class	:	9
Packing group	:	III
Labels	:	9

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Isoxaben)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isoxaben)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**Pennsylvania Right To Know**

Propylene glycol

57-55-6

California Prop. 65

WARNING: This product can expose you to chemicals including ethanol, sulphuric acid, which is/are known to the State of California to cause cancer, and ethanol, toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-658

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SAFETY DATA SHEET



GALLERY™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/13/2022	800080005721	Date of first issue: 01/13/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN