

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **The Giant Destroyer Super Gasser**

Other means of identification : Not available.

Recommended use of the chemical and restrictions on use

: Rodenticide.
Restrictions on use: Keep out of reach of children.

Chemical family : Explosive article.

Name, address, and telephone number of the manufacturer:

Atlas Chemical Corporation

118 3rd Avenue SE #435
Cedar Rapids, IA
52401
Manufacturer's Telephone # : 319-377-8921

Name, address, and telephone number of the supplier:

Atlas Chemical Corporation

207 Bank Street Suite 500
Ottawa, ON, Canada
K2P 2N2
Supplier's Telephone # : 319-377-8921
24 Hr. Emergency Tel # : ChemTrec: 1-800-424-9600 / 403-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

WHMIS information: This product is not a WHMIS controlled product in Canada. Explosive. The Hazardous Products Regulations (HPR) (WHMIS 2015) do not apply to explosives [Hazardous Products Act Section 12(j)].

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification:
Explosives - Division 1.4
Skin Corrosion/Irritation - Category 2
Eye Damage/Irritation - Category 2B

Label elements

Hazard pictogram(s)



Signal Word

WARNING!

Hazard statement(s)

Fire or projection hazard.
Causes skin irritation.
Causes eye irritation.

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.
 Ground/Bond container and receiving equipment.
 Do not subject to grinding, shock and friction.
 Wash thoroughly after handling.
 Wear protective gloves and eye/face protection.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.
 If skin irritation occurs: Get medical advice/attention.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 In case of fire: Evacuate area.
 DO NOT fight fire when fire reaches explosives.
 Fight fire with normal precautions from a reasonable distance.

Store in accordance with local regulations.

Dispose of contents/container in accordance with local regulation.

Other hazards

This product is an explosive article which is composed of a finished tube / cylinder containing various components that are sealed completely within the tube / cylinder. Under normal conditions of handling, no exposure to any of the harmful components inside the tube / cylinder is expected and no health effects are generally expected as supplied.

When the device is ignited, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the eyes, skin and respiratory tract.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture.

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Sodium nitrate	Nitrate of soda Sodium Salt	7631-99-4	30.0 - 60.0
Sulfur	Sulphur	7704-34-9	30.0 - 60.0
Carbon (Charcoal)	Carbon	7440-44-0	7.0 - 13.0

Note: The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : If ingested, immediately call a physician. Inducing vomiting should only be performed under direct supervision of medical personnel. Never give anything by mouth to an unconscious person.
- Inhalation* : None required under normal conditions. If cartridges are fired, or otherwise discharged and gases, fumes or projections are formed and inhaled, the following treatment may be necessary:
Immediately remove person to fresh air. Obtain medical attention if symptoms develop and persist.
- Skin contact* : None required when used as intended. If cartridges are fired, or otherwise discharged, the following treatment may be necessary for skin contact with gases, fumes or projections that may be formed:
Remove contaminated clothing. Wash affected areas with soap and water. Seek medical attention if symptoms develop or persist, or if projection has caused any injury.

SAFETY DATA SHEET

Eye contact : None required when used as intended. If cartridges are fired, or otherwise discharged, the following treatment may be necessary for eye contact with gases, fumes or projections that may be formed. Immediately flush eyes with running water for at least 15 minutes. If irritation or symptoms develop, seek medical attention. Remove contact lenses, if present and easy to do.

Most important symptoms and effects, both acute and delayed

: When cartridges are fired, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the eyes, skin and respiratory tract.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use flooding quantities of water to fight fires. If water is not available, use carbon dioxide (CO₂), dry chemical or dirt.

Unsuitable extinguishing media

: None known.

Special hazards arising from the substance or mixture / Conditions of flammability

: Explosive! Fire or projection hazard Cartridges may ignite and explode if heated to 120°C (248°F) independent of air.

Flammability classification (OSHA 29 CFR 1910.106)

: Not applicable.

Hazardous combustion products

: Carbon oxides; Sulfur oxides; Nitrogen oxides (NO_x); Metal oxides; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear an approved full-face, self-contained breathing apparatus (SCBA) and impervious clothing. Unconfined ignited cartridges can produce low velocity metallic fragments which may cause eye injury or superficial skin wounds if unprotected by standard firefighter turnout gear.

Special fire-fighting procedures

: In case of fire: Evacuate area.
DO NOT fight fire when fire reaches explosives.

Do not enter fire area without proper protection. Shield personnel from exploding cartridges. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

Cargo fires:

Packages bearing the 1.4S label or packages containing material classified as 1.4S are designed or packaged in such manner that when involved in a fire, may burn vigorously with localized detonations and projection of fragments.

Effects are usually confined to immediate vicinity of packages.

If fire threatens cargo area containing packages bearing the 1.4S label or packages containing material classified as 1.4S, consider isolating at least 15 meters (50 feet) in all directions. Fight fire with normal precautions from a reasonable distance.

Tire or vehicle fires:

Use plenty of water - FLOOD it! If water is not available, use CO₂, dry chemical or dirt.

If possible, and WITHOUT RISK, use unmanned hose holders or monitor nozzles from maximum distance to prevent fire from spreading to cargo area.

Pay special attention to the tire fires as re-ignition may occur. Stand by with extinguisher ready.

Evacuation:

Large spill: Consider initial evacuation for 125 meters (400 feet) in all directions.

SAFETY DATA SHEET

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Do not clean up or dispose of, except under supervision of a specialist. All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

Methods and material for containment and cleaning up

- : For solid, intact cartridges:
Handle spills carefully. Do not subject cartridges to mechanical shock. Ventilate the area. Remove all sources of ignition. Pick up and transfer to properly labeled containers.

If spill occurs in an area where there is a fire burning:

Large spill: Consider initial evacuation for 125 meters (400 feet) in all directions. Refer to Section 5 for firefighting instructions.

If loose powder is present:

All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not operate radio transmitters within 100 meters (330 feet) of electric detonators. Pick up and arrange disposal without creating dust.

Contact the proper local authorities.

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the National Response Center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): See section 15.

In Canada: (613) 996-6666 (CANUTEC)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Keep away from heat, open flames and hot surfaces. - No smoking. Ground all equipment during handling. Do not subject to excessive friction or mechanical shock. Use in a well-ventilated area. Wear suitable protective equipment during handling. For personal protection see section 8. Do not breathe fumes or dusts. Do not store near acids. Do not store near any incompatible materials (see Section 10).
In the United States, handle in accordance with 29 CFR Part 1910.109 for Explosives. While explosives are being handled or used, smoking shall not be permitted and no one near the explosives shall possess matches, open light or other fire or flame. No person shall be allowed to handle explosives while under the influence of intoxicating substances or alcohol.

Conditions for safe storage

- : Store in a cool, dry, well ventilated area, away from incompatibles. Keep away from heat. Inspect periodically for damage or leaks. Protect against physical damage. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area.
In the United States, ensure the storage requirements of 29 CFR Part 1910.109 for Explosives are met:
Small arms ammunition shall be separated from flammable liquids, flammable solids as classified in 49 CFR part 172, and from oxidizing materials, by a fire-resistive wall of 1-hour rating or by a distance of 25 feet. No quantity limitations are imposed on the storage of small arms ammunition in warehouses, retail stores, and other general occupancy facilities, except those imposed by limitations of storage facilities.

Incompatible materials

- : Acids; caustics ; Ammonia; Chlorate; Acetylene; Ammonium nitrate; fluorine; Bromine; Oils; Class A and B explosives (U.S.); Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Sodium nitrate	N/Av	N/Av	N/Av	N/Av
Sulfur	N/Av	N/Av	N/Av	N/Av
Carbon (Charcoal)	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

: Ensure adequate ventilation, especially in confined areas.

Respiratory protection

: Not required under normal conditions of handling.

Skin protection

: Not required under normal conditions of handling.

Eye / face protection

: Safety glasses with side shields should be used with this product. If necessary, refer to U.S. OSHA 29 1910.133 or Canadian CSA Standard Z94.3-02.

Other protective equipment

: Use hearing protection. Hearing protection should have an EPA-NRR of 20 or greater. If necessary refer to OSHA regulation 29 CFR 1910.95 or 1926.01. Ensure that eyewash stations and safety showers are close to the workstation location.

General hygiene considerations

: Do not breathe fumes or dusts. Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Medium gray solid.

Odour : Odourless.

Odour threshold : N/Av

pH : N/Av

Melting Point/Freezing point : N/Av

Initial boiling point and boiling range

: N/Av

Flash point : N/Av

Flashpoint (Method) : N/Av

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : N/Av

Lower flammable limit (% by vol.)

: N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties : Contains oxidizers, which may increase the burning rate of combustible materials.

Explosive properties : Explosive

Vapour pressure : N/Av

Vapour density : N/Av

Relative density / Specific gravity

: N/Av

Solubility in water : Insoluble. If loose powder is present, may be water reactive.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

SAFETY DATA SHEET

Auto-ignition temperature : N/Av
Decomposition temperature : N/Av
Viscosity : N/Av
Volatiles (% by weight) : N/Av
Volatile organic Compounds (VOC's) : N/Av
Absolute pressure of container : N/Av
Flame projection length : N/Av
Other physical/chemical comments : No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : May ignite and explode with heat, or when exposed to severe shock or impact, or static discharge.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Sensitive to mechanical impact / static discharge. Hazardous polymerization does not occur.
Conditions to avoid : Avoid heat, open flames, sparks, static electricity and electrical equipment. Avoid contact with incompatible materials.
Incompatible materials : Strong acids; caustics ; Ammonia; Chlorate; Acetylene; Ammonium nitrate; Fluorine; Bromine; Oils; Class A and B explosives (U.S.); Strong oxidizers (e.g. Chlorine, Peroxides, etc.).
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: When the device is ignited, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the respiratory tract.

Sign and symptoms ingestion

: Ingestion of complete cartridges or dusts may cause gastrointestinal discomfort, including nausea, cramping, vomiting and diarrhea.

Sign and symptoms skin

: When the device is ignited, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the skin. Fragmented projections from primers can cause puncture wounds or cuts.

Sign and symptoms eyes

: When the device is ignited, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the eyes. Fragmented projections from primers can cause puncture wounds or cuts.

SAFETY DATA SHEET

Potential Chronic Health Effects

: This product is an explosive article which is composed of a finished cartridge containing various components that are sealed completely within the cartridge. Under normal conditions of handling, no exposure to any of the harmful components inside the cartridge is expected and no health effects are generally expected as supplied.

Mutagenicity

: Not expected to be mutagenic.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material

: Under normal conditions of handling, no exposure to any of the harmful components inside the cartridge is expected and no health effects are generally expected as supplied.

Specific target organ effects

: According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: None known.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.
 The calculated ATE values for this mixture are:
 ATE oral = 2,534 mg/kg

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Sodium nitrate	N/Av	1267 mg/kg	> 5000 mg/kg
Sulfur	> 5.433 mg/L (No mortality)	> 2000 mg/kg (No mortality)	> 2000 mg/kg (No mortality)
Carbon (Charcoal)	> 64 400 mg/m ³	> 10 000 mg/kg	N/Av

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Contains material that may be harmful in the environment. Avoid release to the environment. See below for individual ingredient ecotoxicity.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Fish</u>		
		<u>LC₅₀ / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
	N/Av	N/Av	N/Av	None.
Sodium nitrate	7631-99-4	1685 mg/L (Rainbow trout)	97.8 mg/L (Ocellaris clownfish)	None.
Sulfur	7704-34-9	N/Av	N/Av	None.
Carbon (Charcoal)	7440-44-0	>100mg/L (Zebra fish)	N/Av	None.

SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Sodium nitrate	7631-99-4	3581 mg/L (Daphnia magna)	N/Av	None.
Sulfur	7704-34-9	N/Av	N/Av	None.
Carbon (Charcoal)	7440-44-0	>100mg/L Daphnia magna (Water flea)	N/Av	None.

<u>Ingredients</u>	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Sodium nitrate	7631-99-4	N/Av	N/Av	None.
Sulfur	7704-34-9	N/Av	N/Av	None.
Carbon (Charcoal)	7440-44-0	>100mg/L (Green algae)	N/Av	None.

Persistence and degradability

: The product itself has not been tested. Not expected to be rapidly biodegradable.

Bioaccumulation potential

: The product itself has not been tested.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Sodium nitrate (CAS 7631-99-4)	- 0.79 (estimated)	N/Av
Sulfur (CAS 7704-34-9)	N/Av	N/Av
Carbon (Charcoal) (CAS 7440-44-0)	N/Av	N/Av

Mobility in soil

: The product itself has not been tested.

Other Adverse Environmental effects

: None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Empty product containers may contain hazardous product residue.

Methods of Disposal

: The recommended means for disposing of scrap material usually involves demilitarization of cartridges (i.e.: separating all explosive elements for individual destruction) it can also be done by open detonation but it is not the preferred way.

After components are scrapped by proper incineration, the remaining scrap material should be disposed of or recycled in accordance with all applicable local, provincial (state) and federal regulations.

Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN0432	ARTICLES, PYROTECHNIC for technical purposes	1.4S	II	
49CFR/DOT Additional information	The Giant Destroyer Mole and Gopher Gassers, EX2021052085				
TDG	UN0432	ARTICLES, PYROTECHNIC for technical purposes	1.4S	II	
TDG Additional information					

Special precautions for user : Avoid shock and friction. Appropriate advice on safety must accompany the package.
Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 : Not applicable.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Sodium nitrate	7631-99-4	Yes	None.	None.	No	No
Sulfur	7704-34-9	Yes	N/Ap	N/Av	No	No
Carbon (Charcoal)	7440-44-0	Yes	N/Ap	N/Av	No	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Explosive; Skin irritation; Eye irritation. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Sodium nitrate	7631-99-4	No	N/Ap	No	Yes	No	No	Yes	Yes
Sulfur	7704-34-9	No	N/Ap	Yes	Yes	No	Yes	Yes	Yes
Carbon (Charcoal)	7440-44-0	No	N/Ap	No	No	No	No	No	Yes

SAFETY DATA SHEET

Canadian Information:

All components of this product are on the Canadian DSL list.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECs</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>NewZealand IOC</u>
Sodium nitrate	7631-99-4	231-554-3	Present	Present	(1)-484	KE-31545	Present	HSR001350
Sulfur	7704-34-9	231-722-6	Present	Present	N/Av	KE-32688	Present	HSR001284
Carbon (Charcoal)	7440-44-0	231-153-3	Present	Present	N/Av	KE-04671	Present	HSR001271

SECTION 16. OTHER INFORMATION

Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CSA: Canadian Standards Association
- ECHA: European Chemicals Agency
- DOT: Department of Transportation
- EHC: Environmental Health Criteria
- EPA: Environmental Protection Agency
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- Inh: Inhalation
- LC: Lethal Concentration
- LD: Lethal Dose
- N/Av: Not Available
- N/Ap: Not Applicable
- NIOSH: National Institute of Occupational Safety and Health
- NTP: National Toxicology Program
- OSHA: Occupational Safety and Health Administration
- PEL: Permissible exposure limit
- RCRA: Resource Conservation and Recovery Act
- RTECS: Registry of Toxic Effects of Chemical Substances
- SARA: Superfund Amendments and Reauthorization Act
- SDS: Safety Data Sheet
- STEL: Short Term Exposure Limit
- TDG: Canadian Transportation of Dangerous Goods Act & Regulations
- TLV: Threshold Limit Values
- TWA: Time Weighted Average
- WHO: World Health Organization
- WHMIS: Workplace Hazardous Materials Identification System

SAFETY DATA SHEET

- References** :
- 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
 - 2. ECHA - European Chemical Agency
 - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
 - 4. Safety Data Sheets from manufacturer.
 - 5. US EPA Title III List of Lists
 - 6. California Proposition 65 List
 - 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy) : 04/04/2022

Other special considerations for handling :

- Provide adequate information, instruction and training for operators.

<p><u>Prepared for:</u> Atlas Chemical Corporation 118 3rd Avenue SE Cedar Rapids, IA 52401 Telephone: 319-377-8921</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Atlas Chemical Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Atlas Chemical Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Atlas Chemical Corporation.

END OF DOCUMENT