

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals or birds may access the bait.

USE SITES: This product may be used only to control Norway Rats, Roof Rats, and House Mice. This product may be used inside and outside within 50 feet of industrial, agricultural, related port or terminal buildings, and similar man-made structures. This product may also be used within 50 feet of surrounding buildings in alleys and inside transport vehicles (ships, trains, aircraft).

USE RESTRICTIONS: Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not use this product in sewers. Do not broadcast bait. Do not apply further than 50

feet from buildings. Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rats and mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual rats and mice cease feeding after consuming a toxic dose.

Rats: Apply 2 to 12 place packs per placement location. Space placements at intervals of 15 to 30 feet in infested areas.

Mice: Apply 1 to 2 place packs per placement. Space placements at intervals of 8 to 12 feet in infested areas. Larger placements, up to 6 place packs, may be needed at points of extremely high mouse activity.

Follow-Up: Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat and mouse activity. Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rodents are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rats and mice and leftover bait. To discourage reinfestation, limit sources of rat and mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

AGRISEL
USA, INCORPORATED

GLADIATOR

MOUSE RAT PLACE PACK

This Product May Only be Used Inside and Within 50 Feet of Agricultural, Industrial, and Port or Terminal Buildings or Inside of Transport Vehicles (Ships, Trains, Aircraft)

Effective Indoor and Outdoor House Mice Control Kills Norway Rats, Roof Rats and House Mice

Norway Rats, Roof Rats and House Mice usually consume a toxic dose in a single night's feeding but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, rodents cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant house mice and rats.

Contains Bitrex

ACTIVE INGREDIENT:
Bromethalin (CAS No. 63333-35-7) 0.01%
OTHER INGREDIENTS 99.99%
TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

NET CONTENTS
130 X 0.5 oz. PLACE PACKS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

IT IS ILLEGAL TO SELL THESE PLACE PACKS INDIVIDUALLY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number 1-800-345-4735 for health concerns, emergency medical treatment information or pesticide incidents.

If Swallowed: Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN: Contains the nerve poison Bromethalin. This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for

animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

NOTICE OF WARRANTY

Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA Reg. No. 67517-72-72159
EPA Est. No. 67517-MO-1

302075-01 **86512**

Manufactured For
AGRISEL USA INC.
PO Box 3528, Suwanee, GA 30024