#### FIRST AID Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue If In Eves: rinsina eve. Call a poison control center or doctor for treatment advice. If on Skin or • Take off contaminated clothing. Clothing: Rinse skin immediately with plenty of water for 15-20 minutes. . Call a poison control center or doctor for treatment advice. Call a poison control center or doctor immediately for treatment advice. Swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor

Do not give anything by mouth to an unconscious person.

Inhaled:

Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth, if possible
- Call a poison control center or doctor for further treatment advice.

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-800-858-7378 or 1-800-222-1222.

Note To Physician: Probable mucosal damage may contraindicate the use of gasteric lavage.

Produced For: **VOLUNTARY PURCHASING GROUP** 230 FM 87 • BONHAM, TEXAS 75418 EPA Reg. No. 7969-58-7401 EPA Est. No. 7401-TX-1 Visit Us At: www.hi-vield.com



# **Grass Killer**

## **Postemergence Grass Herbicide**

- Systemic Selective Herbicide Kills Weedy Grasses Without Injuring Desirable Plants.
- Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass And Other Weedy Grasses.
- 8 Fl. Ozs. Makes 8 Gallons of Spray.

For homeowner use on and around Ornamental Groundcovers and Vegetables\* \*See Crop Table List.

### ACTIVE INGREDIENT:

Sethoxydim: 2-[1(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one\* ...... 18.0% OTHER INGREDIENTS: 82.0%

\*Equivalent to 1.5 lbs per gallon.

# KEEP OUT OF REACH OF CHILDREN WARNING

See The Attached Booklet For Complete Precautionary Statements, Directions For Use And Conditions Of Sale And Warranty.

**NET CONTENTS 8 FI. Ozs.** 

READ ENTIRE LAREL FOR DIRECTIONS FOR LISE AND PRECAUTIONARY STATEMENTS.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. **DO NOT** get into eyes or on clothing. Harmful if swallowed.

#### **USER SAFETY RECOMMENDATIONS**

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemically resistant to this product are listed below. If you want more options, follow the instructions for **Category G** on an EPA chemical resistance category selection chart.

#### Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Protective eyewear
- Shoes and Socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** re-use them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms. For terrestrial uses, **D0 NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **D0 NOT** contaminate water when disposing of equipment washwaters.

#### **ENDANGERED SPECIES CONCERNS**

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law. This pesticide is toxic to vascular plants and should be used strictly in accordance with drift precautions on this label in order to minimize off-site exposures.

#### FOR HOMEOWNER USE ON AND AROUND

 Flowers
 Trees
 Ornamental 

 Evergreens
 Fruits\*
 Groundcovers

 Shrubs
 Vegetables\*
 Bedding Plants

\*See crop table for specific crops

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation. Unless otherwise stated in supplemental labeling, all applicable directions, restrictions and precautions are to be followed. This labeling must be in the user's possession during application.

This product is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See appendix for listing.) It can be used through a hose-end sprayer according to the directions of the sorayers being used or through a tank-type sprayer.

This product can also be used around listed fruit and vegetable areas, (see Fruit and Vegetable chart), wherever listed weedy grasses occur. Use only tank-type sprayers.

#### **WEEDY GRASSES CONTROLLED**

This product kills most annual and hard-to-kill perennial grasses up to 1 foot high including the examples listed below in one (or two) application(s). Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds.

Barnyardgrass Orchardgrass - Seedling
Bermudagrass Quackgrass

Broadleaf Signalgrass Tall Fescue - Seedling

Crabgrass - Large, Smooth Texas Panicum
Fall Panicum Shattercane/Wildcane
Foxtails - Giant, Green, Yellow Wild Proso Millet
Goosegrass Wirestem Muhly

Goosegrass Wirestem Muhly
Johnsongrass - Seedling, Rhizome Witchgrass
Junglerice Wooly Cupgrass
Loverrass

Note: This product does not control sedges (including Nutsedge or Nutgrass), annual bluegrass, or broadleaf weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant of HI-YIELD® GRASS KILLER HERBICIDE.

#### WHEN TO APPLY

Apply any time grassy weeds are actively growing not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of weeds before spraying. Do not apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after application. They turn yellow and die within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slows activity.

#### HOW TO APPLY

#### With Hose-end Sprayers:

- A. No water dilution/premixing needed. Determine how much area is to be treated in square feet. Pour 1 fluid ounce of this product and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Set the sprayer dial to apply as close to 1 fluid ounce per gallon as possible. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.
- B. Water dilution/premixing needed. Some hose-end applicators recommend that liquid products be premixed with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

#### With Tank Sprayers:

Mix 1 ounce of this product plus 1 fluid ounce of oil concentrate per 1 gallon of water and spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1,800 square feet of area. Wash sprayer by flushing soapy water and then clean water through the sprayer.

#### Important:

For spot treating grassy weeds near lawns and around any sensitive plants, a tank type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

The quantities presented in the **Dilution Table** do not exceed the registered rates for the fruits and vegetables listed. Do not exceed the quantities presented.

**TABLE 1. DILUTION TABLE** 

Amount of HI-YIELD® GRASS KILLER HERBICIDE (concentrate) and oil concentrate to use:

	Amount Of Water To	Amount Of HI-YIELD® GRASS KILLER HERBICIDE		Amount of Oil Concentrate		Coverage In Square
	Be Used (Gallons)	Fluid Ounces	Tbsp.	Ounces	Tbsp.	Feet
ĺ	1	1	2	1	2	1,800
ı	3	3	6	3	6	5,500
ı	5	5	10	5	10	9,100
1	8	8	16	8	16	14,600

One gallon of spray will treat 1,800 square feet of area.

 To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature \*F + humidity) exceeds 150.

# For use on Flowers, Bedding Plants, Evergreens, Shrubs, Trees and Ornamental Groundcovers

This product may be applied "over-the-top" of desirable plants infested by weedy grasses or as a directed spray to weedy grasses when label directions are followed. Do not exceed dosage rate per gallon of spray. See **Appendix** for tolerant plant listing. Most ornamental species tested have been found tolerant of this product; however, use with caution around the following plants as they may damaged if foliage is contacted by the spray: Azaleas (var. Snow), Japanese Privet, Potentilla, Snow-in Summer, Red Oak and White Oak and ornamental crasses.

This product may also be used on the following nonbearing food plants. Do not apply within 1 year of harvest.

Avocados Dates Figs Olives Plums Pomegranates Prunes
For use on Fruit and Vegetable areas (use only with tank type sorayers).

This product may be used on the fruits and vegetables listed in the **Fruit And Vegetable Table**. Do not apply on or around any fruit and vegetable not listed on this label, especially Sweet Corn. Applications on and around tolerant vegetables and fruit should be applied with only a tank-type sprayer. A second application may be made to all listed veoetables and fruits except Peanut and Strawberry.

FRUIT AND VEGETABLE TABLE		
CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (PHI)	
Apple	14 days	
Apricot	25 days	
Artichoke (California only)	7 days	
Asparagus	1 day	
Beans, Green	15 days	
Beans, Dry	30 days	
Beet (garden)	60 days	
Blackberry	45 days	
Blueberry*	30 days	
Broccoli	30 days	
Cabbage	30 days	
Canteloupe	14 days	
Carrots	30 days	
Cauliflower	30 days	
Celery	30 days	
Cherries (Sweet and Sour)	25 days	
Citrus	15 days	

FRUIT AND VEGETABLE TABLE			
CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (PHI)		
Crabapple	14 days		
Cranberries*	60 days		
Cucumber	14 days		
Dates (non bearing)	1 year		
Deciduous Trees (non bearing)	1 year		
Eggplant	20 days		
Endive(Florida only)	15 days		
Figs (non bearing)	1 year		
Grape	50 days		
Horseradish	60 days		
Lentils*	50 days		
Lettuce, head	30 days		
Lettuce, leaf	15 days		
Loganberry	45 days		
Mint	20 days		
Muskmelon	14 days		
Nectarine	25 days		

FRUIT AND VEGETABLE TABLE		
CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (PHI)	
Onion, Garlic	30 days	
Olives (non bearing)	1 year	
Peach	25 days	
Peanut**	40 days	
Pear	14 days	
Peas, green	15 days	
Peas, dry	30 days	
Pepper	20 days	
Pistachio (non bearing)	1 year	
Plum (non bearing)	1 year	
Pomegranates (non bearing)	1 year	
Potato	30 days	
Prunes (non bearing)	1 year	
Pumpkin	14 days	
Quince	14 days	
Raspberry	45 days	

FRUIT AND VEGETABLE TABLE				
CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (PHI)			
Spinach	15 days			
Squash (all)	14 days			
Strawberry**	7 days			
Tomato	20 days			
Tree Nuts (does not include pistachios)	15 days			
Watermelon	14 days			

<sup>\*</sup>Not for use in California

<sup>\*\*</sup>Use no more than one application per season. Up to two applications per season may be made on all other plants.

#### **APPENDIX**

#### Trees - Listed By Common Name

Acacia, Knife Leaf Holly, Chinese Arborvitae, Eastern Ironhark Red Ash, Green Jacaranda Basswood, American Kentucky Coffee Tree Berkman's, Oriental Larch, European Birch Laurel, Indian Black Locust Linden Bottle-brush Linden, Littleleaf Bottle Tree Locust, Honey Brisbane Box Tree Loguat Caieput Tree Magnolia, Southern Carob Tree Maple, Red Carrot Wood Mimosa Tree Catalpa, Southern Mvoporum Cherry, Black **New Zealand Christmas** Crabapple, Flowering Tree Cypress, False Oak Dogwood, Flowering Olive Tree Elm, Chinese Evergreen Olive, Russian Eucalyptus Orchid Tree, Purple Fir Osage Orange Goldenrain Tree Palm, Mediterranean Fan Guava Gum. Blue Palo Verde Green Hackberry, Common Paulownia Royal

Hemlock, Canadian

Pepper, Brazilean Pine, Aleppo Plum, Wild Poplar, Hybrid Popular, Yellow, Tulip Tree Purpleleaf, Bailey Acacia Redwood, Coast Sandcherry, Western Sensitive Plant Silk Tree Spruce, Black Hills Strawberry Tree Sumac, Standard, African Sweet Gum Sycamore Tea Tree, Australian Tipu Tree Walnut, Black Weeping Fig. Exoctica Willow Yate, Bushy Yew. English

Pear, Common

#### APPENDIX

#### Shrubs - Listed By Common Name

Abelia, Glossy Euonymus, Evergreen Acacia, Bailey Fig. Creeping Andromeda Firethorn Arborvitae, Oriental Forsythia, Greenstem Arrowwood, Southern Flax, New Zealand Azalea, Mollis hybrid Fuchsia, Australian Bamboo, Heavenly Gardenia Barberry, Japanese Gold Vine, Guinea Bird Of Paradise Bush Hakea Bluebeard Hawthorn, Indian Boxwood, Common Hibiscus, Blue Buckthorn, Glossy, Alder Hibiscus, Chinese Camellia Holly, Dwarf Burford Cedar, Eastern Red Honevsuckle, Bush Cherry, Brush Hydrangea Jasmine Asiatic Chokecherry sp. Copper Plant, Caribbean Jessamine, Carolina Cotoneaster, Bearberry Joioba Covote Bush Juniper, Chinese Cranberry Bush, Lantana, Purple Trailing American Laurustinus Crape Myrtle Lemonade Berry Currant, Alpine Lilac, Common Purple Dogwood, Red Osier Liriope, Green Mickey Mouse Bush Elaeagnus Escallonia Mirror Plant

Mock Orange Mountain Lilac, Carmel Creeper Myrtle, Dwarf Nandina, Heavenly Bamboo Nannyberry Ninehark Ninebark Oleander Orchid, rockrose Oregon Grape Osmanthus, Holly-leaf Palm, Natal Pampas Grass Photinia Photinia, Fraser Pink Lady Pink Powder Puff Pittosporum, Variegated Japanese Plumbago, Cape Podocarpus, Yew Privet Purple Hop Bush

Pyracantha

#### Shrubs - Listed By Common Name (continued)

Rhododendron – Azalea Sandcherry, Purpleleaf Serviceberry, Allegheny Silver King Sky Flower, Brazilian Snowball Bush Spindle Tee

Spirea Star Plant, Lavender Tea Tree, Australian Texas Ranger Toyon, California Holly Trumpet Vine, Pink Veronica Viburnum, Japanese Wayfaring Tree
Weeping Fig, Exotica
Wheelers Dwarf,
Variegated
Yellow Bells
Yesterday-Today-andTomorrow
Yew

#### APPENDIX

#### Ornamentals & Bedding Plants - Listed By Common Name

Chrysanthemum,

Allysum Asparagus, Myers Aster, New York Baby's Breath Begonia Bellflower, Tussock Bittersweet, American Black-Eyed Susan Bleeding Heart Butterfly Weed Bower Vine Cactus, Barrel Candytuft Canna Cassia, Feathery

Marguarite
Cockscomb
Coleus
Coneflower, Purple
Coralbells
Coreopsis
Cup of Gold Vine
Daffodil
Dahlia
Dalisy, Blue
Daylily
Danthus
Dragonhead, False

Dusty Miller
Fern, Sprenger
Asparagus
Fescue, Blue
Flowering Tobacco
Fountain Grass, Red
Gazania
Geramium
Gerbera Daisy
Geum
Gladiolus
Heather, False
Honeysuckle, Fly
Honseed Bush, Purole

#### Ornamentals & Bedding Plants - Listed By Common Name (continued)

Impatiens
Iris
Ivy, Grape
Jack-in-the-Pulpit
Jade Plant
Jamine, Madagascar
Lamb's Ear
Lavender, English
Lilac, Chinese
Lily-of-the-Nile, Peter
Pan
Lily-of-the-Valley
Lobelia
Marigold
Mirror Plant

Moss, Rose Pansy, Johnny-Jump-Up Pepper, Ornamental Periwinkle. Madagascar Periwinkle Petunia Phlox, Perennial Plantain Lily Purple Loosestrife Raspberry Ice Sage Sea Pinks, Thrift Sedum Stonecrop Shrimp Pant Sky Flower, Brazilian Snail Vine

Snapdragon Speedwell, Spike Statice, Perennial Stock Sweet Grass Sweet William Transvaal Daisv Trumpet Vine, Blood Red Tulin Verbena Wandering Jew Wisteria Yarrow Yellow Trumpet Zinnia

#### APPENDIX

#### Ground Covers - Listed By Common Name

Aaron's Beard Aptenia Bergenia, Winter-blooming Bugleweed Capeweed Carpathian, Harebell

Moneywort, Creeping

Jenny

Cinquefoil, Spring Coyote Brush Crownvetch Cushion Bush Daisy, Trailing African, Freeway Gazania, Trailing Green Carpet Ivy, Algerian Lantana, Lavender Lily-turf, Big Blue Lippla

Ground Covers - Listed By Common Name (	continued)
---	------------

Mondo Grass Pork and Beans Myoporum Rosea Ice Plant Rosea Ice Plant Rosemary, Dwarf Periwinkle Rupture Wort St. Johnswort, St. Johnswort, Carebing Stonecrop, Sedum Verbena Verbena Rupture Wort St. Johnswort, Carebing Stonecrop, Sedum Verbena Rupture Ru

#### STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute spray into food, feed, or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

#### CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product

in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. or the Seller, All such risks shall be assumed by the Buyer.

Voluntary Purchasing Groups, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above. VOLUNTARY PURCHASING GROUPS, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY OF THE EXTENT PERMITTED BY LAW, VOLUNTARY PURCHASING GROUPS, INC. AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Voluntary Purchasing Groups, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Voluntary Purchasing Groups. Inc.

Produced For: VOLUNTARY PURCHASING GROUP, INC. 230 FM 87 \* BONHAM, TEXAS 75418 EPA Reg. No. 7969-58-7401 EPA Est. No. 7401-TX-1 Visit Us Att: www.hi-yield.com

