

SAFETY DATA SHEETS

This SDS packet was issued with item:

078367684

N/A

Wrm Clear

Manufacturer Safety Data Sheet

Ingredients

Arsenicum Album 8x: (White oxide of metallic arsenic)	Used for worms including taenia (tapeworms), oxyuris species (pinworm), lumbricoides (ascarides or roundworms) giardia symptoms and flukeworm.
Calcarea Carbonica 12x: (Carbonate of Lime)	Helps in chubby animals prone to obesity and lax joints. They will often have a round abdomen even before the malnutrition induced by worms.
Chenopodium Anthelminticum 3x, 3c: (Jerusalem Oak)	Vermifuge for treatment of roundworm and hookworm in particular.
Cina 4x: (Wormseed)	This is a remedy mainly for the young scrofulus, nervous mentally and bodily. Symptoms which are treated by this remedy are due to the presence of roundworms, pinworms and giardia or reflex from abdominal irritation and disorders of the digestive tract.
Cucurbita Pepo 2x, 4x: (Pumpkin Seeds)	An excellent remedy for tapeworm, one of the most efficient and least harmful of vermifuges. The seeds contain cucurbitin known for its anthelmintic activity.
Ferrum Phosphoricum 12x: (Phosphate of Iron)	This is a haematinic combating the anaemia that occurs with worm infestation. It can also combat diarrhea that occurs in some cases.
Filix Mas 3x, 3c: (Male Fern)	Remedy for worm symptoms, especially those associated with tapeworm. Used for worm colic and constipation due to worms.
Granatum 3x, 3c: (Pomegranate Root Bark)	Vermifuge for expulsion of tapeworms (contains pelietierine, an anthelmintic for tapeworms). Homeopathically, it also treats abdominal pain associated with worms.
Kamala 3x, 3c: (Kamala)	Vermifuge for treatment of roundworm and hookworm in particular.
Naphthaline 5c: (Tar Camphor)	Used for the expulsion of threadworms.
Natrum Muriaticum 6x: (Common Salt)	Worms infestations are often associated sodium imbalance, more particularly with hyponatremia (low sodium). This is a remedy associated with the correction of this.
Natrum Phosphoricum 6x: (Phosphate of Sodium)	This is another sodium remedy, often known for its use as a tissue salt to combat excess acidity, worms and benefit in giardia
Nux Vomica 8x: (Poison-nut)	Used for worms, especially trichinae, ascarids, tape and flukeworm. Like Sulphur Nux, promotes the removal of toxic chemicals from the body. It has an anti-spasmodic effect helping with the cramps associated with worms (and in some cases from worming with chemical wormers).
Silica Terra 12x: (Pure Flint)	Individuals are thin, chilly and look malnourished. They are drawn to warmth and seek out heat source.
Spigelia Anthelmintica 4x: (Worm-grass)	As the name suggests an anthelmintic for worms, particularly ascarides and lumbrici.
Sulphur 6x: (Sublimated Sulphur)	Sulphur is not just a remedy for the worms and their effects of worms, it also promotes the removal of toxins, which helps when Wrm Clear is given to patients who poorly tolerate conventional chemical wormers.

Teucrium Marum 4x:
(Cat Thyme)

It is a big remedy for anal itching or scooting when worms are the cause, particularly when accompanied by offensive flatulence.

Thymol 4x:
(Thyme Camphor)

An intestinal anticeptic and a vermifuge against tape and hookworm.

Triticum Repens 3x:
(Couch-Grass)

A remedy used in individuals who eat grass and regurgitate it in an attempt to self worm. It is particularly beneficial in cats kept indoors without access to grasses.

INDICATIONS: Treatment of worm infestations where a drug free approach is favored. The ingredients have drug monographs covering tape, round, hookworms, and others. Debilitation caused by severe worm infestation where concurrent use with conventional wormers is indicated. To aid recovery from worm infestation. To reduce environmental contamination by suppressing worm egg production and thus reducing reinfestation. In combination with conventional wormer where side effects have been observed with past usage – can help in reducing chemical toxicity.

PLEASE NOTE: Wrm Clear changes the ph balance in the intestines, preventing the worms from attaching to the gut wall. The worms are excreted out live but will die once hitting the air.

DOSING:

DOGS/CATS: Under 20 lbs/10 kg, 5 drops; 21-60 lbs/ 10-30 kg, 10 drops; 61-100 lbs/ 30-45 kg, 15 drops; over 100 lbs/45 kg, 20 drops. For treatment to remove worms, dose 3 times daily for 14 days. For prevention of worms, dose 3 times daily for 7 days only, repeat every 60 days. Prevention dosing is recommended. For persistent infestation, one dose daily for 30 days. Can be used alongside conventional & herbal wormers with no danger of interaction due to the products low molecular profile as a homeopathic. Always seek advice to remove the source of infection, e.g. with tapeworms, fleas may be the carrier acting as a reservoir.

Pets Under 1 lb: 2 drops in the drinking water 3 times daily.

Birds: Add 2 drops to at least 8 oz. of drinking water daily.

SMALL MAMMALS such as rabbits, ferrets, hamsters, and pot bellied pigs can be dosed by weight as for cats and dogs in previous section.

FORMS: Liquid

PACKAGE SIZE: 15 ml bottle

ADMINISTRATION: Optimally, the liquid preparation should be dropped directly on to the mucous membrane of the mouth, the including lips, by raising the head until the mouth opens. Where an animal finds this distressful or an owner is unable to comply, the medication can be put in the food, water or milk. Where the cat is sensitive to the odor of the alcohol preservative, a 10-20 minute period should be allowed for it to dilute and evaporate before the liquid or food is presented to the patient. Occasionally, animals will shake their heads as a response to the alcohol preservative, or cats may salivate excessively--in these cases presenting it in food, water or milk works.

ADVERSE EFFECTS AND CONTRAINDICATIONS: None known other than reversible effect of overdose. Overdose will result in a return of symptoms after the symptoms have initially disappeared. Where a return of symptoms occur while on the medication, ceasing to use will alleviate the effect. Patients who are hypersensitive to homeopathic preparations will show response to a single dose, which may not need to be repeated for some time. For this reason therapy should always start with a single dose the previous day and should a major response be seen, therapy should not be recommenced until symptoms relapse and then only a single dose given for maximum effect. Although there is no evidence that there are any safety issues, extra care should always be taken when dealing with pregnant animals. Should a suspected adverse reaction be seen or advice needed, please contact HomeoPet, LLC (contact information at bottom of sheet).

DRUG INTERACTIONS: None known for animal use; keep out of reach of children.

PHARMACEUTICAL PRECAUTIONS: Store at room temperature, out of direct sunlight, and away from strong odors.

USER SAFETY: No adverse effects have been recorded. There have been reports to the company of beneficial rather than adverse effects. As homeopathics are active in humans care is advised when handling product, although a long history of homeopathics used in humans shows a very high safety margin.

ENVIRONMENTAL IMPACT: To date none found. **Authorization#, NDC#:** 61571-0553-13

HOMEOPET, LLC
PO BOX 147

WESTHAMPTON BEACH, NY 11978

TOLL FREE TEL: 800 555 4461, TEL: 631 288 6883

TOLL FREE FAX: 800 434 0449, FAX: 631 288 6711

E-MAIL: info@homeopet.com, WEBSITE: www.homeopetpro.com