



# Keratex Hoof Gel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 28/07/2015

Revision date: 28/07/2015

Version: 1.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Keratex Hoof Gel  
Product code : KHG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use  
Use of the substance/mixture : Veterinary medicine

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Keratex Hoofcare - Penleigh Irving Ltd  
25 Fairwood Road  
Dilton Marsh  
Westbury  
Wiltshire  
BA13 3SN

Tel: +44 (0) 1373 827649  
Email: info@keratex.com

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
IRELAND (REPUBLIC OF)	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
UNITED KINGDOM	National Poisons Information Service (NHS Direct)	<a href="http://www.npis.org">http://www.npis.org</a>	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226  
Acute Tox. 4 (Dermal) H312  
Acute Tox. 4 (Inhalation:dust,mist) H332  
Skin Sens. 1 H317  
Aquatic Chronic 3 H412

Full text of H-statements: see section 16

##### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R20/21  
R43  
R10  
R66  
R52/53

Full text of R-phrases: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

turpentine oil, unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)

Hazard statements (CLP) :

H226 - Flammable liquid and vapour  
H312+H332 - Harmful in contact with skin or if inhaled  
H317 - May cause an allergic skin reaction  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P102 - Keep out of reach of children  
P233 - Keep container tightly closed  
P271 - Use only outdoors or in a well-ventilated area  
P273 - Avoid release to the environment  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

EUH phrases :

EUH066 - Repeated exposure may cause skin dryness or cracking

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)	(CAS No) 8052-41-3. (EC no) 232-489-3	>= 80	Xn; R20/21 R66 Xn; R65
turpentine oil	(CAS No) 8006-64-2 (EC no) 232-350-7 (EC index no) 650-002-00-6 (REACH-no) 01-2119553060-53-XXXX	5 - 30	R10 Xn; R20/21/22 Xn; R65 Xi; R36/38 R43 N; R51/53

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)	(CAS No) 8052-41-3. (EC no) 232-489-3	>= 80	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Asp. Tox. 1, H304
turpentine oil	(CAS No) 8006-64-2 (EC no) 232-350-7 (EC index no) 650-002-00-6 (REACH-no) 01-2119553060-53-XXXX	5 - 30	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of R- and H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general :

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).



# Keratex Hoof Gel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

First-aid measures after inhalation	: Allow breathing of fresh air. Allow the victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Gently wash with plenty of soap and water. Get medical advice/attention. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause an allergic skin reaction.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if substance enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Avoid breathing fume, Vapours.



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof Flame proof, lighting, electrical equipment and ventilation equipment.

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat and ignition sources.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

turpentine oil (8006-64-2)		
Austria	MAK (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
Austria	MAK (ppm)	100 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	100 ppm
Austria	Remark (AT)	H,Sh
Belgium	Limit value (ppm)	20 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
France	VME (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
France	VME (ppm)	100 ppm
Greece	OEL TWA (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	840 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	150 ppm
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20 ppm
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	20 ppm
Italy - Portugal - USA ACGIH	Remark (ACGIH)	URT & skin irr; CNS impair; lung dam; DSEN; A4
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	113 mg/m <sup>3</sup> Sen (Sensibilizante. Véase Apartado 6.)
Spain	VLA-ED (ppm)	20 ppm Sen (Sensibilizante. Véase Apartado 6.)
Switzerland	VLE (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
Switzerland	VLE (ppm)	100 ppm
Switzerland	VME (mg/m <sup>3</sup> )	560 mg/m <sup>3</sup>
Switzerland	VME (ppm)	100 ppm
Switzerland	Remark (CH)	15 min
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	566 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	850 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	150 ppm
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	50 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	800 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (ppm)	140 ppm
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	25 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	25 ppm
Finland	HTP-arvo (15 min)	280 mg/m <sup>3</sup>



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

turpentine oil (8006-64-2)		
Finland	HTP-arvo (15 min) (ppm)	50 ppm
Hungary	AK-érték	560 mg/m <sup>3</sup>
Hungary	CK-érték	560 mg/m <sup>3</sup>
Hungary	Megjegyzések (HU)	i, sz, b; l.
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	112 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	20 ppm
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	840 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (ppm)	150 ppm
Lithuania	IPRV (mg/m <sup>3</sup> )	150 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	25 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	50 ppm
Norway	Grønseverdier (AN) (mg/m <sup>3</sup> )	140 mg/m <sup>3</sup>
Norway	Grønseverdier (AN) (ppm)	25 ppm
Norway	Merknader (NO)	A H
Poland	NDS (mg/m <sup>3</sup> )	112 mg/m <sup>3</sup>
Poland	NDSch (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	400 mg/m <sup>3</sup>
Romania	OEL STEL (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Australia	TWA (mg/m <sup>3</sup> )	557 mg/m <sup>3</sup>
Australia	TWA (ppm)	100 ppm
Portugal	OEL TWA (ppm)	20 ppm
unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent) (8052-41-3.)		
Belgium	Limit value (mg/m <sup>3</sup> )	533 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	100 ppm
Greece	OEL TWA (mg/m <sup>3</sup> )	575 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	720 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	125 ppm
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	100 ppm
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Eye, skin, & kidney dam;
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2900 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	500 ppm
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	145 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	25 ppm
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	573 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	100 ppm
Poland	NDS (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Poland	NDSch (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
Australia	TWA (mg/m <sup>3</sup> )	790 mg/m <sup>3</sup>
Portugal	OEL TWA (ppm)	100 ppm

## 8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation.

Personal protective equipment

: Protective goggles. Gloves.



Hand protection

: Wear protective gloves.



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
Other information	: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Cloudy.
Colour	: Colourless.
Odour	: Paraffin odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 190 °C
Flash point	: 39 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour
Vapour pressure	: 2 mm Hg
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,8 g/cm <sup>3</sup>
Solubility	: Insoluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1,1 - 6 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Inhalation:dust,mist: Harmful if inhaled.



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

Keratex Hoof Gel	
ATE CLP (dermal)	1122,449 mg/kg bodyweight
ATE CLP (dust,mist)	1,531 mg/l/4h
turpentine oil (8006-64-2)	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 4.6 ml/kg; Rat)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Rabbit; Experimental value; Equivalent or similar to OECD 402)
LC50 inhalation rat (ppm)	2466 ppm/4h (Rat)
ATE CLP (oral)	500,000 mg/kg bodyweight
ATE CLP (dermal)	1100,000 mg/kg bodyweight
ATE CLP (gases)	2466,000 ppmv/4h
ATE CLP (vapours)	11,000 mg/l/4h
ATE CLP (dust,mist)	1,500 mg/l/4h
unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent) (8052-41-3.)	
ATE CLP (dermal)	1100,000 mg/kg bodyweight
ATE CLP (dust,mist)	1,500 mg/l/4h

Skin corrosion/irritation	: Not classified Repeated exposure may cause skin dryness or cracking
Serious eye damage/irritation	: Not classified Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Harmful in contact with skin. Harmful if inhaled.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

turpentine oil (8006-64-2)	
Threshold limit algae 1	17,1 mg/l (72 h; Desmodesmus subspicatus; GLP)

### 12.2. Persistence and degradability

Keratex Hoof Gel	
Persistence and degradability	May cause long-term adverse effects in the environment.
turpentine oil (8006-64-2)	
Persistence and degradability	Readily biodegradable in water. No (test)data available on mobility of the substance. May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

Keratex Hoof Gel	
Bioaccumulative potential	Not established.
turpentine oil (8006-64-2)	
Log Pow	0,8 - 6,3 (QSAR; 20 °C)
Bioaccumulative potential	bioaccumulable. Not established.



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent) (8052-41-3.)

Log Pow : -3,16 - 7,06

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed waste centre in accordance with local/regional/national/international regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1993

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.

Transport document description (ADR) : UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS turpentine oil(8006-64-2) ; unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)(8052-41-3.)), 3, III, (D/E)

### 14.3. Transport hazard class(es)

Class (ADR) : 3

Danger labels (ADR) : 3



### 14.4. Packing group

Packing group (ADR) : III

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Hazard identification number (Kemler No.) : 30

Classification code (ADR) : F1

Orange plates :



Special provisions (ADR) : 274, 601, 640E

Transport category (ADR) : 3

Tunnel restriction code (ADR) : D/E

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

EAC code : •3YE

#### 14.6.2. Transport by sea

No additional information available



# Keratex Hoof Gel Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 14.6.3. Air transport

No additional information available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Keratex Hoof Gel - turpentine oil - unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)
3.a. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Keratex Hoof Gel - turpentine oil - unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)
3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Keratex Hoof Gel - turpentine oil - unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)
3.c. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Keratex Hoof Gel - turpentine oil
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Keratex Hoof Gel - turpentine oil - unspecified low boiling point naphtha, <0.1% benzene (Stoddard solvent)

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

Water hazard class (WGK)

: 3 - severe hazard to waters

WGK remark

: Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction



# Keratex Hoof Gel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

H319	Causes serious eye irritation
H332	Harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH066	Repeated exposure may cause skin dryness or cracking
R10	Flammable
R20/21	Harmful by inhalation and in contact with skin
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36/38	Irritating to eyes and skin
R43	May cause sensitisation by skin contact
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU\_NSC

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*