

Kaput[®]

Kills Norway Rats, Roof Rats, House Mice and Voles. First dead rats, mice and voles will appear 4 to 5 days after feeding begins.

Rodent Control Blocks

A Bait containing a Rodenticide to kill Norway Rats, Roof Rats, House Mice and Voles and an Insecticide to Aid in the Reduction of Flea Populations on Listed Rodent Hosts.

COMBO BAIT[®]

MINI BLOCKS

FOR RODENTS & FLEAS

NET WT. 4 LBS (1.8 kg)

ACTIVE INGREDIENTS:

Imidacloprid (CAS Number 138261-41-3).....0.020%
Warfarin (CAS Number 81-81-2).....0.025%

OTHER INGREDIENTS99.955%


TOTAL100.0000%

EPA Est. 72500-CO-1
EPA Reg. No. 72500-14

Manufactured by:
S Scimetrics
LTD. CORP.
P.O. Box 1045
Wellington, CO 80549

New Solutions to Old Problems

ABOUT
64
BLOCKS



Keep Out of Reach of Children
CAUTION
Harmful If Swallowed.

See back panel for First Aid and additional Precautionary Statements

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Keep away from humans, domestic animals and pets. Harmful if swallowed because this material may reduce the clotting ability of the blood and cause bleeding. Causes moderate eye irritation. Do not get in eyes or on skin or clothing. Wash arms, hands and face with soap and water after applying and before eating, drinking, chewing gum or using tobacco. Applicators must wear long-sleeved shirt, long pants, socks, shoes and gloves.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If swallowed, call a poison control center, doctor or 1-800-858-7378 for immediate treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTICE TO PHYSICIAN OR VETERINARIAN

This product reduces the clotting ability of the blood and may cause bleeding. If ingested, administer Vitamin K-1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times. For animal cases, Vitamin K-1 is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusion may be necessary.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates and toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply this product directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product to control any pests, by any application method or at any use sites, that are not specified on this label.

Use of this product may aid in the reduction of fleas, including but not necessarily limited to *Xenopsylla* species, that commonly infest rodent hosts, if ingesting sufficient quantities of this bait.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply in locations out of reach of children, pets, domestic animals and non-target wildlife. OR in

tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals or in areas prone to vandalism.

3. Dispose of product container and unused or unconsumed bait as specified by this label.

RATS AND MICE

Use Restrictions: This product may be used to kill Norway Rats (*Rattus norvegicus*), Roof Rats (*Rattus rattus*) and House Mice (*Mus musculus*) at the sites in "Urban Areas" and "Non-Urban Areas" indicated below and to aid in the reduction of their infesting flea populations. Outdoor applications to control rats or house mice must be made in tamper-resistant bait stations. Indoor applications must be made in tamper-resistant bait stations unless children younger than six years-of-age, pets and domestic animals are reliably denied access to the treated area by other means. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into contact with food. Wear gloves when handling bait or animal carcasses. Do not broadcast bait.

Urban Areas: To control Norway rats, roof rats and house mice, this product may be used in and around homes, and industrial, commercial and public buildings; in sewers; in transport vehicles (ships, trains and aircraft) and in and around related port or terminal buildings. Applications "around" buildings must be made in tamper-resistant bait stations placed along or other external parts of buildings (e.g., doorways, ramps, loading docks) where rats or mice might seek to gain entrance.

Non-Urban Areas: To control Norway rats, roof rats and house mice, this product may be used in and around homes and agricultural buildings. All outdoor placements must be made in tamper-resistant bait stations.

Selection of Treatment Areas: Determine areas where rodents will most likely find and consume bait. Generally, these areas will be along walls, by gnawed openings, in corners and concealed places, between floors and walls, beside burrow openings and other locations where signs of rodents have been seen. Remove as much alternative food as possible.

Application Directions

Norway Rats and Roof Rats: Apply 4 to 16 one-ounce bait blocks per bait placement. Space bait placements at intervals of 15 to 30 feet in the infested area at locations consistent with the requirements of this label. Maintain an uninterrupted supply of fresh bait for 10 days or until there no longer are fresh signs of rat activity or signs that rats are feeding on the bait.

House Mice: Apply 1 one-ounce bait block per typical placement. Two blocks may be placed at points of high mouse activity. Space bait placements at intervals of 8 to 12 feet in the infested area at locations consistent with the requirements of this label. Maintain an uninterrupted supply of fresh bait for 15 days or until there no longer are fresh signs of house mouse activity or signs that house mice are feeding on

the bait.

Follow-up (Rats & Mice): Immediately replace contaminated or spoiled bait. Collect and properly dispose of all visible dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. Where there is a continuous source of reinfestation, establish permanent bait stations and replenish bait as needed.

VOLES

Use Restrictions: This product may be used to control meadow voles (*Microtus pennsylvanicus*), pine voles (*M. pinetum*) and montane voles (*M. montanus*) around (within 15 feet of) homes, and industrial, commercial, agricultural and public buildings and to aid in the reduction of their infesting flea populations. Do not use this product within the habitat of threatened or endangered *Microtus* spp. voles, threatened or endangered *Peromyscus* spp. mice, or other threatened or endangered rodents. Do not expose bait on bare ground. Unless children, pets, birds and other wildlife are excluded from the treated areas, all applications for controlling voles must be made in tamper-resistant bait stations. All bait applications must be made by hand. Wear gloves when handling bait or animal carcasses. Do not broadcast bait.

Selection of Treatment Areas: Determine areas near buildings where voles or signs of vole activity (girdling of plants, consumption of bulbs, burrow openings and surface runways) have been seen. These areas generally will be in flower beds or under shrubs, bushes or ground cover.

Application Directions: Place 1 one-ounce bait block in each bait station. Situate bait stations near runways, burrow openings or plants that voles have been damaging. If, and only if, children, pets, domestic animals and wildlife reliably are excluded from the treated area, one-ounce blocks may be placed directly into vole runways or burrow openings. Cover treated runways or holes with a single or board or ground vegetation, if present.

Follow-up: Check placements daily. Remove any fouled or spoiled bait and replenish if vole activity and interest persist. Maintain an uninterrupted supply of fresh bait for 15 days or until there no longer are fresh signs of vole activity and feeding on bait. Collect and properly dispose of any carcasses and leftover bait.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Triple rinse container (or equivalent), then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or if allowed by state and local authorities, by burning; if burned, stay out of

sight.

NOTICE OF WARRANTY

1. Warranty Disclaimer: The directions for use of this product must be followed carefully. The goods delivered to you are furnished "as is" by Manufacturer or Seller. To the extent permitted by applicable law, Manufacturer and Seller make no warranties, guarantees or representations of any kind to Buyer or User, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Unintended consequences, including, but not limited to ineffectiveness, may result because of such factors as the presence or absence of other materials used in combination with the goods, the manner of use or application, including weather, all of which are beyond the control of Manufacturer or Seller and assumed by Buyer or User. This writing contains all of the representations and agreements between Buyer, User, Seller and Manufacturer, and no person or agent of Manufacturer or Seller has any authority to make any representation, warranty or agreement relating in any way to these goods.

2. Limitation of Liability: To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for special, incidental or consequential damages, or for damages in their nature of penalties relating to the goods sold, including use, application, handling and disposal. Manufacturer or Seller shall not be liable to Buyer or User by way of indemnification to Buyer or to customers of Buyer, if any, or for any damages or sums of money, claims or demands whatsoever, resulting from or by reason of, or arising out of the misuse, or failure to follow label warnings or instructions for use, of the goods sold by Manufacturer or Seller to Buyer, Buyer's or User's exclusive remedy, and Manufacturer's or Seller's total liability, shall be for damages not exceeding the cost of the product purchased. The Buyer, its customers or User assume all such risks.

3. If you do not agree with or do not accept any of the directions for use, warranty disclaimers or limitations of liability, do not use this product; return it unopened to the Seller and the purchase price will be refunded.

Scimetrics
LTD. CORP.

New Solutions to Old Problems

P.O. Box 1045 Wellington, CO 80549

(970) 482-1330

moles@scimetricsltd.com

Label Version 12/3/08

