READ ENTIRE LABEL BEFORE EACH USE

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS HAZARDS TO

HUMANS & DOMESTIC ANIMALS

CAUTION

Hazards to Humans: Causes moderate eye irritation. Harmfull if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with scap and water after handling. Remove contaminated duthing and wash clothing before reuse. Groomers or other persons applying the product frequently must wear chemically resistant gloves.

to under pessons apprying une product negatively times was considered by the Alexards to Domestic Animals. For external use on Dogs only, DO NOT USE ON CATS, DO not use on pupples under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, preparant, or nursing dogs. Sensitivities may occur after using ANY pesticide product for opes. If signs of sensitivity occur, bathey our pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated dogs. FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN or CLOTHING: Take off contaminated clothing. Rinse Skin immediately with plenty of water for 15-20 minutes. Call a Poison control center or doctor for treatment advice.

comtor center or occorr or treatment across.

File IN EYES: Hold eyes open and rises slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a Poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-2154-725-fee acrossors resident before the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-2154-725-fee acrossors resident before the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-2154-725-fee acrossors resident before the product of the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-2154-725-fee acrossors resident before the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-2154-725-fee acrossors resident before the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-2154-725-fee acrossors resident before the product container or label with your lab

A45-4735 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Do not contaminate water when

disposing of dip or equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USE. PROTECT



It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USE. PROTECT FROM FREEZING. Add the required amount of concentrate to water and blend thoroughly. Do not hold dilutions for more than 24 hours. Food utensis such as teaspoors and measuring cups must not be used for food purposes after use with pesticides. USE ONLY ON DOSS. DO NOT USE ON CATS. Do not treat pupples under 12 weeks of age. Do not get this product in your gob seve or must he Reteat dogs as an ended but not more often than once every fourteen days. Mix the product and apply he use-diluted material to dogs and/or their premises at the rates shown. These diffusions and rates will provide the most efficient pest control under conditions of heavy pressure (infestation) when good contact is cahelyered. En use on Dogs to control Heas. Ticls (including Deer Ticls, carrier of Lywe Dissaes) Mange Mitter (i.e. and Stable Flies; SPRAY, DIP or SPONGE ON: Mix 1 part concentrate in 256 parts water (1ft. Oz. In 2 pal. or 30ml. In 2 pal. or 8 fl. Oz. In 1 fl. gal.) Spray. Dip or pour diluted product on the dog until the dog's hair and skin are thoroughly wet statistically, making sure the dog's entire body is treated, Do not treat dog's face. Let drip dry on dog and to not rinse off. LOW VOLUME SPRAY: Mix 1 part concentrate in 25 parts water (1ft. oz. oz. 20 ml. in 1 quart, Spray 1-2 li oz. per dog. Starting at the tail, stroke against key of the hair, spraying the parted har with a fine mats directly behind the hand to insure penetrating the hair cack. Spray enter dog buntlit the hair cack is damp. For use on Dog Premises to control Reas and Ticks: INDOOR PREMISE SPRAY. Mix 1 to 2 parts concentrate in 30 parts water (8 oz. ni. 2.5 to 5 gal. or 1, no. 1 in 2 parts water (3 oz. ni. 0 ml. ni. quart, 10 parts water (4 oz. ni. 2.5 to 5 gal. or 1, no. 1 in 2 parts water (4 oz. ni. 2.5 to 5 gal. or 1, no. 1 in 2 parts water (8 oz. ni. 2.5 to 5 gal. or 1, no. 1 in 2 parts water (8 oz. ni. 2.5 to 5 gal. or 1, n oug relimbes to continue freeza and incs. widow freezaw and relimbes to continue in to parts water force in 2.3 to 3 gr 1 ft. in \$1 to 1 gal, or 48 mt. ft. 98 mt. in 1 gal.) Thoroughly spray infested areas, pet betas, resting quarters, earby cracks and cross-scaling baseboards, moldings, windows, door frames, and localized areas of floor and floor covering, fresh bedding should be placed in animals quarters following treatment. OutDoor PREMISE SPRAY: Mix 2 ft. 0z. (60 mt.) concentrate in 10.5 gal. valer or 1 ft. in 2.5 gal. vater or 1 ft. in 2.5 gal. vate

usea a ours or regiseation or rol rest adjustent or une students. Conversion of Ecological Policy (2014) and the students of t

I party theat. Can you lock should have agency of opposed from the property of the product of the pr





DO NOT USE ON CATS,

A WATER BASE, SYNERGIZED, CONCENTRATE INSECTICIDE WITH UP TO 30 DAYS RESIDUAL EFFECTS.

For Use On Dogs And Their Premises

To Kill Fleas, Mange Mites, and Ticks Including Deer Ticks.

- Broad Spectrum Insecticide/Acaricide
- Synergized
- Quick Knockdown
- Water Based
- Shake Well Before Use

*Cis/trans ratio: Max. 65% (+/-) trans and min. 35% (+/-) dis.

Contains: 43.44g permethrin and 10.86g piperonyl butoxide technical per 8 oz.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 2781-52 E.P.A. Est. No. 2781-NC-1

Manufactured by HAPPY JACK, INC. Snow Hill, NC 28580 www.happyjackinc.com



8 FL OZ. (236 ml)

WEB DIRECTION

HAP-141 0507-017

4.75

Desc: Happy Jack Kennel Dip II 8oz. Date: 7/18/05

Die Size: 4.75 x 6.25 Corner Radius: .125

PMS Colors: 4695 Brown, 123 Yellow

WS1



320 PERIMETER POINT BLVD. WINSTON-SALEM, NC 27105 PHONE: (336) 661-3300 FAX: (336) 661-3313 TOLL FREE: 1-800-381-3649 www.olympicpackaging.com

ATTN:
COMPANY:
PLEASE SIGN APPROVAL AND FAX TO:
OLYMPIC PKG. ATTN:
PROCEED REPROOF W/ CHANGES
SIGNED/DATE:

Please Note: This proof was produced on an Inkjet Printer. It should be used for Color Break and Proof Reading. Actual colors on printed label may vary due to materials used and printing process.