



PREFURRED[®] PLUS

For Dogs

- Starts killing fleas and ticks in as little as 1 hour and continues to kill for a month!
- Kills newly emerged adult fleas before they lay eggs
- Convenient spot application
- Waterproof
- 3 Month Supply (callout)
- Kills Fleas, Ticks, Chewing Lice (Kills bar)

Lift here for more information

For use ONLY on dogs & Puppies

- [Up to 22 lbs]
- [23-44 lbs]
- [45-88 lbs]
- [89-132 lbs]
- over 12 weeks of age

ACTIVE INGREDIENTS:

Fipronil	9.80%
Cyphenothrin	5.20%
OTHER INGREDIENTS[*]:	85.00%
TOTAL	100.00%

[*Diethylene glycol monoethyl ether, Vitamin E nicotinate]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Label Panel for Additional Precautionary Statements

Net Contents:

- [Three 0.023 fl oz (0.67 mL) applicators]
- [Three 0.045 fl oz (1.34 mL) applicators]
- [Three 0.091 fl oz (2.68 mL) applicators]
- [Three 0.136 fl oz (4.02 mL) applicators]

{END - FRONT PANEL}

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.

PREFURRED PLUS for dogs provides three way protection that kills fleas, ticks, and chewing lice. Controls mites that may cause sarcoptic mange. Kills deer ticks that may transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, pregnant, nursing, debilitated or aged dogs. Call SafetyCall® International 1-866-897-8050 for 24-hour assistance.

FIRST AID	
If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If On Skin Or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-866-897-8050.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Treat patient symptomatically	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats.
FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. [Do not split tubes between dogs.] [Do not use multiple tubes on one dog.] Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Certain medications can interact with pesticides. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. **DO NOT USE ON CATS** or animals other than dogs. Separate the treated dog from all other dogs and cats for 24 hours after product has been applied. Cats and dogs that actively groom or engage in close physical contact with treated dog may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur immediately feed your dog and continue to monitor your dog for the next 24 hours. If symptoms persist call 1-866-897-8050 to talk to a veterinarian. Cats exhibiting these same symptoms from ingestion should be taken to the veterinarian immediately. If your dog is exhibiting signs of and/or are being treated for skin dermatitis, talk to your vet before applying any topical flea and tick control product.

Sensitivities may occur after using ANY pesticide product on dogs. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-866-897-8050.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 30 days.

For Dogs Weighing up to 22 lbs. [including small dogs and puppies, 12 weeks or older]:
{For cartons containing 0.67 mL (0.023 fl oz) applicator tubes}
Apply one tube (.67 mL)(0.023 fl oz) as a spot on the dog's back between the shoulder blades.

For Dogs Weighing 23-44 lbs.
{For cartons containing 1.34 mL (0.045 fl oz) applicator tube}
Apply one tube (1.34 mL)(0.045 fl oz) as a spot on the dog's back between the shoulder blades.

For Dogs Weighing 45- 88 lbs.
For cartons containing 2.68 mL (0.091 fl oz) applicator tube}
Apply one tube (2.68 mL)(0.091 fl oz) as a spot on the dog's back between the shoulder blades.

For Dogs Weighing 89-132 lbs.
For cartons containing 4.02 mL (0.136 fl oz) applicator tube}
Apply one tube (4.02 mL)(0.136 fl oz) as a spot on the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use **PREFURRED PLUS** monthly for complete control of flea, tick and chewing lice infestations. Studies show that **PREFURRED PLUS** kills adult fleas (starts killing in as little as 1 hour) for up to three months. Apply monthly if your dog is at high risk for flea reinfestation. Apply monthly to control ticks, mosquitoes and chewing lice. **PREFURRED PLUS** kills mosquitoes within 24 hours for up to the first 7 days after application, then within 48 hours for up to 28 days. This product remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

In Case of Emergency, call: 1-866-897-8050
Made in USA

Distributed by:
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

[BAR CODE AREA]
EPA Reg. No. 2517-140
EPA Est. No. 2517-TN-1

{END - BACK / SIDE PANEL}

FOLDED PANEL/FLAP OF FRONT PACKAGE

**DOG SQUEEZE ON
FIPRONIL+CYPHENOTHRIN**

PREFURRED PLUS contains Fipronil and Cyphenothrin to effectively kill Fleas, Ticks (including those that may transmit Lyme disease), and kills chewing lice. The active ingredients in **PREFURRED PLUS** feature a sustained release formula developed for fast acting and long lasting control of fleas, ticks and chewing lice for up to 30 days on dogs.

Directions for Use

How to open

1. Remove product tubes from the package.
2. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply

1. Invert tube over dog and use open end to part dog’s hair.
2. Squeeze tube firmly to apply all of the solution on the dog’s skin as a spot to the dog’s back between the shoulder blades.



Easy 6-Step Topical Checklist

1. Read the label completely and follow directions
2. Weigh your pet
3. Do NOT use dog products on cats
4. Do NOT treat with more than one pesticide product at a time
5. Separate animals after treatment to avoid chance of ingestion
6. Do NOT split tubes between pets

PREFURRED PLUS

For Dogs

Starts killing fleas and ticks in as little as 1 hour and continues to kill for a month!

For year-round protection, apply **PREFURRED PLUS** monthly.

3 Month Application Tracker

Pet’s Name (Empty blank for owner to fill in name)]

[First] [Second] [Third] Application](Empty blank for owner to fill in date)(Date: MM/DD/YY]

{END –FOLDED PANEL/FLAP OF FRONT PACKAGE}

TUBE LABEL

**DOG SQUEEZE ON
FIPRONIL+ CYPHENOTHRIN**

Front Label

Back Label

<p>Prefurred Plus[cat graphic with line through] For dogs [up to X lbs][X-Y lbs] Fipronil 9.8% w/w, Cyphenothrin 5.2% w/w 0.023 fl oz (or) 0.045 fl oz(or) 0.091 fl oz (or) 0.136 fl oz {label code}</p>	<p>KEEP OUT OF REACH OF CHILDREN CAUTION: Read directions and precautions before using. Use scissors to open. EPA REG. No. 2517-140 {label code}</p>
---	--