



GARDEN[®]
Lich

TRUSTED SINCE 1926

BONIDE[®]

Liquid Iron

+ micronutrients

Corrects and prevents plant yellowing.

**For use on lawns,
ornamentals trees and shrubs.**

**Can be applied as a foliar
spray or soil drench.**

**Net Contents 32 FL.OZ. (946 ML.)
Net Weight 2.56 LBS. (1.16 kg)**

70870414

**Turns plants from
yellow to green**

299

GARDEN RICH LIQUID IRON + MICRONUTRIENTS

GUARANTEED ANALYSIS

	0-0-0
Magnesium (Mg)	0.50%
0.50% Water Soluble Magnesium (Mg)	
Boron (B)	0.02%
Copper (Cu)	0.25%
0.25% Water Soluble Copper (Cu)	
Iron (Fe)	5.00%
5.00% Water Soluble Iron (Fe)	
Manganese (Mn)	0.25%
0.25% Water Soluble Manganese (Mn)	
Zinc (Zn)	0.50%
0.50% Water Soluble Zinc (Zn)	

Derived from: Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate,
Sodium Borate and Magnesium Sulfate. F1290

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed on this label, and referring to the batch number found on this container.

Buyer's Guarantee Limited to Label Claims.

©Bonide Products, Inc. All Rights Reserved

Guaranteed by
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424



Quart



GENERAL INFORMATION

This product is most effective when plants are growing rapidly and least effective when dormant or suffering from stress. This product is compatible with most pesticides and fertilizers, with the exception of amine formulations and high phosphate fertilizers. Do not use in tank mix with either amine formulations or high phosphate fertilizers. To enhance the performance of this product on plants with a waxy leaf surface, add Bonide Turbo Spreader Sticker to the diluted mixture for Foliar Spray.

DIRECTIONS FOR USE

Apply Only As Directed. Make 3 to 5 applications annually.

Note: This product may stain concrete, siding or painted surfaces if not washed off immediately after application.

HERBACEOUS PLANTS

Hardy Aster, Alyssum, Canna, Carnation, Chrysanthemum, Daylily, Fern, Geranium, Gladiolus, Iris, Larkspur, Marigold, Nasturtium, Petunia, Portulaca, Verbena and similar annuals and perennials.

Foliar Spray: Mix 2/3 ounce per 1 gallon of water and spray to the point of run-off.

Soil Drench: Mix 1 ¼ ounces per gallon of water. Apply directly underneath plants at a rate of 3 gallons of mixture per 100 square feet. Water in thoroughly after application.

SHRUBS

Azalea, Camellia, Cherry Laurel, Crepe Myrtle, Euonymus, Forsythia, Gardenia, Honeysuckle, Hydrangea, Ligustrum, Primrose, Pyracantha, Rhododendron, Rose, Spiraea and smaller shrubs and vines.

Foliar Spray: Mix 1 ¼ ounces per gallon of water and spray to the point of run-off.

Soil Drench: Mix 1 ¼ ounces per gallon of water. For shrubs 1-3 feet in height, apply 5-6 ounces of mixture. For shrubs 3-6 feet in height, apply 10-12 ounces of mixture. Apply mixture directly underneath the shrub and water in thoroughly after application.

TREES

Catalpa, Chinese Arborvitae, Cypress, Dogwood, Elm, Ginkgo, Juniper, Magnolia, Maple, Mimosa, Pin Oak, Pine, Russian Olive, Spruce, Sycamore, Sweet Gum, and other trees and very large woody shrubs.

Foliar Spray: Mix 1 ¼ ounces per gallon of water and spray to the point of run-off.

Soil Drench: Mix 1 ¼ ounces per gallon of water. Apply 1 pint mixture per 1" of tree trunk diameter (measured at chest height) on soil. For example, if tree trunk's diameter is 6" at chest height, use 6 pints mixture on the soil. Apply mixture around the perimeter of the trunk within the root zone. Water in thoroughly after application.

TURF

Bahia, Bent, Bermuda, Centipede, Fescue, St. Augustine, Zoysia, Bluegrass, Ryegrass, and other grasses.

Foliar Spray: Mix 6 ounces per gallon of water and apply to the point of run off. 1 gallon of mixture covers approximately 1000 square feet. Three or four applications per growing season usually produces the best results.

Foliar fertilization is intended as a supplement to a regular fertilization program and may not, by itself, provide the nutrients normally required by crops or other intended plants.

STORAGE: Store and transport in an upright position. Store in original container, in a cool dry place, out of reach of children and pets.