



8.125" x 12.5" + 4 BG



8.125" Pouch Width



 Represents Available Print Area (includes 0.25" bleed into trim area)



323335



Hi-Yield[®] Manganese Sulfate

- Corrects Manganese Deficiencies In Palms, Shrubs And Trees
- Corrects Frizzle-Top In Palms



7 32221 323335 3

NET WEIGHT 4 LBS. (1.8 KG)

323335

Hi-Yield[®]

Manganese Sulfate

323335



7 32221 323335 3

32335-0018-WP



7 32221 323335 3

GUARANTEED ANALYSIS

Sulfur (S) 17%

17% Combined Sulfur

Manganese (Mn) 31%

31% Water Soluble Manganese

Derived from: Manganese Sulfate Monohydrate

8270

VPG
Vista
Specialty
Products, Inc.

230 FM 87
BONHAM, TEXAS 75418
Visit Us At: www.hi-yield.com
Product Questions? 855-270-4776

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.safco.com/gm/metalshim>

DIRECTIONS FOR USE

PALMS:
Small Palms: 1/4 to 1 lb. per tree
Medium Palms: 1 to 3 lbs. per tree
Large Palms: 3 to 6 lbs. per tree

OTHER SHRUBS, TREES & LANDSCAPES
Large Shrubs and Trees: 1/2 lb. per tree
Landscapes: 1/4 to 1/2 lbs. per 100 sq. ft.

Hi-Yield[®]

Manganese Sulfate

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

- Do not handle until all safety precautions have been read
- Avoid release to the environment
- Wash hands thoroughly after
- Wear protective gloves, clothing and eye protection

H-YIELD[®] MANGANESE SULFATE helps prevent and control Manganese deficiency in palms, trees, shrubs and other plants. Manganese deficiency in plants may appear as interveinal chlorosis (yellowing of the leaf while vein remains green) and plant growth can be reduced and stunted.

In palms, Manganese deficiency will cause a disorder called "frizzle top." Frizzle top appears as new leaves emerge and causes yellow streaking and weak growth. Overall the leaves will become fully yellow and the tips will fall off. Eventually the entire frond becomes affected and will distort and curl, making the plant look scorched.

If symptoms are severe, apply every two to three months. Recovery may not appear until after the second application. To prevent frizzle top, apply every fall.

