Monterey advanced trapping system

Safe for organic uses, contains no pesticides. Place out of reach of children and pets Monterey advanced trapping system

CODLING MOTH TRAP & LURE

CODLING MOTH FACTS

Codling moth is a worldwide pest that damages the fruits of apple, pear, walnut and quince during the insect's worm stage. Codling moths can infest every apple in an orchard if left unchecked. Apply appropriate controls at these peak times.

EASY INSTRUCTIONS

Attach hanger. Grasp trap by top and bottom flaps. Pull apart to form trap (do not touch glue). Open lure packet; place one lure on the inside, upper surface of the trap (Do not touch the attractant lure). Hang the trap in your fruit or nut tree. Place the trap 1 to 2 feet inside the tree canopy. Place traps in trees 1 or 2 weeks before bud break, in early spring. Check for moths every 2 to 3 days and apply appropriate treatments to control moths. Recycle or dispose of traps when full of insects, or at least every 4 weeks.

In case of contact, remove glue with vegetable oil.



Attach Hanger



Pull Apart Top & Bottom



Insert Lure, Tuck Corners



Hang Trap In Tree






2 complete traps and 2 lures



CODLING MOTH

TRAP & LURE

Monterey advanced trapping system



FOR USE ON: APPLES, PEARS, WALNUTS

0208-SS(01) Made in USA



CODLING MOTH