BRANDT

SAFETY DATA SHEET

1. Identification

Product identifier Manni-Plex Cal-Mag

Other means of identification

Product code 28117

Recommended use Agriculture / Horticulture - Calcium/Magnesium Solution

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Brandt Consolidated, Inc.
2935 South Koke Mill Road
Springfield, IL 62711 US

US

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co
E-mail msds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number Not available.

CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-3900 Virgin Islands 1-800-424-3900 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Use only outdoors or in a well-ventilated area. Wear eye/face protection.

ResponseIf swallowed: Call a poison center/doctor if you feel unwell. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes.

and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if

you feel unwell. Rinse mouth. If eye irritation persists: Get medical advice/attention.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Supplemental information

Hazard statement Toxic to aquatic life.

Precautionary statement

Prevention Avoid release to the environment.

Material name: Manni-Plex Cal-Mag
454 Version #: 02 Revision date: 03-14-2014 Issue date: 07-02-2013

3. Composition/information on ingredients

Mixtures

| Hazard | lous | comp | onents |
|--------|------|------|--------|
|--------|------|------|--------|

| Chemical name | Common name and synonyms | CAS number | % |
|--------------------------------|--------------------------|------------|------------|
| Calcium Nitrate | | 10124-37-5 | 30 - < 40* |
| Other components below reports | ble levels | | 60 - < 70 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Irritation of eyes and mucous membranes.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Remove

contact lenses, if present and easy to do. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be delayed.

General informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Move container from fire area if it can be done without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep people away from and upwind of spill/leak. Keep out of low areas. Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with eyes. Provide adequate

ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage,

including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a cool, dry place out of direct

sunlight. Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Light blue Odor Not available. **Odor threshold** Not available. 2.5 (Typical) рΗ

< 15 °F (< -9.4 °C) estimated Salt-Out / Crystallization Temp 230 °F (110 °C) estimated Melting point/freezing point

Initial boiling point and boiling

range

> 212 °F (> 100 °C) estimated

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

0 hPa estimated Vapor pressure Not available. Vapor density Not available. Relative density Solubility(ies) Not available. **Partition coefficient**

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Material name: Manni-Plex Cal-Mag

SDS US

Other information

Density 1.35 - 1.41 g/ml 29.7 % estimated Percent volatile 5 - 7 (2% Solution) pH in aqueous solution

Shelf life > 2 years

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Harmful if swallowed. Ingestion

Inhalation May cause irritation to the respiratory system. May cause damage to organs by inhalation.

Skin contact Not available.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Harmful if swallowed. May cause respiratory irritation.

| Product | Species | Test Results | |
|--------------------|---------|-------------------------|--|
| Manni-Plex Cal-Mag | | | |
| Acute | | | |
| Oral | | | |
| LD50 | Rat | 943.75 mg/kg, estimated | |
| Other | | | |
| LD50 | Mouse | 94800 mg/kg, estimated | |
| | Rat | 71000 mg/kg, estimated | |
| Components | Species | Test Results | |

Calcium Nitrate (CAS 10124-37-5)

Acute Oral

Rat 302 mg/kg LD50

Skin corrosion/irritation Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Not available. Respiratory sensitization Skin sensitization Not available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity Not available.

Specific target organ toxicity -

single exposure

Respiratory tract irritation.

Specific target organ toxicity -

repeated exposure

Not available.

Not available. Aspiration hazard

454 Version #: 02 Revision date: 03-14-2014 Issue date: 07-02-2013

Material name: Manni-Plex Cal-Mag

SDS US

^{*} Estimates for product may be based on additional component data not shown.

12. Ecological information

Ecotoxicity Toxic to aquatic life.

| Product | | Species | Test Results |
|---------------------|---------------|---------|--------------------------------|
| Manni-Plex Cal-Mag | | | |
| Fish | LC50 | Fish | 7500 mg/l, 96 hours, estimated |
| Components | | Species | Test Results |
| Calcium Nitrate (CA | S 10124-37-5) | | |
| | | | |

Aquatic

LC50 Fish Bluegill (Lepomis macrochirus) 2400 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available. Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous

Nο

chemical

Material name: Manni-Plex Cal-Mag

454 Version #: 02 Revision date: 03-14-2014 Issue date: 07-02-2013

^{*} Estimates for product may be based on additional component data not shown.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Not listed.

Food and Drug

Not regulated.

Administration (FDA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Calcium Nitrate (CAS 10124-37-5) 500 lbs

Inventory name

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Calcium Nitrate (CAS 10124-37-5)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region

| | ······································ | , (, , , , , , , , , , , , , , , , , , , |
|-----------------------------|--|--|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | No |
| | | |

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 07-02-2013 Revision date 03-14-2014 Version # 02

Further information Not available.

Disclaimer

While the information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or information set forth, or that the products, or information may be used without infringing the intellectual property rights of others. In no case shall the information provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the information furnished by our company hereunder are given gratis and we assume no obligation or liability for the information given or results obtained, all such being given and accepted at your risk.

Revision Information Product and Company Identification: Product Uses

> Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Material name: Manni-Plex Cal-Mag

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)