MAXFORCE® FC Roach Killer Bait Stations

FOR USE IN COMMERCIAL, INDUSTRIAL, AND RESIDENTIAL AREAS **ACTIVE INGREDIENT:**

Fipronil*: [5-Amino-1-(2, 6-dichloro-4-trifluoromethyl) phenyl)-4-(1, R, S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile]. OTHER INGREDIENTS:... .99.95% 100.00% **TOTAL:**

*CAS NO. 120068-37-3 EPA Reg. No. 101563-47

EPA Est. No. 071106-GA-003

KEEP OUT OF REACH OF CHILDREN.

CAUTION

FIRST AID

• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. or clothing: • Call a poison control center or doctor for treatment advice.


HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

Starts killing roaches in hours Child resistant bait stations

Ideal for kitchen use No vapor, no fumes, no mess Kills roaches by contact or ingestion Virtually eliminates roaches

72 Child-Resistant Bait Stations **Net Weight:** 0.05 Oz (1.5 g) per unit Total Net Weight:



Cockroaches

HEADER

3.8 Oz (108.0g)

80221541 80213034F 221216AV1

.5" FRONT PANEL

Product of China Cary, NC 27513 5000 CentreGreen Way, Suite 400 Environmental Science U.S., LLC PRODUCED FOR

LLC or one of its affiliates. registered trademark owned by Environmental Science U.S., Envu and the Envu logo are trademarks and Maxforce $^{ ext{@}}$ is a

TAL SCIENCE U.S., LLC'S ELECTION, THE REPLACEMENT OF EXCEED THE PURCHASE PRICE PAID, OR AT ENVIRONMEN-NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, DAMAGES RESULTING FROM THE USE OR HANDLING OF

EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TENT WITH APPLICABLE LAW, ENVIRONMENTAL SCIENCE U.S., LLC DISCLAIMS ANY Environmental Science U.S., LLC is authorized to make any warranties beyond those contained herein. TO THE EXTENT CONSIS-WISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHER-ENVIRONMENTAL SCIENCE U.S., LLC MAKES NO OTHER WARRANTIES, EXPRESS OR

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LLC. All such risks shall be assumed by the user or buyer. of use or application, all of which are beyond the control of Environmental Science U.S., because of such factors as weather conditions, presence of other materials, or the manner of this product. Crop injury, ineffectiveness or other unintended consequences may result be followed carefully. However, it is impossible to eliminate all risks associated with the use CONDITIONS: The directions for use of this product are believed to be adequate and must

ties and Limitations of Liability. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warran-Liability before using this product. If terms are not acceptable, return the unopened prod-

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of IMPORTANT: READ BEFORE USE

PESTICIDE DISPOSAL: Wrap bait stations in several layers of newspaper and PESTICIDE STORAGE: Store in a cool, dry area out of reach of children. Do not contaminate water, food, or feed by storage or disposal.

STORAGE AND DISPOSAL

5. Do not place more than 24 bait stations per residence.


- 4. Bait stations can be stuck to a vertical surface by peeling off the protective strip to infested foodstuffs were discovered.
- or cracks and crevice, behind and under cupboards, and near locations where 3. Use 4 - 6 bait stations per 100 sq ft of horizontal surface area. Place adjacent to voids feeding on bait begins, most adult beetles will be killed within 7 days.
- 2. This product will kill adult stages of beetles remaining in food storage areas. Once 1. Remove and dispose of infested foodstuffs. Clean up spilled foodstuffs from cupboard
- 6. Inspect all bait stations and replace as needed for continual control of roaches.
- roaches within 3 days.
- 5. Roaches will begin eating the bait immediately and you should expect to see fewer
- 4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed stations per residence. For outdoor use, place stations adjacent to structure.
- area. Place adjacent to walls and flush in corners. Do not place more than 24 bait 3. For effective roach control use 4 - 6 bait stations per 100 sq ft of horizontal surface
- 2. The bait stations can be stuck to a vertical surface by peeling off the protective strip
- Cockroaches infest dark, warm, damp locations.
- I. Place bait stations in areas where cockroaches have been seen and where they hide.
- beetle, rice weevil, rusty grain beetle, saw-toothed grain beetle, spider beetle, or weevil, lesser grain borer, lesser mealworm, mealworm, merchant grain beetle, red flour beetle, confused flour beetle, dermestid, drugstore beetle, flat grain beetle, granary
- This product may also be used to kill exposed, adult stages of beetles: cadelle, cigarette other foods and is packaged in a child-resistant bait station.
- red spectrum. This product is an odorless bait that roaches eat even in the presence of roaches their preferred environment, darkness, because roaches do not see light in the The transparent red top enables you to monitor bait consumption while providing facilities, pet shops, zoos, basements, buses, boats, trains, and aircraft.
- unrsing homes, health care facilities, laboratories, computer and electronic equipment manufacturing and food processing facilities, hospitals, schools, daycare centers, warehousing and commercial establishments, including food service, food Brown Banded roaches, in any area where they are a problem, such as residential, This product is specially designed for control of small cockroaches, such as German and with its labeling.

It is a violation of Federal Law to use this product in a manner inconsistent **DIRECTIONS FOR USE**

FC Roach Killer Bait Stations

Wash thoroughly with soap and water after handling bait stations.


HAZARDS TO HUMANS AND DOMESTIC ANIMALS PRECAUTIONARY STATEMENTS



E WAXFORE®

ИЕВЕ ТО ОРЕИ

SINGLES IN A RESEALABLE BAG





FOR USE IN COMMERCIAL, INDUSTRIAL, AND RESIDENTIAL AREAS ACTIVE INGREDIENT:

*CAS NO. 120068-37-3 **EPA Reg. No. 101563-47**

EPA Est. No. 071106-GA-003

KEEP OUT OF REACH OF CHILDREN. CAUTION

FIRST AID	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact	


control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

Starts killing roaches in hours
Child resistant bait stations
Ideal for kitchen use
No vapor, no fumes, no mess
Kills roaches by contact or ingestion
Virtually eliminates roaches

Contents:

72 Child-Resistant Bait Stations
Net Weight:
0.05 Oz (1.5 g) per unit
Total Net Weight:
3.8 Oz (108.0g)

80221541 80213034F 221216AV1









PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Wash thoroughly with soap and water after handling bait stations.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is specially designed for control of small cockroaches, such as German and Brown Banded roaches, in any area where they are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, schools, daycare centers, nursing homes, health care facilities, laboratories, computer and electronic equipment facilities, pet shops, zoos, basements, buses, boats, trains, and aircraft.

The transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum. This product is an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station.

This product may also be used to kill exposed, adult stages of beetles: cadelle, cigarette beetle, confused flour beetle, dermestid, drugstore beetle, flat grain beetle, granary weevil, lesser grain borer, lesser mealworm, mealworm, merchant grain beetle, red flour beetle, rice weevil, rusty grain beetle, saw-toothed grain beetle, spider beetle, or warehouse beetle.

- 1. Place bait stations in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
- 2. The bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
- 3. For effective roach control use 4 6 bait stations per 100 sq ft of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use, place stations adjacent to structure.
- 4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed
- 5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
- 6. Inspect all bait stations and replace as needed for continual control of roaches.

For Pantry Pests:

- 1. Remove and dispose of infested foodstuffs. Clean up spilled foodstuffs from cupboard or food storage area.
- 2. This product will kill adult stages of beetles remaining in food storage areas. Once feeding on bait begins, most adult beetles will be killed within 7 days.
- 3. Use 4 6 bait stations per 100 sq ft of horizontal surface area. Place adjacent to voids or cracks and crevice, behind and under cupboards, and near locations where infested foodstuffs were discovered.
- 4. Bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
- 5. Do not place more than 24 bait stations per residence.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Store in a cool, dry area out of reach of children. PESTICIDE DISPOSAL: Wrap bait stations in several layers of newspaper and discard in trash.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warran-

ties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Environmental Science U.S.,

LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ENVIRONMENTAL SCIENCE U.S., LLC MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHER-WISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Environmental Science U.S., LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ENVIRONMENTAL SCIENCE U.S., LLC DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR

DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT ENVIRONMEN-TAL SCIENCE U.S., LLC'S ELECTION, THE REPLACEMENT OF

Envu and the Envu logo are trademarks and Maxforce® is a registered trademark owned by Environmental Science U.S., LLC or one of its affiliates.

PRODUCED FOR Environmental Science U.S., LLC 5000 CentreGreen Way, Suite 400 Cary, NC 27513 **Product of China**



12.5" FRONT PANEI

