

MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 102000007120 Print Date: 12/05/2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name MERIT® 75 WSP INSECTICIDE

Product code (UVP) 04399455

SDS Number 102000007120

EPA Registration No. 432-1318

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral, Inhalation): Category 4

Combustible dust

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Harmful if swallowed. Harmful if inhaled.

May form combustible dust - air mixtures. Conduct Dust Hazard Assessment (DHA).



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 Print Date: 12/05/2018

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Imidacloprid	138261-41-3	75.0
Sodium lignosulphonate	8061-51-6	5.0
Naphthalenesulfonic acid, bis(1-methylethyl)-, Me derivs.,	68909-82-0	3.2
sodium salts		

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 Print Date: 12/05/2018

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Carbon dioxide (CO2), Foam, Dry chemical

Unsuitable High volume water jet

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point Not applicable

Auto-ignition temperatureNo data availableLower explosion limitNot applicableUpper explosion limitNot applicableExplosivityNo data available

Dust explosion classNo data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upAvoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 Print Date: 12/05/2018

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing immediately and dispose of safely.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
·		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 Print Date: 12/05/2018

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to light beige

Physical State powder Odor none

Odour Threshold No data available

pH 7 (1 %)

suspension in water

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Bulk density 30 lb/ft³ (bulk density tapped)

Evaporation rateNot applicableBoiling PointNot applicableMelting / Freezing PointNot applicableWater solubilitydispersible

Minimum Ignition Energy > 100 - < 300 mJ

Decomposition No data available temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

Explosivity

Not applicable

Not applicable

Not applicable

Not applicable

No data available

No data available

No data available



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 102000007120 Print Date: 12/05/2018

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition No data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Extremes of temperature and direct sunlight. Conditions to avoid

Incompatible materials No data available

Hazardous decomposition

products

Hydrogen cyanide (hydrocyanic acid)

Carbon monoxide Nitrogen oxides (NOx) Hydrogen chloride (HCI)

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Skin contact, Skin Absorption, Inhalation

Immediate Effects

Causes eye irritation. Eye

Skin Harmful if absorbed through skin.

Harmful if swallowed. Ingestion Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male Rat) 2,591 mg/kg

LD50 (female Rat) 1,858 mg/kg

LC50 (male Rat) 2.65 mg/l Acute inhalation toxicity

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

LC50 (female Rat) 2.75 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg

Skin corrosion/irritation slight irritation (Rabbit) Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

Respiratory or skin Non-sensitizing. (Guinea pig)



MERIT® 75 WSP INSECTICIDE

 Version 3.0 / USA
 Revision Date: 12/04/2018

 102000007120
 Print Date: 12/05/2018

sensitisation

Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 102000007120 Print Date: 12/05/2018

Chronic toxicity to aquatic

invertebrates

EC10 (Chironomus riparius (non-biting midge)): 2,09 μg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

Biodegradability Imidacloprid:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Additional ecological

information

No further ecological information is available.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not allow to get into surface water, drains and ground water.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 102000007120 Print Date: 12/05/2018

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IMIDACLOPRID MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IMIDACLOPRID MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1318

US Federal Regulations

TSCA list

Sodium lignosulphonate 8061-51-6 Naphthalenesulfonic acid, bis(1-68909-82-0

methylethyl)-, Me derivs., sodium salts

Sodium aluminium silicate 1344-00-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) Not applicable.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 Print Date: 12/05/2018

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Sodium aluminium silicate 1344-00-9 CA, MN

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Causes eye irritation.

Avoid contact with skin, eyes and clothing.

Avoid breathing dust or vapour.

Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before re-use.

Do not allow children or pets to enter the treated area until it has

dried.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



MERIT® 75 WSP INSECTICIDE

Version 3.0 / USA Revision Date: 12/04/2018 102000007120 Print Date: 12/05/2018

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Reviewed and updated for general editorial purposes.

Revision Date: 12/04/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.