

ACTIVE INGREDIENTMesotrione

% ACTIVE INGREDIENT 40.0%

FORMULATIONSoluble Concentrate

CHEMICAL FAMILY
Benzopyrazole

MODE OF ACTION
Group 27 Herbicide
– Inhibits plant
pigment biosynthesis
and photosynthesis

SIGNAL WORD CAUTION

PACKAGING INFORMATION 12 x 8 oz 4 x 1 gal

MESO 4SC SELECTTM

HERBICIDE

Pre and Post-Emergent Weed Control



Meso 4SC Select ™ is a herbicide that can be used for both pre and post-emergence control of more than 45 broadleaf weeds and grasses in turfgrass. Classified as a group 27 herbicide, Meso 4SC Select inhibits photosynthesis in susceptible plants and is absorbed systemically through leaves, roots and shoots. Meso 4SC Select can be effectively used for weed control prior to and when seeding of specific types of turfgrasses.

- · Provides post-emergent control of tough-to-control weeds
- Weeds controlled include crabgrass (pre and post-emergent), ground ivy, yellow foxtail, yellow nutsedge and dandelion.
- Can be applied anytime you are seeding including overseeding of established turfgrass, bare ground seeding or during renovation

IMPORTANT: ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS.



MESO 4SC **SELECTTM**

HERBICIDE

Application and Use Instructions

Pre-Emergence Applications:

Apply 4-8 fl. oz. of Meso 4 SC Select per acre in at least 30 gallons of water per acre before seeds germinate or as close to seed germination as possible. Combine this product with another pre-emergence herbicide such as Barricade® 65WG for extended control of crabgrass and

Pre-Emergence Application Precautions: Meso 4 SC Select is most effective on established turf when applied post-emergence unless it is combined with another soil active herbicide.

Pre-Emergence Application Restrictions:

- · DO NOT exceed 5 fl. oz. per acre per application to perennial ryegrass, fine fescues, or mixed stands that consist of >50% perennial ryegrass and/or fine fescue.
- · St. Augustinegrass sod: DO NOT exceed 4 fl. oz. per

Application to New Seedings/New Lawns Apply 5-8 fl. oz. Meso 4 SC Select per acre in at least 30 gallons of water per acre before seeding or after seeding of tolerance turfgrass species listed below, except fine fescue, as application to fine fescue can reduce grass density. Meso 4 SC Select can be effectively used on grass seed blends that contain <20% by weight hard/fine fescue. For optimal control, apply at grass seeding or as close to seeding as possible.

New Seedings/New Lawns Restrictions:

· DO NOT spray on newly germinated turfgrass. Delay treatment until grass has been mowed 2-4 times and/ or 4 weeks after emergence (whichever is longer).

Post-Emergence Application Instructions:

Apply 4-8 fl. oz. of Meso 4 SC Select per acre in at least 30 gallons of water per acre with a NIS surfactant. Make a repeat application 2-3 weeks later for optimal weed control. Apply to young, actively growing weeds.

Post-Emergence Application Precautions:

Moisture stress and application to mature weeds can reduce herbicide efficacy.

Bentgrass (Agrostis spp.)/Nimbleweed (Muhlenbergia schreberi) Treatment:

Apply 5 fl. oz. Meso 4 SC Select per acre in at least 30 gallons of water per acre combined with a NIS



surfactant at 2-3 week intervals for a maximum of 3 applications. For optimal weed control, apply in late summer/early fall just prior to new growth.

St. Augustinegrass (Sod uses only) and Centipedegrass Treatment:

Apply to established turf ONLY.

St. Augustinegrass (Sod uses only) and Centipedegrass Restrictions:

- · DO NOT exceed 4 fl. oz. Meso 4 SC Select if tank mixing with Atrazine or Simazine.
- · DO NOT exceed 0.5 lb. atrazine or simazine active ingredient. See atrazine/simazine labels for precautions and restrictions.

Dormant Bermudagrass Application only:

Apply 5 fl. oz. per acre of **Meso 4 SC Select** to control winter weeds listed in the Weeds Controlled table within the product label. Make a repeat application 2-3 weeks later. Application of Meso 4 SC Select to semidormant turf will cause bermudagrass whitening.

Spot Applications of this product

Spray Mix	Application Rate	Rate of this product	Rate of NIS adjuvant
2 gallons	1 gallon per 1,000 sq. ft.	1 teaspoon	3 teaspoons

Spot Application Restrictions:

· DO NOT apply more than 16 oz. of Meso 4 SC **Select** per acre per year or per crop (equivalent to 0.5 lb. mesotrione per acre per year), whichever is shorter.

Prime Source, LLC 10025 US 264 Alternate Middlesex, NC 27557 www.Prime-SourceLLC.com

LABELED USES

Commercial and residential turfgrass, golf courses (except putting greens), sod farms, athletic fields, parks, cemeteries. airports and lawns.

WEEDS CONTROLLED

Some of the weeds controlled are:

Barnyardgrass Bentrgrass, Creeping Bluegrass, Annual Carpetweed Chickweed Clover Crabgrass Dandelion Foxtail Ground Ivy Henbit Marestail Nutsedge, Yellow Oxalis **Pigweed** Smartweed Sow Thistle Verbena Wild Carrot

Download a specimen label at Prime-SourceLLC.com