

MONUMENT® 75WG HERBICIDE

Date: 7/31/2015 Replaces: 4/9/2015

1. PRODUCT IDENTIFICATION

Product identifier on label:	MONUMENT® 75WG HERBICIDE
Product No.:	A9842A
Use:	Herbicide
Manufacturer:	Syngenta Crop Protection, LLC Post Office Box 18300
	Greensboro NC 27419
Manufacturer Phone:	1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications:	Specific Target Organ Toxicity: Repeated Category 2 Carcinogenicity: Category 1A
Signal Word (OSHA):	Danger
Hazard Statements:	May cause cancer May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements:	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Do not breathe dust.
	Wear protective gloves, protective clothing, eye protection.
	If exposed or concerned: Get medical advice/attention.
	Store locked up.
	Dispose of contents and container in accordance with local regulations.
Other Hazard Statements:	May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Crystalline Silica, Quartz and Cristobalite	Crystalline Silica, Quartz and Cristobalite	14808-60-7	Trade Secret
Diatomaceous Earth	Diatomaceous Earth	61790-53-2	Trade Secret



MONUMENT® 75WG HERBICIDE

7/31/2015

Date:

Replaces: 4/9/2015

Other ingredients	Other ingredients	Trade Secret	<25.0%
2-Pyridinesulfonamide, N-[[(4,6-dimethoxy- 2-pyrimidinyl)amino]carbonyl]-3(2,2,2- trifluoroethoxy)-, monosodium salt, monohydrate	Trifloxysulfuron-Sodium	290332-10-4	75.0%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion:	If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment
C C	advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-
	8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into



MONUMENT® 75WG HERBICIDE

Date: Replaces:

4/9/2015

7/31/2015

compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities: Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Crystalline Silica, Quartz and Cristobalite	10 mg/m³/(%SiO2+2) (respirable dust)	0.025 mg/m³ (respirable silica)	0.05 mg/m ³ (respirable dust)	NIOSH
Diatomaceous Earth	80 mg/m³/%SiO2 (20 mppcf) TWA	Not Established	6 mg/m³ TWA	NIOSH
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Trifloxysulfuron-Sodium	Not Established	Not Established	10 mg/m³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.



MONUMENT® 75WG HERBICIDE

Date: 7/31/2015 Replaces: 4/9/2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light beige to brown granules Odor: Not determined Odor Threshold: Not Available pH: 8 - 12 (1% w/w dilution in deionized water) Melting point/freezing point: Not Available Initial boiling point and boiling range: Not Applicable Flash Point (Test Method): Not Applicable Flammable Limits (% in Air): Not Available Flammability: Not Applicable Vapor Pressure: Trifloxysulfuron-Sodium 7.5 x 10(-8) mmHg @ 77°F (25°C) Vapor Density: Not Available Relative Density: 0.60 - 0.80 g/cm³ Solubility (ies): Trifloxysulfuron-Sodium 102.5 mg/l @ 77°F (25°C) (pH 5.4) Partition coefficient: n-octanol/water: Not Available Autoignition Temperature: Not Available Decomposition Temperature: Not Available Viscosity: Not Available Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive. Chemical stability: Stable under normal use and storage conditions. Possibility of hazardous reactions: Will not occur. Conditions to Avoid: None known. Incompatible materials: None known.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

<u>Health effects information</u> Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Rat) : > 5000 mg/kg body weight



MONUMENT® 75WG HERBICIDE

 Date:
 7/31/2015

 Replaces:
 4/9/2015

Dermal:	Dermal (LD50 Rat) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.55 mg/l air - 4 hours
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Trifloxysulfuron-Sodium : Mutagenic Potential in Vitro: Negative cytogenetic test CHO cells. Negative Ames test. Mutagenic Potential in Vivo: Negative mouse micronucleus test.

Chronic/Subchronic Toxicity Studies

Trifloxysulfuron-Sodium : Not Available

Carcinogenicity

Trifloxysulfuron-Sodium : Not Available

Crystalline Silica, Quartz and Cristobalite IARC 1; ACGIH A2 Diatomaceous Earth IARC 3 Other ingredients No 2-Pyridinesulfonamide, N-[[(4.6-dimethoxy-2- trifluoroethoxy), monosodium salt, monohydrate No Other Toxicity Information Nore No Toxicity of Other Components Fridicity of Other Components Crystalline Silica, Quartz and Cristobalite Experimental animals exposed to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers. Diatomaceous Earth The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth ontains a small percentage of naturally occurring crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause sisitosis and pulmonary fibrosis in humans. The fibrosod	Chemical Name	NTP/IARC/OSHA Carcinogen
Other ingredients No 2-Pyridinesulfonamide, N-[[(4,6-dimethoxy-2- pyrimidinyl)amino]carbonyl]-3(2,2,2- trifluoreethoxy)-, monosodium salt, monohydrate No Other Toxicity Information Nore No Toxicity of Other Components Crystalline Silica, Quartz and Cristobalite Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers. Diatomaceous Earth The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring crystalline silica, which is considered a human carcinogen. Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica in this product is minimal and the potential for overexposure in manufacturing operations is low. Other ingredients Not Applicable Trifloxysulfuron-Sodium : Not Applicable Inert Ingredients Respiratory tract Crystalline Silica, Quartz and Cristobalite: Respiratory tract	Crystalline Silica, Quartz and Cristobalite	IARC 1; ACGIH A2
2-Pyridinesulfonamide, N-[[(4,6-dimethoxy-2- No pyrimidinyl)amino]carbonyl]-3(2,2,2- trifluoroethoxy)-, monosodium sait, monohydrate Other Toxicity Information Nore Toxicity of Other Components Crystalline Silica, Quartz and Cristobalite Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers. Diatomaceous Earth The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring crystalline silica, which is considered a human carcinogen. Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis is how not possible silica, Quartz and Res	Diatomaceous Earth	IARC 3
pyrimidinyl)amino]carbonyl]-3(2,2,2- trifluoroethoxy)-, monosodium salt, monohydrate <u>Other Toxicity Information</u> None <u>Toxicity of Other Components</u> Crystalline Silica, Quartz and Cristobalite Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers. Diatomaceous Earth The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring crystalline silica, which is considered a human carcinogen. Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica in this product is minimal and the potential for overexposure in manufacturing operations is low. Other ingredients Trifloxysulfuron-Sodium : Not Applicable Inert Ingredients Crystalline Silica, Quartz and Respiratory tract Crystalline Silica, Quartz and Respiratory tract	Other ingredients	No
None Toxicity of Other Components Crystalline Silica, Quartz and Cristobalite Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers. Diatomaceous Earth The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring crystalline silica, which is considered a human carcinogen. Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica who he potential for overexposure in manufacturing operations is low. Other ingredients Not Applicable Inert Ingredients Not Applicable Inert Ingredients Crystalline Silica, Quartz and	pyrimidinyl)amino]carbonyl]-3(2,2,2- trifluoroethoxy)-, monosodium salt,	7-2- No
Crystalline Silica, Quartz and Cristobalite Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers. Diatomaceous Earth The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring crystalline silica, which is considered a human carcinogen. Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica in this product is minimal and the potential for overexposure in manufacturing operations is low. Other ingredients Not Applicable Target Organs Active Ingredients Trifloxysulfuron-Sodium : Not Applicable Inert Ingredients Crystalline Silica, Quartz and Crystalline Silica, Quartz and Crystalline Silica, Quartz and Respiratory tract	-	
Active Ingredients Trifloxysulfuron-Sodium : Not Applicable Inert Ingredients Crystalline Silica, Quartz and Respiratory tract Cristobalite:	Crystalline Silica, Quartz and Cristobal Chronic inhalation exposure to Experimental animals exposed Diatomaceous Earth The carrier in this product is n small percentage of naturally inhalation exposure to crystall amount of crystalline silica in operations is low. Other ingredients	o crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. d to crystalline silica developed respiratory tract cancers. aturally occurring diatomaceous earth. Natural diatomaceous earth contains a occurring crystalline silica, which is considered a human carcinogen. Chronic ine silica is known to cause silicosis and pulmonary fibrosis in humans. The
Trifloxysulfuron-Sodium : Not Applicable Inert Ingredients Inert Silica, Quartz and Crystalline Silica, Quartz and Respiratory tract Cristobalite: Inert Silica, Quartz and	Target Organs	
Inert Ingredients Crystalline Silica, Quartz and Respiratory tract Cristobalite:	Active Ingredients	
Crystalline Silica, Quartz and Respiratory tract Cristobalite:	Trifloxysulfuron-Sodium : No	t Applicable
Cristobalite:	Inert Ingredients	
Diatomaceous Earth: Respiratory tract		espiratory tract
	Diatomaceous Earth: Re	espiratory tract



MONUMENT® 75WG HERBICIDE

Date:

7/31/2015 4/9/2015

Replaces:

Other ingredients:

Not Applicable

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Trifloxysulfuron-Sodium :

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 108 ppm

Green Algae 72-hour EC50 23 ppm

Bird (Bobwhite Quail) 14-day LD50 > 2250 mg/kg

Environmental Fate

Trifloxysulfuron-Sodium :

The information presented here is for the active ingredient, trifloxysulfuron-sodium. Not persistent in soil or water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA Not regulated

Comments

Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Trifloxysulfuron-Sodium), Marine Pollutant Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

Air Transport Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Trifloxysulfuron-Sodium) Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:



MONUMENT® 75WG HERBICIDE

Date: 7/31/2015 4/9/2015 Replaces:

Caution: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing.

EPA Registration Number(s): 100-1134

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

California Proposition 65:

This product contains trace amounts of chemical(s) known to the State of California to cause cancer as unintended impurities resulting from other entities manufacturing or processing operations which Syngenta cannot control.

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

PA Hazard Ratings		HMIS Hazard Rating	IS		0	Minimal
Health:	1	Health:		2	1	Slight
Flammability:	1	Flammability:		1	2	Moderate
Instability:	0	Reactivity:		0	3	Serious
					4	Extreme
Syngenta Haza	rd Category: D				*	Chronic
For non-emergency questions about this product call:						
		1-800-334-9	9481			
Original Issued Date:	3/10/2003					
Revision Date:	7/31/2015	Replaces:	4/9/2015			

However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.