

YARD FC

Kills mosquitos, flies, gnats and other listed insects

Use outdoors & indoors

Triple action formula

Tetramethrin (CAS No. 7696-12-0) 0.15%

EPA Est. No. 11623-GA-1 (GA), 5693-MA-1 (MA) EPA Reg. No. 4-429

Keep Out Of Reach Of Children CAUTION

See Side Panel for additional Precautionary Statements and First Aid

Net Contents 15 oz. (425 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin or inhaled, Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZÁRDS: Combustible, Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for

mergency medical deadness morniados.	
f on Skin	 Take off contaminated clothing.
r Clothing:	 Rinse skin immediately with plenty of water for
-	15-20 minutes
	Call a poison control center or doctor for
	treatment advice.
f Inhaled:	Move person to fresh air.
	 If person is not breathing, call 911 or an
	ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible,
	 Call a poison control center or doctor for further
	treatment advice.
f in Eyes:	 Hold eye open and rinse slowly and gently with

water for 15-20 minutes.

 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. · Call a poison control center or doctor for treatment advice.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not use in commercial food/feed handling establishments, restaurants or other areas where food is commercially prepared, processed, served or stored.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Do not allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Not for use in outdoor residential misting systems. For surface spray use: Do not allow adults, children or pets to enter the treated area until sprays have dried. Do not apply when food is present. All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: treatment to soil or vegetation around structures; applications to building foundations, up to a maximum height of 3 feet. Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Not for broadcast use on indoor residential surfaces.

Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 ©Bonide Products, Inc. All Rights Reserved

DOT 2Q M5749 DSC



SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before

STORAGE AND DISPOSAL

Pesticide Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets. Do not puncture or incinerate! Pesticide Disposal & Container Handling: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available, If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

OUTDOORS:

Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/ or mists have dispersed. Do not make application during rain. Do not water the treated area to the point of run-off. Do not wet plants to point of runoff or drip.

Do not use on edible crops,

Not for use on plants being grown for sale or other commercial use or for commercial seed production or for research purposes.

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

Flying Insects: Mosquitoes, Flies, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles.

Crawling Insects: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Hold can two (2) to three (3) feet from surface to be treated and spray in infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant trails and hills.

Mosquitoes, Cluster Flies, Houseflies, Fruit Flies, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies, and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion, Spray 5-10 seconds for average room, Direct spray to all parts of the room, especially windows and other light sources, which attract these insects, Keep nozzle in constant motion, Leave room and keep door closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks. cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.