## **KILLS & REPELS THE FOLLOWING** ON HORSES & IN ANIMAL PREMISES

Stable Flies Mosquitoes Horse Flies Gnats Chiggers Face Flies Deer Flies Horn Flies House Flies Lice Kills Ticks In Animal Quarters That May Carry Lyme Disease

**KILLS THE FOLLOWING PESTS IN ANIMAL PREMISES** 

Fleas Blacklegged Ticks Lone Star Ticks

**KILLS FLEAS ON DOGS** 

# **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: For use on animals only. Not for use on humans. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before

# **FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-222-1222, twenty-four (24) hours per day, seven (7) days per week.

### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
  Have person sip a glass of water if able to swallow.
  Do not induce vomiting unless told to do so by a poison control center or doctor.
  Do not give anything by mouth to an unconscious person.

## IF IN EYES:

## IF ON SKIN OR CLOTHING:

# ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees or other pollinators are foraging the treatment area.

# STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry place. Pesticide Disposal and Container Handling: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



# **ACTIVE INGREDIENTS:**

Permethrin:†	0.150%
Pyrethrins:	0.075%
Piperonyl Butoxide:*	0.750%
OTHER INGREDIENTS:	99.025%
TOTAL:	100.00%

<sup>†</sup> cis/trans ratio: min 35% (+/-) cis and max 65% (+/-) trans

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN CAUTION** 

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1 QUART (946 ml)

**DIRECTIONS FOR USE:**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply only as specified on this label - Do not apply to puppies less than 12 weeks of age
- Do not allow adult or children to contact treated animal until hair has dried - Except when
ago adult of the contact treated are not perfect to enter the treated area until applying directly to animals, do not allow adults, children or pets to enter the treated area until prays have dired - Except when applying directly to animals, do not apply this product in a way that will contact adults, children or pets either directly or through drift - When applying as a space spray, do not enter or allow others to enter until vapors, mists or aerosols have dispersed and the treated areas have been thoroughly ventilated. - Do not use in dairy barns. - Remove or cover exposed food and drinking water before application - Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use - Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to severs, storm drains, water bodes or aqualit chabitat can occur. Do not allow the product to enter any drain during or after application - Not for use in outdoor recipiontial misting receives.

STOP: READ ENTIRE LABEL BEFORE EACH USE. DO NOT USE ON CATS OR ANIMALS OTHER THAN DOGS OR HORSES. DO NOT USE ON HORSES INTENDED FOR HUMAN CONSUMPTION. DO NOT USE ON DOGS OR FOALS UNDER THREE (3) MONTHS OF AGE.

This non-oily insecticide/repellent may be applied with a trigger spray applicator or as a wipe. Kills and repels horse flies, stable flies, horn flies, house flies, face flies, deer flies, mosquitoes.

# **DIRECTIONS FOR WIPE-ON USE:**

Thoroughly brush horse to remove excess dirt and dust. Extremely dirty horses should be shampooed, inised and allowed to dry before applying wipe. Use a sponge or clean soft doth or mitt. Apply liberally (1-2 ounces) over areas to be protected. Pay special attention to legs, belly, shoulders, neck and facial areas. Do not get in eyes and muccous membranes.

## DIRECTIONS FOR TRIGGER SPRAY USE:

Remove excess dirt and dust. Apply 1-2 ounces as a light spray mist to coat while brushing lightly against lay of the hair. Do not spray in eyes and mucous membranes. Apply with sponge or soft doth around those areas.

### FOR USE ON DOGS TO CONTROL FLEAS:

Apply as a spray starting at the tail then spray over entire hair coat while moving the dispenser apply the spray lightly over the entire body with even coverage until the tips of the hair are moist. Do not spray into the eyes, face or genitalia. Using gloves, rub the product into the coat by ruffling the hair as the product reaches the skin. Allow dog to air dry or blow dry. Do not towel dry. Do not reapply more than once every 14 days. DO NOT USE ON CATS OR KITENS. Consult a veterinarian before using this product on medicated, debitlated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

# TO KILL AND REPEL FLYING INSECTS IN ANIMAL QUARTERS:

Spray in areas where insects congregate. Direct spray to contact insects for rapid knockdown and kill. Spray around door facings, screens to render area unattractive to insects. This helps to repel insects and prevent entrance to building.

### TO KILL FLEAS AND BLACKLEGGED TICKS & LONE STAR TICKS IN ANIMAL QUARTERS:

Spray to lightly dampen surfaces. Thoroughly spray infested areas, pet beds and resting quarters, cracks and crevices, window and door frames as well as localized areas of floor.

