

Gemini®

GRANULAR

This specimen label is for information only.
Everris makes no representations as to the accuracy of this label. It is the responsibility of the user to read and follow the label attached to the pesticide product container.

Net Weight: 50 lb (22.68 kg)
Stock # E95765

A combination of selective preemergence herbicides for the control of listed grass and broadleaf weeds in ornamentals and Christmas tree farms.

ACTIVE INGREDIENTS:

Prodiamine* 0.40%

Ioxabenz** 0.25%

OTHER INGREDIENTS: 99.35%

TOTAL: 100.00%

* CAS No. 29091-21-2

** CAS No. 82558-50-7

KEEP OUT OF REACH OF CHILDREN **CAUTION**

EPA Reg. No. 58185-180

EPA Est. 82757-OH-1^{MF}

Letter(s) in lot number correspond(s) to superscript in EPA Est. No.

Manufactured for:

Everris NA Inc., PO Box 3310, Dublin, OH 43016

Customer Service: 1-800-492-8255 or 314-983-7500

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators, mixers, loaders, and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) - agricultural plant uses are covered - must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using the toilet. Remove and wash contaminated clothing before reuse.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

For additional information in case of emergency call toll free 1-888-241-6409. Have product label with you when calling a poison control center or going for treatment.

ΔICL

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
For additional information in case of emergency call toll free 1-888-241-6409. Have product label with you when calling a poison control center or going for treatment.	

Environmental Hazards

This product may be toxic to fish. Do not apply directly to water, to areas where surface water is present, or to areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash water.

Physical-Chemical Hazards

Do not mix or allow coming in contact with oxidizing agent. Hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- chemical-resistant gloves made of any water proof material
- chemical-resistant footwear plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, or nurseries.

Keep unprotected persons out of treated areas until dusts have settled.

RESISTANCE MANAGEMENT

Gemini® Granular is both a Group 3 and a Group 21 herbicide. Any weed population may contain or develop plants naturally resistant to Group 3 and/or Group 21 herbicides. Weed species with acquired resistance to Group 3 and/or Group 21 herbicides may eventually dominate the weed population if Group 3 and/or Group 21 herbicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by Gemini® Granular or other Group 3 and/or Group 21 herbicides. To delay herbicide resistance consider:

- Avoiding the consecutive use of Gemini® Granular or other target site of action Group 3 or Group 21 herbicides that have a similar target site of action, on the same weed species.
- Using tank-mixtures or premixes with herbicides from different target site of action groups as long as the involved products are all registered for the same use, have different sites of action, and are both effective at the tank mix or prepack rate on the weed(s) of concern.
- Basing herbicide use on a comprehensive IPM program.
- Monitoring treated weed populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for herbicide resistance management and/or integrated weed management recommendations for specific crops and resistant weed biotypes.
- Contacting Everris at 800-492-8255 for further information or to report suspected resistance.

PRODUCT INFORMATION

Formulation and Mode of Action

Gemini® Granular is a herbicide containing the active ingredient, prodiameine, a member of the dinitroaniline family of herbicides (Group 3) which inhibits mitotic processes in plants, and isoxaben, which has a cellulose biosynthesis inhibitor (CBI) mode of action (Group 21). The actives control susceptible weeds by preventing growth and development of newly germinated seeds. Each bag contains 0.325 pounds active ingredient (0.2 pounds prodiameine per bag plus 0.125 pounds isoxaben per bag). Gemini® Granular is used for pre-emergent control of listed grasses and broadleaf weeds. Weed control is most effective when Gemini® Granular is activated by at least 0.5 inches of rainfall or irrigation.

Uses and Application

Apply Gemini® Granular for selective pre-emergence control of listed grass and broadleaf weeds in the following areas:

- Container, field-grown, and landscape ornamentals
- Christmas tree farms

New Plantings, Replanting and Rotational Plantings

For a period of 1 year after treating an approved use site with Gemini® Granular, plant only ornamental species listed as tolerant on this label unless the following test has shown that indicator species grow normally:

- Sow several test strips of an indicator plant such as wheat, sorghum or corn into the treated area. If the indicator plants germinate and grow normally to a height of 12 inches with normal root development, it is safe to plant.

In areas disturbed by new plantings or replanting of labeled species, it may be necessary to retreat exposed soil to maintain satisfactory weed control, but to prevent exceeding the maximum annual limit of prodiamine do not apply more than 375 lbs. of product per acre per year.

PRODUCT USE RESTRICTIONS

- Do not graze or feed livestock forage cut from areas treated with Gemini® Granular.
- Do not apply Gemini® Granular to plants that will be consumed for food use.
- Do not apply to golf course putting greens and tees.
- Do not exceed a dosage of 2.43 pounds active ingredient per acre (375 pounds of Gemini® Granular per acre) (1.5 pounds prodiamine and 0.93 pounds isoxaben) per year on any use site.
- The state of Arizona has not approved this product for use on agricultural commodities. If grown for commercial production, use on the following sites/crops is prohibited: container grown field ornamentals, field-grown ornamentals, ornamental bulbs, and Christmas tree/conifer plantations.
- Not for use on ornamental bulbs grown for commercial production in California.
- Not for sale, use or distribution in the state of New York.

Treatment of Turfgrass or Ornamental Species Not Listed on the Label for Gemini® Granular: Users who wish to use Gemini® Granular are limited to non-food, ornamental plant species in labeled use sites. Prior to large scale application, user should trial plant species not listed on this label.

Gemini® Granular Rates:

Table 1. Gemini® Granular Application Rates

	Low Rate	Medium Rate	High Rate	Do Not Exceed The Maximum Annual Rate Of:
Pounds per Acre	100	150	200	375
Bags per Acre	2	3	4	7.5
Pounds per 1000 sq.ft.	2.3	3.4	4.6	8.6
Grams per sq. ft.	1.0	1.6	2.1	3.9

Table 2. Weeds Controlled or Suppressed by Gemini® Granular

Common Name	Scientific Name	Rates (lbs/acre)			
		C=Control,	S=Suppression	100	150
Broadleaf Weeds					
American Burnweed ¹	<i>Erechtites hieraciifolia</i> ¹				C
Annual Bursage	<i>Ambrosia acanthicarpa</i>	C			
Annual Sowthistle	<i>Sonchus oleraceus</i>	C			
Black Medic	<i>Medicago lupulina</i>			C	
Black Mustard	<i>Brassica nigra</i>			C	
Black Nightshade	<i>Solanum nigrum</i>	C			
Blackleaved Fleabane	<i>Conyza bonariensis</i>	C			
Bracted Plaintain	<i>Plantago aristata</i>			C	
Bristly Oxtongue	<i>Picris echioides</i>			C	
Broadleaf Plantain	<i>Plantago major</i>			C	
Buckhorn Plantain	<i>Plantago lanceolata</i>			C	
Burning Nettle	<i>Urtica urens</i>			C	
Burningbush	<i>Kochia scoparia</i>			C	
Burningbush	<i>Bassia scoparia</i>			C	
Buttercup Oxalis	<i>Oxalis pes-caprae</i>	C			
California Burclover	<i>Medicago polymorpha</i>			C	
Chamberbitter	<i>Phyllanthus urinaria</i>			C	
Canadian Horseweed	<i>Conyza canadensis</i>	C			
Carolina Geranium	<i>Geranium carolinianum</i>			C	
Carpetweed	<i>Mollugo verticillata</i>	C			
Coast Fiddleneck	<i>Amsinckia menziesii var. intermedia</i>	C			
Common Chickweed ¹	<i>Stellaria media</i> ¹	C			
Common Groundsel	<i>Senecio vulgaris</i>			C	
Common Lambsquarters	<i>Chenopodium album</i>	C			
Common Mallow	<i>Malva neglecta</i>			C	
Common Pokeweed	<i>Phytolacca americana</i>			C	
Common Purslane	<i>Portulaca oleracea</i>	C			
Common Ragweed	<i>Ambrosia artemisiifolia</i>	C			
Common Vetch	<i>Vicia sativa</i>	C			
Creeping Woodsorrel	<i>Oxalis corniculata</i>			C	
Dandelion	<i>Taraxacum officianale</i>			C	
Dogfennel	<i>Eupatorium capillifolium</i>			C	
Dwarf Fleabane	<i>Conyza ramosissima</i>	C			
Evening Primrose ²	<i>Oenothera spp.</i> ²			S	
False Daisy	<i>Eclipta prostrata</i>			C	
Field Burnweed	<i>Soliva sessilis</i>	C			
Florida Betony	<i>Stachys floridana</i>	C			
Florida Pusley	<i>Richardia scabra</i>			C	
Fringed Redmaids	<i>Calandrinia ciliata</i>			C	
Green Tansymustard	<i>Descurainia pinnata ssp. brachycarpa</i>			C	
Hairy Bittercress	<i>Cardamine hirsuta</i>			C	
Hairy Galinsoga	<i>Galinsoga quadriradiata</i>			C	
Heath Aster	<i>Symphyotrichum ericoides</i>			C	

Common Name	Scientific Name	Rates (lbs/acre)		
		C=Control, S=Suppression	100	150
Broadleaf Weeds				
Henbit ¹	<i>Lamium amplexicaule</i> ¹			S
Hyssop Spurge	<i>Chamaesyce hyssopifolia</i>		C	
Indian Mustard	<i>Brassica juncea</i>	C		
Ivyleaf Morning-Glory	<i>Ipomoea hederacea</i>		C	
Jimsonweed	<i>Datura stramonium</i>			C
Knotweed ¹	<i>Polygonum</i> spp. ¹	C		
Ladysthumb	<i>Polygonum persicaria</i>		C	
Lanceleaf Groundcherry	<i>Physalis angulata</i>	C		
Little Mallow	<i>Malva parviflora</i>			S
Little Western Bittercress	<i>Cardamine ligosperma</i>		C	
Long-stalked Phyllanthus	<i>Phyllanthus tenellus</i>			C
Mouseear Chickweed	<i>Cerastium vulgatum</i>		C	
Petty Spurge	<i>Euphorbia peplus</i>			C
Pigweed	<i>Amaranthus</i> spp.	C		
Pillpod sandmat	<i>Chamaesyce hirta</i>			C
Pineappleweed	<i>Matricaria discoidea</i>	C		
Prickly Lettuce	<i>Lactuca serriola</i>			S
Prickly Sida	<i>Sida spinosa</i>		C	
Prostrate Knotweed	<i>Polygonum aviculare</i>	C		
Prostrate Pigweed	<i>Amaranthus blitum</i>	C		
Prostrate Spurge	<i>Chamaesyce humistrata</i>		C	
Purple Cudweed	<i>Gnaphalium purpureum</i>	C		
Purslane Speedwell	<i>Veronica peregrina</i>		C	
Redroot Pigweed	<i>Amaranthus retroflexus</i>		C	
Santa Maria Feverfew	<i>Parthenium hysterophorus</i>		C	
Shepherdspurse ¹	<i>Capsella bursa-pastoris</i> ¹		C	
Silversheath Knotweed	<i>Polygonum argyrocoleon</i>			C
Slender Aster	<i>Symphyotrichum divaricatum</i>	C		
Slender Plantain	<i>Plantago heterophylla</i>	C		
Southern Waterbuttons	<i>Cotula australis</i>		C	
Spanish Needles	<i>Bidens alba</i>			C
Spiny Sowthistle	<i>Sonchus asper</i>			C
Spotted Spurge	<i>Chamaesyce maculata</i>		C	
Spotted Spurge	<i>Euphorbia maculata</i>		C	
Stinking Chamomile	<i>Anthemis cotula</i>		C	
Sunflower	<i>Helianthus</i> spp.			C
Swinecress	<i>Coronopus didymus</i>			C
Telegraphplant	<i>Heterotheca grandiflora</i>	C		
Thistle Musk	<i>Carduus nutans</i>			C
Thymeleaf Speedwell	<i>Veronica serpyllifolia</i>		C	
Turkey Mullein	<i>Croton setigerus</i>			C
Venice Mallow	<i>Hibiscus trionum</i>			S
Virginia Pepperweed	<i>Lepidium virginicum</i>	C		
Virginia Winged Rockcress	<i>Sibara virginica</i>	C		

Common Name	Scientific Name	Rates (lbs/acre)			
		C=Control, S=Suppression	100	150	200
Broadleaf Weeds					
White Clover	<i>Trifolium repens</i>		C		
White Eclipta	<i>Eclipta alba</i>				C
Whitestem Filaree	<i>Erodium moschatum</i>				C
Wild Carrot	<i>Daucus carota</i>				C
Wild Mustard	<i>Sinapis arvensis</i>		C		
Wild Radish	<i>Raphanus raphanistrum</i>		C		
Yellow Sweetclover	<i>Melilotus officinalis</i>			C	
Yellow Woodsorrel	<i>Oxalis stricta</i>				S
Grassy Weeds and Monocots					
Annual Bluegrass	<i>Poa annua</i>				C
Baldwin's flatsedge	<i>Cyperus croceus</i>		C		
Barnyardgrass	<i>Echinochloa crus-galli</i>		C		
Broadleaf Signalgrass	<i>Bracharia platyphylla</i>		C		
Browntop Panicum	<i>Panicum fasciculatum</i>		C		
Crowfootgrass	<i>Dactyloctenium aegypticum</i>		C		
Fall Panicum	<i>Panicum dichotomiflorum</i>		C		
Giant Foxtail	<i>Setaria faberi</i>		C		
Green Foxtail	<i>Setaria viridis</i>		C		
Itchgrass	<i>Rottboellia cochinchinensis</i>		C		
Japanese Stiltgrass	<i>Microstegium viminum</i>				C
Johnsongrass	<i>Sorghum halepense</i>				S
Jungle Rice	<i>Echinochloa colonum</i>				C
Large Crabgrass	<i>Digitaria sanguinalis</i>		C		
Lovegrass	<i>Eragrostis</i> spp.		C		
Nakedstem Dewflower	<i>Murdannia nudiflora</i>				C
Rattail Fescue	<i>Vulpia myuros</i>		C		
Red Sorrell	<i>Rumex acetosella</i>			C	
Rescuegrass ²	<i>Bromus catharticus</i> ²				S
Rice Flatsedge	<i>Cyperus iria</i>				C
Smooth Crabgrass	<i>Digitaria ischaemum</i>				C
Sprangletop	<i>Leptochloa</i> spp.			C	
Texas Panicum	<i>Panicum texanum</i>		C		
Witchgrass	<i>Panicum capillare</i>		C		
Woolly Cupgrass	<i>Eriochloa villosa</i>		C		
Yellow Foxtail	<i>Setaria lutescens</i>		C		

C,¹ Controlled at the indicated rate. To control this weed, apply Gemini® Granular in late summer, fall, or winter before weeds germinate.

S,² Suppression only at the indicated rate.

**CONTAINER, FIELD-GROWN AND LANDSCAPE
ORNAMENTAL PLANTINGS INCLUDING CHRISTMAS
TREE FARMS**

Product Information

Apply Gemini® Granular to soil surfaces for preemergence control of listed grass and broadleaf weeds around ornamental shrubs and trees, established perennial vegetation and wildflower plantings and Christmas tree farms. See **Table 2** for a list of weeds controlled.

USE RESTRICTIONS - Container, Field-grown, and Landscape Ornamental Plantings and Christmas Tree Farms

- Do not apply Gemini® Granular to seedbeds, or seedling transplant beds. Only apply to established plantings.
- Do not apply to unrooted liners or cuttings.
- Do not apply to pots less than six inches wide.
- Do not apply to ground covers until they are established and well rooted.
- Do not apply to bedding plants or areas where bedding plants will be planted or transplanted within one year after application.
- Do not apply Gemini® Granular to plants inside enclosed structures.
- Do not cover plants treated with Gemini® Granular until 21 days have passed after application.
- Do not apply Gemini® Granular to newly transplanted ornamentals, nursery stock, or ornamental bulbs. Delay application until soil has settled and roots have formed.
- Do not apply after emergence of ornamental bulbs.
- Do not apply to wet foliage.

USE PRECAUTIONS - Container, Field-grown, and Landscape Ornamental Plantings and Christmas Tree Farms

- Disturbing the herbicide barrier with cultural practices that disturb the soil surface such as, but not limited to; moving planted containers, pulling emerged weeds, digging, disking, harrowing, and deep raking can result in reduced weed control.
- Applications of Gemini® Granular over the top of plants with newly forming buds may cause injury. Possible plant injury may be avoided by application as a direct application to the soil surface beneath ornamental plants.

Timing and Method of Application

Gemini® Granular is a preemergence herbicide and will not control listed grass or broadleaf weeds post-germination. It works best when applied to soil that is free of clods, weeds and debris and is activated by at least 0.5 inches of irrigation or rainfall or shallow incorporation to a depth of 1 to 2 inches. Weed control is improved if Gemini® Granular is activated in the soil before weed seeds germinate and within 14 days after application. Apply Gemini® Granular to newly-transplanted and established ornamentals as an over-the-top application.

Plant Sensitivity

Direct application of Gemini® Granular to rapidly growing tissue or buds can injure plants. In the spring when buds are rapidly growing and expanding, over-the-top application of Gemini® Granular can injure new growth. However, these effects are temporary. To reduce the possibility of injury, wait to apply Gemini® Granular over the top of newly emerged vegetation until it has hardened off, unless your experience indicates that the plant in question will not be injured by the over-the-top application. After application, immediately apply overhead irrigation to the foliage to rinse Gemini® Granular from plant surfaces onto soil. Apply only to dry foliage to minimize the risk of crop injury.

Table 3. Amount of Gemini® Granular to Apply to Container, Field Grown, and Landscape Ornamental Plantings and Christmas Trees Farms

Amount to Apply	When to Apply	Comments/Instructions
100-200 lbs to the acre or 37-75 oz./1,000 sq ft	Any time weed germination is expected.	<ul style="list-style-type: none">• Use the higher amount for longer control.• Gemini® Granular can be applied more than once per year as long as the total amount of product applied does not exceed 375 lbs./acre (2.44 lbs. active ingredient/acre) per year.

Table 4. Application Sites and Instructions for Gemini® Granular Use on Container, Field Grown, and Landscape Ornamental Plantings and Christmas Tree Farms

Site	Application Instructions
Newly-Transplanted Container or Field Nursery Stock	<ul style="list-style-type: none"> Do not apply until soil has settled around transplants and roots have formed. Do not apply to wet foliage as damage may occur. Apply after cuttings form roots and are established. To avoid inhibition of the tissue union, apply before budding/grafting or after buds/grafts have taken. Do not apply to pots less than six inches wide
Established Container, Field Nursery Stock, or Landscape Plants	<ul style="list-style-type: none"> Apply at any time as an over-the-top, or soil directed application.
Landscape (or Ornamental) Plantings	<ul style="list-style-type: none"> Apply as an over-the-top, or as a soil directed application. Delay applications to newly transplanted ornamentals until soil has settled around transplants.
Bare Ground Application for Container Placement	<ul style="list-style-type: none"> Apply to soil (including mulch, gravel, wood chips, or other permeable base) upon which containerized ornamentals are placed. After Gemini® Granular is applied, use post-emergence herbicides to control break through weeds. Or if necessary, perform shallow cultivation or hand weeding to avoid disturbing the herbicide barrier.
In Shadehouses and Uncovered Polyhouses	<ul style="list-style-type: none"> After Gemini® Granular is applied, houses must remain uncovered for at least 21 days. In addition, plants must receive 2 irrigations totaling at least 0.5 inches of water before covering.
Ornamental Bulbs (Not for use on ornamental bulbs grown for commercial production in California).	<ul style="list-style-type: none"> Gemini® Granular can be applied to bulbs. Apply before bulbs emerge. Do not apply after emergence.

Ornamental Plant Sensitivity

Gemini® Granular will not likely harm the trees, shrubs, vines and flowers listed below in **Table 5**. Gemini® Granular can be applied over the top of the listed species. The species that are sensitive to Gemini® Granular when grown in containers are indicated.

When plants are under stress (such as heat, drought, or frost/freeze exposure), some cultivars of listed plants may be sensitive to Gemini® Granular.

Table 5. Plants Not Likely To Be Injured By Gemini® Granular At Any of the Listed Application Rates

Scientific name	Common name
<i>Abelia grandiflora</i> cv. Edward Goucher	Abelia 'Edward Goucher'
<i>Abelia grandiflora</i>	Glossy Abelia
<i>Abelia grandiflora</i> cv. Sherwood [†]	Abelia 'Sherwood' [†]
<i>Abies balsamea</i>	Balsam Fir
<i>Abies concolor</i>	Concolor Fir
<i>Acacia abyssinica</i>	Abyssinica Acacia
<i>Acacia redolens</i>	Prostrate Acacia
<i>Acacia stenophyll</i>	Shoestring Acacia
<i>Actinidia chinensis</i> *	Kiwi*
<i>Akebia quinata</i> [†]	Five-leaf or Chocolate Vine [†]
<i>Albizia julibrissin</i>	Mimosa; Silk Tree
<i>Allium cernuum</i> [†]	Lady's Leek, Nodding Onion [†]
<i>Alsophila australis</i>	Australian Tree Fern
<i>Amelanchier alnifolia</i>	Saskatoon Serviceberry
<i>Andromeda polifolia</i>	Bog Rosemary
<i>Anisodontea hypomandarum</i>	Cape Mallow
<i>Aptenia cordifolia</i> cv. Red Apple	Aptenia 'Red Apple'
<i>Archontophoenix cunninghamiana</i>	King Palm
<i>Arctostaphylos densiflora</i>	Vine Hill Manzanita
<i>Arctostaphylos uva-ursi</i>	Bearberry
<i>Arctotheca calendula</i>	Cape Weed
<i>Ardisia japonica</i> cv. Chirimen	Marlberry 'Chirimen'
<i>Argyranthemum frutescens</i> cv. Butterfly	Argyranthemum 'Butterfly'
<i>Armeria maritima</i> cv. Bloodstone	Sea Thrift 'Bloodstone'
<i>Artemisia lactiflora</i>	White Mugwort
<i>Asparagus densiflorus</i>	Foxtail Fern
<i>Asparagus retrofractus</i>	Ming Asparagus Fern
<i>Aucuba japonica</i>	Japanese Aucuba
<i>Aucuba japonica</i> cv. Goldstrike	Aucuba 'Goldstrike'; Goldstrike Japanese Laurel
<i>Baccharis pilularis</i>	Coyote bush
<i>Bauhinia galpinii</i>	Red Bauhinia
<i>Berberis thunbergii</i> cv. Crimson Pygmy	Japanese Barberry 'Crimson Pygmy'
<i>Berberis thunbergii</i> cv. Concord	Japanese Barberry 'Concord'
<i>Betula nigra</i>	River Birch
<i>Betula papyrifera</i>	Paper Birch
<i>Betula pendula</i>	European White Birch
<i>Bidens ferulifolia</i> cv. Peter's Gold	Bidens 'Peter's Gold'
<i>Boltonia asteroides</i> cv. Snowbank [†]	Boltonia 'Snowbank' [†]
<i>Bougainvillea</i> spp. cv. Barbara Karst	Bougainvillea 'Barbara Karst'
<i>Bougainvillea</i> spp. cv. California Gold	Bougainvillea 'California Gold'
<i>Bougainvillea</i> spp. cv. Pink Pixie	Bougainvillea 'Pink Pixie'
<i>Bougainvillea</i> spp. cv. Scarlet O'Hara	Bougainvillea 'Scarlet O'Hara'
<i>Bougainvillea</i> spp. cv. Temple Fire	Bougainvillea 'Temple Fire'

Scientific name	Common name
<i>Bougainvillea</i> spp. cv. Texas Dawn	Bougainvillea 'Texas Dawn'
<i>Bougainvillea</i> spp. cv. Purple Queen	Bougainvillea 'Purple Queen'
<i>Bougainvillea</i> spp. cv. Rosenka	Bougainvillea 'Rosenka'
<i>Brachychiton populneus</i>	Bottle Tree
<i>Brachycome</i> cv. New Amethyst	Swan River Daisy 'New Amethyst'
<i>Bucida buceras</i>	Black Olive
<i>Buxus microphylla</i>	Japanese Boxwood
<i>Buxus microphylla</i> cv. Green Beauty	Boxwood 'Green Beauty'
<i>Buxus sempervirens</i>	Common Boxwood
<i>Calluna vulgaris</i>	Scotch Heather
<i>Calluna vulgaris</i> cv. Spring Torch	Scotch Heather 'Spring Torch'
<i>Camellia japonica</i>	Japanese Camellia
<i>Campsis x tagliabuana</i> cv. Madame Galen [†]	Trumpet Creeper 'Madame Galen' [†]
<i>Carex albula</i> cv. Frosty Curls	Sedge 'Frosty Curls'
<i>Carpobrotus edulis</i>	Ice Plant
<i>Cassia artemisioides</i>	Feathery Cassia
<i>Cassia eremophila</i>	Senna
<i>Cephalotaxus harringtonia</i>	Japanese Plum Yew
<i>Ceratonia siliqua</i>	Carob
<i>Ceratostigma plumbaginoides</i> [†]	Hardy Plumbago [†]
<i>Ceratostigma willmottianum</i>	Chinese Plumbago
<i>Cercis canadensis</i>	Redbud
<i>Chaenomeles japonica</i>	Orange Flowering Quince
<i>Chamaecyparis obtusa</i> cv. Kosteri	Cypress 'Kosteri'
<i>Chamaecyparis obtusa</i> cv. Dwarf Hinoki	Cypress 'Dwarf Hinoki'
<i>Chamaecyparis obtusa</i> cv. Torulosa	Cypress 'Torulosa'
<i>Chamaecyparis obtusa</i>	Fernspray False Cypress
<i>Chamaecyparis obtusa</i>	Slender Hinoki False Cypress
<i>Chamaecyparis pisifera</i>	False Cypress
<i>Chamaecyparis pisifera</i> cv. Squarrosa Minima	False Cypress 'Squarrosa Minima'
<i>Chamaecyparis pisifera</i>	Threadleaf False Cypress
<i>Chamaedorea cataractarum</i>	Cat Palm
<i>Chamaedorea costaricana</i>	Costa Rica Chamaedorea Palm
<i>Chamaedorea elegans</i>	Parlor Palm
<i>Chamaerops humilis</i>	European Fan Palm, Mediterranean Fan Palm
<i>Clethra alnifolia</i>	Summersweet
<i>Cleyera japonica</i>	Cleyera, Japanese Cleyera
<i>Clivia miniata</i>	Kafir Lily
<i>Coleonema pulchrum</i>	Pink Breath of Heaven
<i>Convolvulus cneorum</i>	Bush Morning Glory
<i>Convolvulus mauritanicus</i>	Ground Morning Glory
<i>Cornus florida</i> cv. Cloud Nine	Dogwood 'Cloud Nine'
<i>Cornus florida</i>	Flowering Dogwood
<i>Cornus kousa</i>	Kousa Dogwood
<i>Cotinus coggygria</i> cv. Royal Purple	Smoke Tree 'Royal Purple'
<i>Cotoneaster adpressus</i>	Early Creeping Cotoneaster
<i>Cotoneaster apiculatus</i>	Cranberry Cotoneaster

Scientific name	Common name
<i>Cotoneaster buxifolius</i>	Box Leafed Cotoneaster
<i>Cotoneaster congestus</i>	Pyrenees Cotoneaster
<i>Cotoneaster dammeri</i>	Bearberry Cotoneaster
<i>Cotoneaster horizontalis</i>	Rockspray Cotoneaster
<i>Cotoneaster microphyllus</i>	Chinese Rockspray; Littleleaf Cotoneaster
<i>Cotoneaster simonsii</i>	Himalayan or Simon's Cotoneaster
<i>Crataegus viridis</i>	Green Hawthorn
<i>Cryptomeria japonica</i>	Japanese Cryptomeria
<i>Cupaniopsis anacardioides</i>	Carrot Wood
<i>Cuphea hyssopifolia</i>	False or Mexican Heather
<i>x Cupressocyparis leylandii</i> cv. Emerald Isle	Leyland Cypress 'Emerald Isle'
<i>x Cupressocyparis leylandii</i> cv. Naylor's Blue	Leyland Cypress 'Naylor's Blue'
<i>Cupressus arizonica</i>	Arizona Cypress
<i>Cupressus arizonica</i> cv. Blue Pyramid	Arizona Cypress 'Blue Pyramid'
<i>Cupressus sempervirens</i>	Italian Cypress
<i>Cupressus sempervirens</i> cv. Glauca	Italian Cypress 'Glauca'
<i>Cycas revoluta</i>	Sago Palm
<i>Cyperus albostriatus</i>	Dwarf Umbrella Grass
<i>Cyrtomium fortunei</i>	Holly Fern
<i>Cytisus x praecox</i>	'Hollandia' or Warminster Broom
<i>Cytisus scoparius</i>	Scotch Broom
<i>Dalea greggii</i>	Trailing Indigo Bush
<i>Daphne cneorum</i>	Rose Daphne
<i>Daphne odora</i>	Fragrant Daphne
<i>Dieteria vegeta</i>	Fortnight Lily
<i>Dodonaea viscosa</i>	Hopseed Bush
<i>Dymondia margaretae</i>	Diamond Marguerite
<i>Dypsis lutescens</i>	Areca Palm
<i>Elaeagnus x ebbingei</i>	Gild Edge Elaeagnus
<i>Elaeagnus pungens</i>	Silverberry
<i>Elaeagnus pungens</i> cv. Fruitlandii	Silverberry 'Fruitlandii'
<i>Enkianthus campanulatus</i>	Red Veined Enkianthus
<i>Ensete ventricosum</i>	Abyssinian Banana
<i>Erianthus ravennae</i>	Hardy Pampasgrass
<i>Erica cinerea</i>	Purple Bell Heather
<i>Erica x darleyensis</i> cv. Mediterranean Pink	Heather 'Mediterranean Pink'
<i>Erica vagans</i>	Cornish Heather
<i>Erigeron speciosus</i> cv. Darkest of All	Fleabane 'Darkest of All'
<i>Escallonia</i> spp.	Escallonia
<i>Eucalyptus camaldulensis</i>	Red Gum Eucalyptus
<i>Eucalyptus cinerea</i>	Silver Dollar Eucalyptus
<i>Eucalyptus microtheca</i>	Coolibah Tree
<i>Eucalyptus sideroxylon</i>	Red Ironbark Eucalyptus
<i>Eugenia myrtifolia</i> cv. Teenie Genie	Brushcherry 'Teenie Genie'
<i>Eugenia myrtifolia</i>	Dwarf Brush Cherry
<i>Euonymus japonicus</i>	Japanese Spindle Tree
<i>Euonymus japonicas</i> cv. Gold Spot	Euonymus 'Gold Spot'
<i>Fagus sylvatica</i>	European Beach
<i>Fatsia japonica</i>	Japanese Aralia

Scientific name	Common name
<i>Festuca ovina</i>	Blue or Sheep Fescue
<i>Forsythia x intermedia</i>	Border Forsythia
<i>Forsythia</i> cv. Spring Glory	Forsythia 'Spring Glory'
<i>Forsythia suspensa</i> [†]	Weeping Forsythia [†]
<i>Forsythia viridissima</i>	Greenstem Forsythia
<i>Fraxinus udheii</i>	Shamel Ash
<i>Fuchsia</i>	Santa Clause Fuchsia
<i>Gaultheria procumbens</i>	Wintergreen
<i>Gelsemium sempervirens</i>	Carolina Jessamine
<i>Genista pilosa</i>	Woadwaxen
<i>Ginkgo biloba</i>	Ginko
<i>Gleditsia triacanthos</i>	Honey Locust
<i>Hakonechloa macrocv. Aureola</i>	Golden Hakonechloa 'Aureola'
<i>Hamamelis virginiana</i>	Common Witch Hazel
<i>Hardybergia violacea</i>	Lilac Vine
<i>Hebe buxifolia</i>	Boxleaf Hebe
<i>Hedera canariensis</i>	Algerian Ivy
<i>Hedera helix</i>	English Ivy
<i>Helichrysum petiolare</i> cv. White Licorice	Helichrysum 'White Licorice'
<i>Hesperaloe parvifolia</i>	Red Yucca
<i>Hosta x cv. Francee</i>	Hosta 'Francee' Plantain Lily
<i>Hosta x cv. Patriot</i>	Hosta 'Patriot' Plantain Lily
<i>Hosta lancifolia</i>	Albo Marginata Hosta
<i>Hosta lancifolia</i>	Narrow Leafed Hosta (Plantain Lily)
<i>Hosta x cv. Fortunei</i>	Hosta 'Fortunei' Plantain Lily
<i>Hosta plantaginea</i> [†]	Hosta Plantain Lily [†]
<i>Houttuynia cordata</i>	Chameleon Houttuynia
<i>Hymenoxys acaulis</i>	Angelita Daisy
<i>Ilex x cv. Nellie R. Stevens</i>	Holly 'Nellie R Stevens'
<i>Ilex aquifolium</i>	Balkans English Holly
<i>Ilex aquifolium</i> cv. Gold Coast	English Holly 'Gold Coast'
<i>Ilex x aquipernyi</i> cv. San Jose	Holly 'San Jose'
<i>Ilex x attenuate</i> cv. Savannah	Holly 'Savannah'
<i>Ilex cassine</i>	Cassine Dahoon Holly
<i>Ilex cornuta</i> cv. Burford	Chinese Holly 'Burford'
<i>Ilex cornuta</i> cv. Needlepoint	Chinese Holly 'Needlepoint'
<i>Ilex cornuta</i> cv. Dwarf Burford	Chinese Holly 'Dwarf Burford'
<i>Ilex cornuta</i> **	Chinese Holly**
<i>Ilex crenata</i>	Japanese Holly
<i>Ilex crenata</i> cv. Convexa	Japanese Holly 'Convexa'
<i>Ilex crenata</i> cv. Green Luster	Japanese Holly 'Green Luster'
<i>Ilex crenata</i> cv. Hetzii	Japanese Holly 'Hetzii'
<i>Ilex crenata</i> cv. Steeds	Japanese Holly 'Steeds'
<i>Ilex crenata</i> cv. Stokes	Japanese Holly 'Stokes'
<i>Ilex glabra</i>	Nordic Inkberry Holly
<i>Ilex glabra</i> cv. Compacta	Inkberry 'Compacta'
<i>Ilex x meserveae</i> cv. Ebony Magic	Meserve Holly 'Ebony Magic'
<i>Ilex pernyi</i>	Perny Holly
<i>Ilex vomitoria</i>	Yaupon Holly
<i>Ilex vomitoria</i>	Dwarf Yaupon Holly
<i>Ilex vomitoria</i>	Weeping Yaupon Holly
<i>Illicium annisatum</i>	Japanese Star Anise
<i>Inula ensifolia</i>	Inula
<i>Ipomea acuminata</i> cv. Blue Dawn	Blue Dawn Morning Glory
<i>Iris ensata</i> cv. Jodelsong	Sword-Leaved Iris 'Jodlesong'

Scientific name	Common name
<i>Iris pumila</i>	Dwarf Bearded Iris
<i>Iris sibirica</i> cv. Cabernet	Siberian Iris 'Cabernet'
<i>Iris virginica</i>	Virginia Iris
<i>Itea virginica</i> cv. Henry's Garnet	Virginia Sweetspire 'Henry's Garnet'
<i>Jasminum nudiflorum</i>	Winter Jasmine
<i>Jasminum polyanthum</i>	Pink Jasmine
<i>Juniperus chinensis</i>	Chinese Juniper
<i>Juniperus chinensis</i> cv. Old Gold	Juniper 'Old Gold'
<i>Juniperus chinensis</i>	Pfitzer Juniper
<i>Juniperus chinensis</i> cv. Sea Green	Juniper 'Sea Green'
<i>Juniperus chinensis</i> cv. Torulosa	Juniper 'Torulosa', Hollywood Juniper
<i>Juniperus davurica</i> cv. Parsonii [†]	Juniper 'Parsonii', Parson's Juniper [†]
<i>Juniperus horizontalis</i>	Creeping Juniper (except Prince of Wales variety)
<i>Juniperus horizontalis</i> cv. Andorra Compacta	Creeping Juniper 'Andorra Compacta'
<i>Juniperus horizontalis</i> cv. Bar Harbor	Creeping Juniper 'Bar Harbor'
<i>Juniperus horizontalis</i> cv. Blue Chip	Creeping Juniper 'Blue Chip'
<i>Juniperus horizontalis</i> cv. Blue Rug	Creeping Juniper 'Blue Rug'
<i>Juniperus horizontalis</i> cv. Huntington Blue	Creeping Juniper 'Huntington Blue'
<i>Juniperus procumbens</i>	Japanese Garden Juniper
<i>Juniperus sabina</i> cv. Broadmoor	Savin Juniper 'Broadmoor'
<i>Juniperus sabina</i> cv. Hicksii	Savin Juniper 'Hicksii'
<i>Juniperus sabina</i>	Savin Juniper
<i>Juniperus scopulorum</i> cv. Emerald Green	Juniper 'Emerald Green'
<i>Juniperus scopulorum</i> cv. Wichita Blue	Juniper 'Wichita Blue'
<i>Juniperus virginiana</i>	Eastern Red Cedar
<i>Justicia brandegeana</i>	Shrimp Plant
<i>Kalmia latifolia</i>	Mountain Laurel
<i>Kniphofia uvaria</i> cv. Flamenco	Red Hot Poker 'Flamenco'
<i>Lagerstromia indica</i> and hybrids	Crape Myrtle
<i>Leucophyllum frutescens</i>	Texas Sage
<i>Leucophyllum laevigatum</i>	Chihuahuan Sage
<i>Leucothoe axillaris</i>	Coast Leucothoe
<i>Leucothoe fontanesiana</i>	Drooping Leucothoe
<i>Ligustrum vulgare</i> cv. Cheyenne	Common Privet 'Cheyenne'
<i>Ligustrum vulgare</i> cv. Lodense	Common Privet 'Lodense'
<i>Ligustrum amurense</i>	Amur Privet
<i>Ligustrum japonicum</i>	Japanese Privet
<i>Ligustrum lucidum</i>	Glossy Privet
<i>Ligustrum ovalifolium</i>	California Privet
<i>Ligustrum sinense</i> [†]	Chinese Privet [†]
<i>Ligustrum sinense</i> cv. Variegatum [†]	Chinese Privet 'Variegatum' [†]
<i>Liquidambar styraciflua</i>	American Sweetgum
<i>Liriopae gigantea</i>	Giant Lily Turf
<i>Liriopae muscari</i> cv. Big Blue	Liriopae 'Big Blue'
<i>Liriopae muscari</i> cv. Lilac Beauty	Liriopae 'Lilac Beauty'

Scientific name	Common name
<i>Liriope muscari</i> cv. Majestic	Liriope 'Majestic'
<i>Liriope muscari</i> cv. Monroe White	Liriope 'Monroe White'
<i>Liriope muscari</i> cv. Silvery Sunproof	Liriope 'Silvery Sunproof'
<i>Liriope muscari</i> cv. Variegata	Liriope 'Variegata'
<i>Liriope spicata</i> [†]	Creeping Liriope [†]
<i>Liriope spicata</i> cv. 'Silver Dragon'	Liriope 'Silver Dragon'
<i>Lobelia cardinalis</i> [†]	Cardinal Flower, Indian Pink [†]
<i>Lonicera fragrantissima</i>	Winter Honeysuckle
<i>Lonicera periclymenum</i>	Flowering Woodbine
<i>Lonicera periclymenum</i> cv. Serotina	Woodbine 'Serotina'
<i>Lonicera sempervirens</i>	Trumpet Honeysuckle
<i>Lonicera tatarica</i>	Tatarian Honeysuckle
<i>Loropetalum chinense</i> cv. Burgundy [†]	Loropetalum 'Burgundy' [†]
<i>Loropetalum chinense</i> cv. Ruby [†]	Loropetalum 'Ruby' [†]
<i>Loropetalum chinense</i> cv. Sizzling Pink [†]	Loropetalum 'Sizzling Pink' [†]
<i>Loropetalum chinense</i> cv. Razzleberri [†]	Loropetalum 'Razzleberri' [†]
<i>Lysimachia nummularia</i>	Moneywort
<i>Lysimachia punctata</i>	Dotted Loosestrife
<i>Magnolia grandiflora</i>	Southern Magnolia
<i>Magnolia x soulangeana</i>	Saucer Magnolia
<i>Magnolia stellata</i> cv. Royal Star	Magnolia 'Royal Star'
<i>Mahonia aquifolium</i>	Dwarf Oregon Grape Mahonia
<i>Mahonia japonica</i> cv. Bealei	Leather Leaf Mahonia 'Bealei'
<i>Mahonia repens</i>	Creeping Mahonia
<i>Malephora luteola</i>	Ice Plant
<i>Mandevilla splendens</i> cv. Red Riding Hood	Mandevilla 'Red Riding Hood'
<i>Matteuccia struthiopteris</i>	Ostrich Fern
<i>Michelia figo</i>	Banana Shrub
<i>Misanthus sinensis</i> cv. Silberfeder**	Maiden Grass 'Silberfeder'**
<i>Misanthus sinensis</i> cv. Yaku Jima*** [†]	Maiden Grass 'Yaku Jima'*** [†]
<i>Moraea iridioides</i>	African Iris
<i>Morella cerifera</i> (formerly <i>Myrica cerifera</i>)	Southern Waxmyrtle
<i>Morella pensylvanica</i> (formerly <i>Myrica pensylvanica</i>)	Northern Bayberry
<i>Morus alba</i> *	White Mulberry*
<i>Musa acuminata</i> *	Banana*
<i>Myoporum parvifolium</i> cv. Putah Creek	Myoporum 'Putah Creek'
<i>Nandina domestica</i>	Nandina
<i>Oenothera missouriensis</i> [†]	Ozark Sundrops, Evening Primrose [†]
<i>Oenothera speciosa</i> cv. Siskiyou	Evening Primrose 'Siskiyou'
<i>Olea europaea</i> *	Olive*
<i>Onoclea sensibilis</i>	Sensitive Fern
<i>Ophiopogon japonicus</i> **	Mondo Grass**
<i>Ophiopogon japonicus</i> **	Dwarf Mondo Grass**
<i>Origanum libanoticum</i>	Hopflower Oregano
<i>Osmanthus fragrans</i>	Sweet Olive Osmanthus

Scientific name	Common name
<i>Osmanthus heterophyllus</i>	Holly False Osmanthus
<i>Osmanthus heterophyllus</i> cv. Gulf Tide [†]	Holly False Osmanthus 'Gulf Tide' [†]
<i>Osteospermum fruticosum</i> [†]	Trailing African Daisy [†]
<i>Oxydendrum arboreum</i>	Sourwood
<i>Pachysandra terminalis</i> cv. Green Sheen	Japanese Spurge 'Green Sheen'
<i>Paeonia suffruticosa</i> [†]	Tree Peony [†]
<i>Penstemon</i> cv. Apple Blossom	Penstemon 'Apple Blossom'
<i>Phlox subulata</i>	Moss Pink
<i>Phoenix roebelenii</i>	Pygmy Date Palm
<i>Phormium tenax</i> cv. Jack Spratt	New Zealand Flax 'Jack Spratt'
<i>Physocarpus opulifolius</i>	Dwarf Ninebark
<i>Physostegia virginiana</i> cv. Vivid [†]	False Dragonhead 'Vivid' [†]
<i>Picea abies</i>	Norway Spruce
<i>Picea abies</i>	Weeping Norway Spruce
<i>Picea abies</i>	Spreading Norway Spruce
<i>Picea glauca</i>	White Spruce
<i>Picea glauca</i> var. Albertiana	Dwarf Alberta Spruce
<i>Picea pungens</i>	Colorado Blue Spruce
<i>Picea pungens</i> cv. Hoopsii	Hoop's Blue Spruce
<i>Picea pungens</i> cv. Koster	Koster's Blue Spruce
<i>Pieris japonica</i>	Pieris, Japanese Andromeda
<i>Pieris japonica</i> cv. Mountain of Fire	Pieris 'Mountain of Fire'
<i>Pieris japonica</i> cv. Snowdrift	Pieris 'Snowdrift'
<i>Pieris japonica</i> cv. Temple Bells	Pieris 'Temple Bells'
<i>Pieris japonica</i> cv. Valley Rose	Pieris 'Valley Rose'
<i>Pieris japonica</i> cv. Valley Valentine	Pieris 'Valley Valentine'
<i>Pinus aristata</i>	Bristlecone Pine
<i>Pinus brutia</i>	Calabrian Pine
<i>Pinus canariensis</i>	Canary Island Pine
<i>Pinus contorta</i>	Shore Pine
<i>Pinus eldarica</i>	Eldarica Pine
<i>Pinus elliottii</i>	Slash Pine
<i>Pinus halepensis</i>	Aleppo Pine
<i>Pinus leucodermis</i>	Bosnian Pine
<i>Pinus mugo</i>	Mugo Pine
<i>Pinus nigra</i>	Austrian Black Pine
<i>Pinus palustris</i>	Longleaf Pine
<i>Pinus radiata</i>	Monterey Pine
<i>Pinus strobus</i>	Eastern White Pine
<i>Pinus sylvestris</i>	Scotch Pine
<i>Pinus sylvestris</i> cv. Fastigiata	Columnar Scotch Pine
<i>Pinus taeda</i>	Loblolly Pine
<i>Pinus thunbergii</i>	Japanese Black Pine
<i>Pinus virginiana</i>	Virginia Pine
<i>Pittosporum rhombifolium</i>	Queensland Pittosporum
<i>Pittosporum tenuifolium</i> cv. Golf Ball	'Golf Ball'
<i>Pittosporum tobira</i>	Japanese Pittosporum
<i>Pittosporum tobira</i> cv. Wheeleri	Pittosporum 'Wheeler's Dwarf'
<i>Platanus occidentalis</i>	American Sycamore
<i>Platanus racemosa</i>	California Sycamore
<i>Plumbago auriculata</i>	Plumbago

Scientific name	Common name
<i>Plumbago capensis</i>	Plumbago
<i>Podocarpus macrophyllus</i>	Yew Pine/Japanese Yew
<i>Polygala fruticosa</i>	Sweet Pea Shrub
<i>Polystichum acrostichoides</i>	Christmas Fern
<i>Polystichum polyblepharum</i>	Tassel Fern
<i>Populus deltoides</i>	Cottonwood
<i>Potentilla fragiformis</i>	Strawberry Cinquefoil
<i>Potentilla fruticosa</i>	Shrubby Cinquefoil
<i>Potentilla fruticosa</i> cv. Floppy Disc	Cinquefoil 'Floppy Disc'
<i>Potentilla fruticosa</i> cv. Gold Drop	Cinquefoil 'Gold Drop'
<i>Potentilla fruticosa</i> cv. Goldfinger	Cinquefoil 'Goldfinger'
<i>Potentilla fruticosa</i> cv. Red Ace	Cinquefoil 'Red Ace'
<i>Potentilla fruticosa</i> cv. Sunset	Cinquefoil 'Sunset'
<i>Potentilla fruticosa</i> cv. Tangerine	Cinquefoil 'Tangerine'
<i>Potentilla neumanniana</i>	Spring Cinquefoil
<i>Prosopis chilensis</i>	Chilean Mesquite
<i>Prunus laurocerasus</i>	English Laurel
<i>Prunus laurocerasus</i> cv. Otto Luyken	English Laurel 'Otto Luyken'
<i>Prunus caroliniana</i>	Carolina Cherry Laurel
<i>Prunus caroliniana</i> cv. Bright 'N Tight	Carolina Cherry Laurel Bright 'N Tight
<i>Prunus glandulosa</i>	Dwarf Flowering Almond
<i>Prunus x yedoensis</i>	Yoshino Cherry
<i>Pseudotsuga menziesii</i> **	Douglas Fir**
<i>Psidium cattleianum</i> *	Strawberry Guava*
<i>Pyracantha coccinea</i>	Scarlet Firethorn
<i>Pyracantha coccinea</i> cv. Lalandei	Firethorn 'Lalandei'
<i>Pyracantha fortuneana</i>	Pyracantha, Chinese Firethorn
<i>Pyracantha fortuneana</i> cv. Monon	Pyracantha 'Monon'
<i>Pyracantha fortuneana</i> cv. Red Elf	Pyracantha 'Red Elf'
<i>Pyracantha fortuneana</i> cv. Rutgers Hybrid	Pyracantha 'Rutgers Hybrid'
<i>Pyracantha koidzumii</i>	Pyracantha, Formosa Firethorn
<i>Pyracantha koidzumii</i> cv. Santa Cruz	Pyracantha 'Santa Cruz'
<i>Pyracantha koidzumii</i> cv. Victory	Pyracantha 'Victory'
<i>Quercus ilex</i>	Bear Oak
<i>Quercus palustris</i>	Pin Oak
<i>Quercus phellos</i>	Willow Oak
<i>Quercus rubra</i>	Eastern Red Oak
<i>Quercus shumardii</i> †	Shumard Oak†
<i>Ratibida columnifera</i>	Mexican Hat
<i>Ravenea rivularis</i>	Majesty Palm
<i>Rhaphiolepis indica</i>	Indian Hawthorn
<i>Rhaphiolepis indica</i> cv. Ballerina	Indian Hawthorn 'Ballerina'
<i>Rhaphiolepis indica</i> cv. Charisma	Indian Hawthorn 'Charisma'
<i>Rhaphiolepis indica</i> cv. Enchantress	Indian Hawthorn 'Enchantress'

Scientific name	Common name
<i>Rhaphiolepis indica</i> cv. Springtime	Indian Hawthorn 'Springtime'
<i>Rhaphiolepis umbellata</i>	Yedda Hawthorn
<i>Rhododendron x</i> cv. Delaware Valley White	Azalea 'Delaware Valley White'
<i>Rhododendron x</i> cv. Fashion	Azalea 'Fashion'
<i>Rhododendron x</i> cv. George Tabor	Azalea 'George Tabor'
<i>Rhododendron x</i> cv. Girard's Roberta	Azalea 'Girard Roberta'
<i>Rhododendron x</i> cv. Girard's Crimson	Azalea 'Girard Crimson'
<i>Rhododendron x</i> cv. Helmut Vogel	Azalea 'Helmut Vogel'
<i>Rhododendron x</i> cv. Hershey Red	Azalea 'Hershey Red'
<i>Rhododendron x</i> cv. Inga	Azalea 'Inga'
<i>Rhododendron x</i> cv. Tradition	Azalea 'Tradition'
<i>Rhododendron x</i> cv. Wakeiebusu	Azalea 'Wakeiebusu'
<i>Rhododendron x kaempferi</i> cv. Blue Danube	Blue Danube Azalea
<i>Rhododendron x ponticum</i> cv. Chionoides	Rhododendron 'Chionoides'
<i>Rhododendron x racemosum</i> cv. Scarlet Wonder	Rhododendron 'Scarlet Wonder'
<i>Rhododendron fastigiatum</i> x <i>carolinianum</i>	Ramapo Rhododendron
<i>Rhododendron forrestii</i> x <i>griersonian</i> cv. Elizabeth	Rhododendron 'Elizabeth'
<i>Rhododendron calendulaceum</i>	Flame Azalea
<i>Rhododendron calendulaceum</i> cv. Klondyke	Flame Azalea 'Klondyke'
<i>Rhododendron occidentale</i> cv. Irene Koster	Azalea 'Irene Koster'
<i>Rhododendron indicum</i> cv. President Clay	Azalea 'President Clay'
<i>Rhododendron mucronulatum</i>	Korean Rhododendron
<i>Rhododendron obtusum</i>	Kurume Azalea
<i>Rhododendron racemosum</i> cv. Trilby	Rhododendron 'Trilby'
<i>Rosa banksiae</i>	Lady Bank's Rose
<i>Rumohra adiantiformis</i>	Leatherleaf Fern
<i>Salix babylonica</i>	Babylon Weeping Willow
<i>Santolina virens</i>	Green Lavender Cotton
<i>Sasa pygmaea</i>	Dwarf Bamboo
<i>Scutellaria resinoso</i>	Sticky Skullcap
<i>Sequoia sempervirens</i>	Coast Redwood
<i>Sequoiadendron giganteum</i>	Giant Sequoia
<i>Skimmia japonica</i>	Japanese Skimmia
<i>Skimmia reevesiana</i>	Reeves Skimmia
<i>Solanum rantonnetii</i>	Paraguay Nightshade
<i>Spiraea x bumalda</i> cv. Anthony Waterer†	Spiraea 'Anthony Waterer'†
<i>Spiraea japonica</i> cv. Magic Carpet	Spiraea 'Magic Carpet'
<i>Spiraea japonica</i> cv. Neon Flash	Spiraea 'Neon Flash'
<i>Spiraea japonica</i> cv. Shirobana	Spiraea 'Shirobana'
<i>Spiraea japonica</i> x <i>vanhouttei</i>	Vanhoutte Spirea

Scientific name	Common name
<i>Streptosolen jamesonii</i>	Marmalade Bush
<i>Swietenia mahogani</i>	Mahogany
<i>Syringa vulgaris</i>	Common Lilac
<i>Taxus cuspidata</i>	Japanese Yew
<i>Taxus x media</i> [†]	Yew [†]
<i>Tecomaria capensis</i>	Cape Honeysuckle
<i>Ternstroemia gymnanthera</i>	Japanese Ternstroemia
<i>Teucrium fruticans</i>	Bush Germander
<i>Thalictrum dipterocarpum</i> [†]	Meadow Rue [†]
<i>Thevetia nerifolia</i>	Yellow Oleander
<i>Thuja occidentalis</i>	American Arborvitae
<i>Thuja occidentalis</i> cv. Emerald	Arborvitae 'Emerald'
<i>Thuja occidentalis</i> cv. Globe	Arborvitae 'Globe'
<i>Thuja occidentalis</i> cv. Little Giant	Arborvitae 'Little Giant'
<i>Thuja occidentalis</i> cv. Pyramidal	Pyramidal Arborvitae
<i>Thuja occidentalis</i> cv. Rheingold	Rheingold Arborvitae
<i>Thuja occidentalis</i> cv. Techny	Techny Arborvitae
<i>Thuja occidentalis</i> cv. Woodwardii	Woodward's Arborvitae
<i>Tibouchina urvilleana</i>	Princess Flower
<i>Trachelospermum asiaticum</i>	Asian Star Jasmine, Star Jasmine
<i>Trachycarpus fortunei</i>	Windmill Palm
<i>Tsuga canadensis</i>	Canadian Hemlock, Eastern Hemlock
<i>Tulbaghia violacea</i>	Society Garlic
<i>Ulmus parvifolia</i>	Chinese Elm
<i>Viburnum carlesii</i>	Korean Spice Viburnum
<i>Viburnum davidii</i>	David Viburnum
<i>Viburnum japonicum</i>	Japanese Viburnum
<i>Viburnum lantana</i>	Wayfaring Tree
<i>Viburnum odoratissimum</i>	Sweet Viburnum
<i>Viburnum plicatum</i>	Japanese Snowball
<i>Viburnum plicatum</i> f. <i>tomentosum</i>	Doublefile Viburnum
<i>Viburnum x pragense</i>	Prague Viburnum
<i>Viburnum setigerum</i>	Tea Viburnum
<i>Viburnum tinus</i>	Laurustinus
<i>Viburnum tinus</i> cv. Spring Bouquet	Laurustinus 'Spring Bouquet'
<i>Viburnum tinus</i> subsp. <i>rigidum</i>	Canary Island Viburnum
<i>Viburnum trilobum</i>	American Cranberrybush
<i>Viburnum wrightii</i>	Wright's Viburnum or Leatherleaf
<i>Vinca major</i>	Bigleaf Periwinkle
<i>Vinca minor</i>	Dwarf Periwinkle
<i>Washingtonia robusta</i>	Mexican Fan Palm
<i>Xylosma senticosa</i>	Shiny Xylosma
<i>Yucca aloifolia</i>	Spanish Bayonet
<i>Yucca filamentosa</i>	Yucca, Adam's Needle
<i>Zamia furfuracea</i>	Cardboard Palm

[†]Not for use in California

*Do not use on food producing trees, vines, or plants.

**Not for use on container grown plants.

Table 6. Do Not Use This Product For Weed Control In The Following Ornamental Plant Species:

Scientific Name	Common Name
<i>Ajuga</i> spp.	Bugleweed or Ajuga
<i>Brassica</i> spp.	Mustard
<i>Echinacea purpurea</i>	Purple Coneflower
<i>Euonymus alatus</i> 'Compacta'	Dwarf Burning Bush
<i>Euphorbia</i> spp.	Spurge
<i>Hydrangea</i> spp.	Hydrangea
<i>Iberis</i> spp.	Candytuft
<i>Juniperus horizontalis</i> 'Prince of Wales'	Prince Of Wales Juniper
<i>Melaleuca quinquenervia</i>	Cajeput Tree
<i>Rhododendron carolinianum</i>	Carolina Rhododendron
<i>Rhododendron catawbiense</i>	Roseum Elegans Rhododendron
<i>Roseum elegans</i>	
<i>Sedum</i> spp.	Stonecrop
<i>Yucca recurvifolia</i>	Green Yucca

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a clean, dry place. Re-seal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DISCLAIMER AND LIMITATION OF LIABILITY

IMPORTANT NOTICE FROM EVERRIS NA INC. ("Everris"). PLEASE READ BEFORE USE.

To the extent consistent with applicable law, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Everris. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and is reasonably fit for the purposes set forth in the directions for use on the label when used in accordance with those directions. This warranty is subject to the conditions and limitations stated herein. Everris recognizes that the rights and rem-

edies of the user or buyer are subject to the provisions of the applicable law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Everris is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable law, Everris disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable law, the exclusive remedy of the user or buyer and the liability of Everris or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or Buyer for the quantity of this product involved or, at Everris' election, the replacement of the product. To the extent consistent with applicable law, Everris must have prompt notice of any claim so that a timely investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify Everris of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

Manufactured for:

Everris NA Inc.
PO Box 3310
Dublin, OH 43016
Customer Service: 1-800-492-8255 or 314-983-7500

Gemini® is a registered trademark of Everris International BV.

SPECIMEN
LABEL