



NUTSEGE KILLER

FOR LAWNS

ELIMINADOR DE JUNCIAS
PARA CESPEDES

**KILLS YELLOW & PURPLE
NUTSEGE, KYLLINGA, &
Over 50 Other Tough Weeds**

**KEEP OUT OF REACH OF CHILDREN
CAUTION** See other panels for additional
precautionary information.

**MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION** Vea los demás paneles para conocer
más información de precaución.

Active Ingredient:	
Sulfentrazone	0.05%
Other Ingredients	99.95%
Total	100.00%



LB2614

NET CONTENTS / CONTENIDO NETO 24 fl oz (709 ml)



FIRST AID

IF SWALLOWED	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.

For information regarding the use of this product call 1-800-225-2883.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Keep children and pets out of the treated area until sprays have dried.

ENVIRONMENTAL HAZARDS

This product is toxic to marine/estuarine invertebrates. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy or when heavy rainfall is expected. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not used in accordance with directions.



Questions, Comments or Medical Information
Preguntas, comentarios o información médica
call 1-800-225-2883 www.ortho.com

Sold by
The ORTHO Group
P.O. Box 190
Marysville, OH 43040

©2012 The ORTHO Group. World rights reserved.
EPA Reg. No. 279-3354-239
EPA Est. No. 239-IA-3; 58996-MO-1A,
085652-OH-1W; 239-MS-001M
Superscript is first letter of lot number.

LB2613



NUTSEGE KILLER

FOR LAWNS

ELIMINADOR DE JUNCIAS PARA CESPEDES

OPEN
Resealable Label
for Directions
& Precautions
Español ver página 7

KILLS:



Yellow & Purple
Nutsedge



Kyllinga



Wild Violets



Dollarweed

- For Northern & Southern Turf Grasses
- Guaranteed Results



Questions, Comments or Medical Information
Preguntas, comentarios o información médica
call 1-800-225-2883 www.ortho.com

FPO

0 71549 04318 6
999431810

Sold by
The ORTHO Group
PO Box 190
Marysville, OH 43040

©2012 The ORTHO Group. World rights reserved.
EPA Reg. No. 279-3354-239
EPA Est. No. 239-IA-3f, 58996-MO-1A,
085652-OH-1W, 239-MS-001M
Superscript is first letter of
lot number.



LB2613

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Observe all cautions and limitations on this label. The use of **Ortho® Nutsedge Killer for Lawns** not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

PRODUCT FACTS

KILLS	Sedges and Broadleaf Weeds: Purple and Yellow Nutsedge, Kyllinga, Plantain, Clover, Spurge, Woodsorrel, Knotweed, Chickweed, Curly Dock, Wild Onion, Wild Garlic, and other listed weeds.
USE ON	Well established turf grasses. Cool Season Grasses: Creeping Bentgrass, Fine & Tall Fescue, Perennial Ryegrass, Kentucky & Rough Bluegrass Warm Season Grasses: Bahiagrass, Bermudagrass, Buffalograss, Carpetgrass, Centipedegrass, Kikuyugrass, Seashore Paspalum, St. Augustinegrass, Zoysiagrass
HOW TO USE	Spot spray weed directly until well covered. Some weeds may require repeat application. (See detailed instructions.)
WHEN TO USE	As weeds are small and actively growing.

PRODUCT INFORMATION

Ortho® Nutsedge Killer for Lawns selectively controls tough weeds like purple and yellow nutsedge (nutgrass), kyllinga, wild onion and garlic, broadleaf plantain, purslane, redroot pigweed, dandelion, spurge, and other listed annual, biennial, and broadleaf weeds in a great variety of lawns, including:

Cool Season Grasses	
Creeping Bentgrass	Kentucky Bluegrass
Tall Fescue	Rough Bluegrass
Fine Fescue	Ryegrass (perennial)
Warm Season Grasses	
Bermudagrass	Buffalograss
St. Augustinegrass	Bahiagrass
Zoysiagrass	Kikuyugrass
Carpetgrass	Seashore Paspalum
Centipedegrass	

This unique formula kills weeds fast. **Ortho® Nutsedge Killer for Lawns** involves uptake by both weed roots and shoots. Complete kill should occur in 2-3 weeks. **Ortho® Nutsedge Killer for Lawns** also controls nutlets in the soil.

APPLICATION INSTRUCTIONS AND PRECAUTIONS

Twist open nozzle. Spot spray weed directly onto weed until well covered. Some weeds may require repeat application (see detailed instruction below).

Wait at least 4 weeks after treatment before reseeding, winter overseeding, or plugging lawns.

For best results, apply to weeds when less than 3 inches high.

Avoid applying when windy to prevent product drifting to other plants.

Try to avoid overlap spraying.

Do not spray over-the-top of flowers, ornamentals (including herbaceous) or garden vegetables as injury may result.

Do not use on turfgrasses other than those listed on the label.

Do not use in greenhouses.

Do not graze or feed treated grass clippings.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. Do not store below 32° F. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.
PESTICIDE CONTAINER DISPOSAL	If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or dispose of in trash.

CONTROL OF SEDGES (INCLUDING NUTSEDGES)

Spray directly on emerged weeds to control or suppress sedges. **Ortho® Nutsedge Killer for Lawns** is effective against newly emerged and established sedges. Good spray coverage is needed for optimum control.

Sedge weed species controlled or suppressed

Common Name	Scientific Name
Kyllinga, green	<i>(Kyllinga brevifolia)</i>
Kyllinga, false green	<i>(Kyllinga gracillima)</i>
Nutsedge, purple*	<i>(Cyperus rotundus)</i>
Nutsedge, yellow	<i>(Cyperus esculentus)</i>
Sedge, globe	<i>(Cyperus globulosus)</i>
Sedge, cylindrical	<i>(Cyperus retrorsus)</i>
Sedge, Surinam	<i>(Cyperus surinamensis)</i>
Sedge, Texas	<i>(Cyperus polystachyos)</i>

*For optimal control of Purple Nutsedge, repeat treatment every 3-4 weeks

CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

Spray directly on newly emerged weeds to control or suppress a wide range of broadleaf weeds.

Broadleaf weeds controlled or suppressed by Ortho® Nutsedge Killer for Lawns

Broadleaves	Scientific Name
Bittercress	(<i>Cardamine spp.</i>)
Black medic	(<i>Medicago lupulina</i>)
Buttercups	(<i>Ranunculus spp.</i>)
Carolina geranium	(<i>Geranium carolinianum</i>)
Carpetweed	(<i>Mollugo verticillata</i>)
Chickweed, common	(<i>Stellaria media</i>)
Chickweed, mouseear	(<i>Cerastium vulgatum</i>)
Cinquefoil	(<i>Potentilla spp.</i>)
Clover	(<i>Trifolium spp.</i>)
Cudweed	(<i>Gnaphalium spp.</i>)
Dandelion	(<i>Taraxacum officianale</i>)
Dock, Curly	(<i>Rumex crispus</i>)
Evening primrose	(<i>Oenothera biennis</i>)
Fiddleneck	(<i>Amsinckia spp.</i>)
Filaree	(<i>Erodium spp.</i>)
Goldenrod	(<i>Solidago spp.</i>)
Ground ivy	(<i>Glechmea hederacea</i>)
Henbit	(<i>Lamium amplexicaule</i>)
Knotweed, prostrate	(<i>Polygonum aviculare</i>)
Kochia	(<i>Kochia scoparia</i>)
Lambsquarters, common	(<i>Chenopodium album</i>)
Lawn burweed	(<i>Soliva pterosperma</i>)
Lespedeza, common	(<i>Lespedeza striata</i>)
Mallow, common	(<i>Malva neglecta</i>)
Parsley piert	(<i>Alchemilla arvensis</i>)
Pennywort (Dollarweed)	(<i>Hydrocotyle spp.</i>)

Pigweed, Redroot	<i>(Amaranthus retroflexus)</i>
Pigweed, Smooth	<i>(Amaranthus hybridus)</i>
Pigweed, Tumble	<i>(Amaranthus albus)</i>
Pineapple weed	<i>(Matricaria matricarioides)</i>
Plantain Broadleaf	<i>(Plantago comanalata)</i>
Plantain, Buckhorn	<i>(Plantago lanceolata)</i>
Plantain, Narrow leaf	<i>(Plantago narrowiforma)</i>
Puncture weed	<i>(Tribulus terrestris)</i>
Purslane, common	<i>(Portulaca oleracea)</i>
Pusley, Florida	<i>(Richardia scabra)</i>
Redweed	<i>(Melochia corchorifolia)</i>
Rocket, London	<i>(Sisymbrium irio)</i>
Smartweed, Pennsylvania	<i>(Polygonum pennsylvanicum)</i>
Sorrel, Red	<i>(Rumex acetosella)</i>
Speedwell	<i>(Veronica spp.)</i>
Spurge (annuals)	<i>(Euphorbia spp.)</i>
Spurge, prostrate	<i>(Euphorbia humistrata)</i>
Spurge, spotted	<i>(Euphorbia maculata)</i>
Spurweed	<i>(Solvia pterosperma)</i>
Star of Bethlehem	<i>(Ornithogalum umbellatum)</i>
Velvetleaf	<i>(Abutilon theophrasti)</i>
Violet, wild	<i>(Viola pratincola)</i>
Wild garlic	<i>(Allium vineale)</i>
Wild onion	<i>(Allium canadense)</i>
Woodsorrel, creeping	<i>(Oxalis corniculata)</i>
Woodsorrel, yellow	<i>(Oxalis stricta)</i>

FIRST AID

IF SWALLOWED	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.

For information regarding the use of this product call 1-800-225-2883.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Keep children and pets out of the treated area until sprays have dried.

ENVIRONMENTAL HAZARDS

This product is toxic to marine/estuarine invertebrates. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy or when heavy rainfall is expected. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not used in accordance with directions.

The ORTHO® Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

ORTHO® Eliminador de juncias para céspedes
Para pastos de céspedes del norte y del sur
Resultados garantizados

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. Respete todas las precauciones y limitaciones en esta etiqueta. Usar el **Eliminador de juncias para céspedes de Ortho®** de manera distinta a la especificada en esta etiqueta podría causar daño a las plantas. Mantenga el envase cerrado para evitar derrames y contaminación.

ESPECIFICACIONES DEL PRODUCTO

ELIMINA	Juncias y malezas de hoja ancha: juncia real (<i>Cyperus rotundus</i>) y juncia avellanada (<i>Cyperus esculentus</i>); Killynga, llantén, trébol, bledo (<i>euphorbia esula</i> L.), oxalis, sanguinaria, álsine, romaza (<i>Rumex crispus</i>), cebolla silvestre, ajo silvestre y otras malezas enumeradas.
APLICAR EN	Pasto de césped bien establecido. Pasto de estación templada: césped agrostis palustris, festuca fina, y festuca alta, raigrás perenne, hierba azul áspera y de Kentucky Pastos de estación cálida: grama bahía, grama Bermuda, césped búfalo, césped alfombra, césped ciempiés, césped kikuyo, grama de agua, grama San Agustín, césped zoysia
COMO USAR	Rocíe directamente sobre la maleza hasta que esté bien cubierta. Algunas malezas pueden necesitar otra aplicación. (Vea las instrucciones detalladas.)
CUANDO USAR	Mientras las malezas estén pequeñas y creciendo activamente.

INFORMACION DEL PRODUCTO

El **Eliminador de juncias para céspedes de Ortho®** controla selectivamente malezas resistentes como la juncia real y juncia avellanada, kyllinga, cebolla y ajo silvestre, llantén mayor, verdolaga, yuyo de raíces coloradas, diente de león, bledo, y otras malezas anuales, bienales y de hoja ancha especificadas a continuación en una gran variedad de céspedes, como:

Pasto de estación templada	
Agrostis palustris	Hierba azul de Kentucky
Festuca alta	Hierba azul áspera
Festuca fina	Raigrás (perenne)
Pasto de estación cálida	
Césped Bermuda	Césped búfalo
Césped San Agustín	Césped bahía
Césped zoysia	Césped kikuyo
Césped alfombra	Césped de agua
Césped ciempiés	

Esta fórmula única mata las malezas rápidamente. El **Eliminador de juncias para céspedes de Ortho®** es absorbido por las hojas y las raíces. La eliminación total debe ocurrir en 2 o 3 semanas. El **Eliminador de juncias para céspedes de Ortho®** también controla a los coquitos en el suelo.

INSTRUCCIONES DE APLICACION Y PRECAUCIONES

Gire y abra la boquilla. Rocíe directamente sobre la maleza hasta que esté bien cubierta. Algunas malezas pueden necesitar otra aplicación (ver instrucciones detalladas a continuación). Espere al menos 4 semanas después del tratamiento antes de volver a sembrar, hacer sobresiembras de invierno o sembrar cepellones de césped.

Para obtener los mejores resultados, aplique en las malezas cuando tengan menos de 7.6 cm de altura.

Evite aplicar cuando está ventoso para prevenir que el producto se escurra a otras plantas.

Trate de evitar superposición del rociado.

No rocíe sobre flores, plantas ornamentales (incluso plantas herbáceas) o verduras de huerta porque podría ocurrir daño.

No aplique sobre céspedes que no estén enumerados en la etiqueta.

No utilice el producto en invernaderos.

No utilice recortes tratados como alimento para animales.

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO DEL PESTICIDA

Evite que el producto se congele. No almacene el producto a temperaturas inferiores a 0° C. Mantenga fuera del alcance de los niños y de los animales. Almacene el producto sólo en su envase original. Almacene el producto en un lugar fresco y seco, preferentemente en un área de almacenamiento bajo llave y evite el calor excesivo. Luego del uso parcial del producto, vuelva a colocar la tapa y cierre con firmeza. No coloque el producto concentrado o diluido en envases de bebidas.

ELIMINACION DEL ENVASE DEL PESTICIDA

Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos. **Si está vacío:** Envase no rellenable. No vuelva a utilizar o llenar este envase. Ofrézcalo para reciclaje si está disponible, o arrójelo a la basura.

CONTROL DE JUNCIAS (INCLUSO JUNCIA AVELLANADA Y JUNCIA REAL)

Rocíe directamente sobre los brotes de las malezas para controlar o suprimir las juncias. El **Eliminador de juncias para céspedes de Ortho®** es efectivo contra juncias recién brotadas y establecidas. Se requiere una buena cobertura de rocío para un control óptimo.

Especies de juncias controladas o suprimidas

Nombre común	Nombre científico
Kyllinga, verde	<i>(Kyllinga brevifolia)</i>
Kyllinga, verde falso	<i>(Kyllinga gracillima)</i>
Juncia real*	<i>(Cyperus rotundus)</i>
Juncia avellanada	<i>(Cyperus esculentus)</i>
Juncia globo	<i>(Cyperus globulosus)</i>
Juncia cilíndrica	<i>(Cyperus retrorsus)</i>
Juncia de Surinam	<i>(Cyperus surinamensis)</i>
Juncia de Texas	<i>(Cyperus polystachyos)</i>

*Para un control óptimo de la juncia real, repita el tratamiento cada 3 a 4 semanas

CONTROL DE MALEZAS DE HOJA ANCHA ANUALES, BIENALES Y PERENNES

Rocíe directamente sobre los retoños de las malezas para controlar o suprimir una amplia gama de malezas de hoja ancha.

Malezas de hoja ancha controladas o suprimidas por el Eliminador de juncias para céspedes de Ortho®

Hojas anchas	Nombre científico
Berro amargo	<i>(Cardamine spp.)</i>
Alfalfa lupulina	<i>(Medicago lupulina)</i>
Ranúnculo	<i>(Ranunculus spp.)</i>
Geranio de Carolina	<i>(Geranium carolinianum)</i>
Verdolaga alfombra	<i>(Mollugo verticillata)</i>
Hierba del cuervo	<i>(Cerastium vulgatum)</i>
Álsine común	<i>(Stellaria media)</i>
Potentilla	<i>(Potentilla spp.)</i>
Trébol	<i>(Trifolium spp.)</i>
Siempreviva	<i>(Gnaphalium spp.)</i>
Diente de león	<i>(Taraxacum officinale)</i>
Romaza	<i>(Rumex crispus)</i>
Primavera nocturna	<i>(Oenothera biennis)</i>
Amsinckia ("Fiddleneck")	<i>(Amsinckia spp.)</i>
Alfilerillo (<i>Erodium cicutarium</i>)	<i>(Erodium spp.)</i>
Vara de oro	<i>(Solidago spp.)</i>
Hiedra terrestre	<i>(Glechmea hederacea)</i>

Ortiga mansa	<i>(Lamium amplexicaule)</i>
Cien nudos	<i>(Polygonum aviculare)</i>
Pinillo	<i>(Kockia scoparia)</i>
Cenizo blanco común	<i>(Chenopodium album)</i>
Cadillo	<i>(Soliva pterosperma)</i>
Lespedeza común	<i>(Lespedeza striata)</i>
Malva común	<i>(Malva neglecta)</i>
Alquimila arvensis	<i>(Alchemilla arvensis)</i>
Acaricoba (Pennywort)	<i>(Hydrocotyle spp.)</i>
Yuyo de raíces coloradas	<i>(Amaranthus retroflexus)</i>
Bledo	<i>(Amaranthus hybridus)</i>
Bledo blanco	<i>(Amaranthus albus)</i>
Piñas de algas	<i>(Matricaria matricarioides)</i>
Llantén mayor	<i>(Plantago comanalata)</i>
Llantén menor	<i>(Plantago lanceolata)</i>
Plántago menor	<i>(Plantago narowiforma)</i>
Tribulo	<i>(Tribulus terrestris)</i>
Verdolaga	<i>(Portulaca oleracea)</i>
Ipecacuana blanca	<i>(Richardia scabra)</i>
Maleza roja	<i>(Melochia corchorifolia)</i>
Matacandil	<i>(Sisymbrium irio)</i>
Persicaria pensilvánica	<i>(Polygonum pensylvanicum)</i>
Amargosa	<i>(Rumex acetosella)</i>
Verónica	<i>(Veronica spp.)</i>
Bledo (anuales)	<i>(Euphorbia spp.)</i>
Bledo rastrero	<i>(Euphorbia humistrata)</i>
Yerba de la golondrina	<i>(Euphorbia maculata)</i>
Hierba de pollo	<i>(Solvia pterosperma)</i>
Estrella de Belén	<i>(Ornithogalum umbellatum)</i>
Abutilón	<i>(Abutilon theophrasti)</i>
Violeta silvestre	<i>(Viola pratincola)</i>
Ajo silvestre	<i>(Allium vineale)</i>
Cebolla silvestre	<i>(Allium canadense)</i>
Vinagrillo	<i>(Oxalis corniculata)</i>
Oxalis amarillo	<i>(Oxalis stricta)</i>

PRIMEROS AUXILIOS

EN CASO DE INGERIR EL PRODUCTO	<ul style="list-style-type: none">• Llame a un centro de control de envenenamientos o a un médico inmediatamente para obtener asesoramiento sobre el tratamiento.• No induzca el vómito, a menos que así se lo indique un médico o un centro de control de envenenamientos.• No administre nada por boca a una persona que haya perdido el conocimiento.
SI EL PRODUCTO ENTRA EN CONTACTO CON LA PIEL O LA ROPA	<ul style="list-style-type: none">• Quítese la ropa contaminada.• Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos.• Llame a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento.
SI EL PRODUCTO ENTRA EN LOS OJOS	<ul style="list-style-type: none">• Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos.• Si usa lentes de contacto, retírelos después de los primeros 5 minutos y, luego, continúe enjuagando los ojos.• Llame a un centro de control de envenenamientos o a un médico para obtener asesoramiento sobre el tratamiento.
NUMERO PARA EMERGENCIAS	Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-225-2883 para obtener información sobre el tratamiento médico de emergencia.
Para obtener información sobre el uso de este producto, llame al 1-800-225-2883.	

AVISOS DE PRECAUCION

RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Causa irritación moderada a los ojos. El producto es nocivo si se ingiere, se inhala o entra en contacto con la piel. Evite inhalar el vapor o el rociado del atomizador. Evite el contacto con la piel, los ojos y la ropa. Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. Mantenga a los niños y a las mascotas fuera del área tratada hasta que el rociado se haya secado.

RIESGOS AMBIENTALES

Este producto es tóxico para los invertebrados marinos o de estuarios. No aplique el producto directamente sobre o cerca de agua, drenajes de tormenta o zanjas de drenaje. No aplique el producto cuando haya viento o se espera una fuerte lluvia. El producto se debe aplicar con cuidado para no afectar a los peces y a las mascotas reptiles que se encuentran dentro o cerca de los estanques ornamentales.

NOTA: Conforme a los límites de la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones correspondientes.

La Garantía de ORTHO®

Si por algún motivo, usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante original de compra para recibir el reembolso total del precio de compra.