



ROSE & FLOWER

INSECT & DISEASE CONTROL

CONCENTRATE CONTROL DE INSECTOS Y
ENFERMEDADES EN ROSAS Y FLORES

**DUAL ACTION: CONTROLS
LISTED INSECTS & DISEASES
IN ONE EASY STEP**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel booklet for additional
precautionary statements.

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION

Consulte el folleto del panel posterior para
conocer los avisos de precaución adicionales.

**FOR RESIDENTIAL INDOOR & OUTDOOR USE SITES ONLY
NOT FOR COMMERCIAL PRODUCTION**

Active Ingredient

Acetamiprid	0.26%
Triticonazole	0.78%
Other Ingredients	98.96%
Total	100.00%

FPO

LB2327

NET CONTENTS/CONTENIDO NETO 32 fl oz (946 ml)





ROSE & FLOWER

INSECT & DISEASE CONTROL

CONCENTRATE CONTROL DE INSECTOS Y
ENFERMEDADES EN ROSAS Y FLORES

OPEN
Resealable
Label for
Directions &
Precautions
Español ver
página 5

Protects for up to 4 Weeks

SYSTEMIC CONTROL OF 116 LISTED PESTS



Aphids



Japanese Beetles



Black Spot



Rust



Powdery Mildew

WHERE TO USE



Roses



Flowers



Shrubs



Trees

HOW TO APPLY



Ortho® Dial 'N' Spray® Applicator



Tank Sprayer

WHEN TO APPLY

Apply as soon as insect and disease problems are noticed.



Questions, Comments or Medical Information
Preguntas, comentarios o información médica
1-800-225-2883 www.ortho.com

FPO

0 71549 99011 4
1005

©2013 The ORTHO Group.
World rights reserved.
Sold by **The ORTHO Group**
P.O. Box 190
Marysville, OH 43040

FPO
LB2326

EPA Reg. No. 8033-108-239
EPA Est. No. 239-1A-31,
58996-MO-1A, 085652-OH-1W,
239-MS-001M
Superscript is first letter of lot number.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

- For indoor and outdoor residential use sites only. Not for commercial production.
- Do not apply this product in a way that the spray will contact persons, either directly or through drift.
- Keep children and pets out of treated areas until sprays have thoroughly dried.
- When applying outdoors:
 - Do not apply if wind speed exceeds 10 mph.
 - Always stand "up wind" when applying this product.

HOW TO APPLY	Tank Sprayer Shake container gently before using. Mix 3 fl oz of product per gallon of water. • Hold sprayer 8 to 12 inches from the area to be treated. • Direct spray toward the upper and lower leaf surfaces and stems where the pests appear. Spray only until the surface of the foliage is wet. Ortho® Dial 'N Spray® Applicator Shake container gently before using. • Set dial to 3 fl oz. • Pour product into jar to full or one-half full. • DO NOT add water. • Attach hose to the sprayer. • Hold sprayer 8 to 12 inches from the area to be treated. • Direct spray toward the upper and lower leaf surfaces and stems where the pests appear. • Spray only until the surface of the foliage is wet. Pour unused product back into its original container. Do not use Ortho® Dial 'N Spray® Applicator indoors
Ortho® Dial 'N Spray® with Direct Connect 	
PREPARE APPLICATOR	• Set dial to 3 fl oz.
	• Remove cap from the concentrate bottle. Keep cap for storage. • Insert suction tube into bottle opening and twist the Ortho® Dial 'N Spray® applicator onto bottle to attach. • Connect hose to the sprayer and turn on water.
SPRAY	• Hold 8 to 12 inches from the area to be treated. • Direct spray toward the upper and lower leaf surfaces and stems where the pests appear. • Spray only until the surface of the foliage is wet.
	• After use, untwist to remove the Ortho® Rose & Flower Insect & Disease Control Concentrate bottle from the Ortho® Dial 'N Spray® applicator. • Replace cap on the Ortho® Rose & Flower Insect & Disease Control Concentrate bottle.
Important: To prevent sprayer from clogging, always clean after use as directed.	
WHEN TO APPLY	Apply as soon as insect and disease problems are noticed. Wait 2 to 4 weeks to re-apply if insect and disease problems reappear. Do not apply more than 5 times in a season.

GARDENS

TO KILL THESE INSECTS

Aphids (including Green Peach, Wooly, Melon, and Cotton), Army Worms (including Fall Army Worm, and Southern Army Worm), Banded Grape Bug, Beetles (including Bean Leaf Beetle, Colorado Potato Beetle, Flea Beetle, Japanese Beetle, Mexican Bean Beetle and Oriental Beetle), Cucumber Beetle (including Spotted, Striped and Western Striped), Bollworm, Borers (including Dogwood Borer, European Corn Borer, Peach Twig Borer and Squash Vine Borer), Budworm (including Tobacco Bud Worm), Caterpillars (including Red Humped Caterpillar, Tomato Fruitworm, and Cabbage Looper), Rose Chafer, Plum Curculio, European Chafer, European Pine Sawfly, Filbertworm, Flea Hopper, Fruit Fly (including Cherry, Black Cherry and Western Cherry), Western Grapeleaf Skeletonizer, Hickory Shuckworm, Hornworms, Katydid, Phylloxera (aerial form only), Leafhoppers (including Glassy Wing Sharpshooter and Potato Leaf Hopper), Leaf Miners (including Chrysanthemum, Citrus, and Tentiform), Lesser Apple Worm, Apple Maggot, Mealybugs (including Citrus, Grape, Obscure, Longtail, Pink Hibiscus, and Maderia), Melonworm, Moths (including Codling, Diamondback Moth, Gypsy Moths and Oriental Fruit Moth), Navel Orangeworm, Pecan Nut Casebearer, Pickleworm, Plantbugs (including Tarnished, and Mullein Plant Bug), Psyllids, European Apple Sawfly, Scale (including Asian Cycad Scale, Caribbean Black Scale, California Red Scale, Citricola Scale, Cottony Maple Scale, Euonymus Scale, Fletcher Scale, Florida Wax Scale, Green Shield Scale, Indian Wax Scale, Oyster Shell Scale, Pine Needle Scale, Red Scale, San Jose Scale and Tea Scale), Squash Bug, Stinkbug, Swede Midge, Thrips (including Citrus, Cotton, Palm, and Western Flower), Weevils (including Pecan Weevil, Pepper Weevil and Strawberry Weevil), Whiteflies (including Greenhouse, Sweet Potato, Silverleaf, Banded and Giant)

TO TREAT THESE DISEASES: Black spot, Powdery Mildew, Rust, Leaf spots, Anthracnose

ON THESE PLANTS: Ornamentals, Roses, Flowers, Trees, Shrubs

USE THIS AMOUNT: 3 fl oz per gallon. Ortho® Dial 'N Spray® setting is 3 fl oz

HOUSEPLANTS

TO KILL THESE INSECTS

Aphids (including Green Peach, Rose, Wooly Melon, Black Melon, and Cotton), Army Worms (including Fall Army Worm and Southern Army Worm), Caterpillars (including Red Humped Caterpillar, Tomato Fruitworm and Cabbage Looper), Flea Hopper, Fruit Fly (including Cherry, Black Cherry and Western Cherry), Leafhoppers (including Glassy Wing Sharpshooter and Potato Leaf Hopper), Leaf Miners (including Chrysanthemum, Citrus and Tentiform), Mealybugs (including Citrus, Grape, Obscure Grape, Obscure Longtail, Pink Hibiscus and Maderia), Moths (including Codling, Diamondback Moth, Gypsy Moths and Oriental Fruit Moth), Plantbugs (including Tarnished and Mullein Plant Bug), Psyllids, Swede Midge, Thrips (including Onion, Citrus, Cotton, Palm and Western Flower), Weevils (including Pecan Weevil, Pepper Weevil and Strawberry Weevil), Whiteflies (including Greenhouse, Sweet Potato, Silverleaf, Banded and Giant)

TO TREAT THESE DISEASES: Black spot, Powdery Mildew, Rust, Leaf spots, Anthracnose

ON THESE PLANTS: Houseplants

USE THIS AMOUNT: 3 fl oz of product per gallon of water

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place; preferably in a locked storage area.
PESTICIDE DISPOSAL	Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if absorbed through skin, if inhaled or swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF ON SKIN	• Take off contaminated clothing.
	• Rinse skin immediately with plenty of water for 15-20 minutes.
IF INHALED	• Call a poison control center or doctor for treatment advice.
	• Move person to fresh air.
IF SWALLOWED	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	• Call a poison control center or doctor for further treatment advice.
IF IN EYES	• Call a poison control center or doctor immediately for treatment advice.
	• Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	• Do not give anything by mouth to an unconscious person.
	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes then continue rinsing.
	• Call a poison control center or doctor for treatment advice.

For MEDICAL emergencies, Call 24 Hours a Day **1-800-225-2883**
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.

NOTE TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

NOTICE: To the extent allowed by law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

THE ORTHO® GUARANTEE: If for any reason you, the consumer, are not satisfied with this product, mail us original proof of purchase to obtain a full refund of your purchase price.

**ORTHO® Control de Insectos y
Enfermedades en Rosas y Flores
Concentrado**

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

RESTRICCIONES DE USO

- Para uso residencial en exteriores e interiores solamente. No para la producción comercial.
- No aplique este producto de forma que el rociado entre en contacto con las personas, ya sea directamente o a través del filtrado.
- Mantenga a los niños y mascotas lejos del área tratada hasta que el rociado se haya secado por completo.
- Cuando aplique en exteriores:
 - No aplique si el viento excede los 16km/h.
 - Siempre párese de espaldas al viento cuando aplique este producto.

COMO APLICAR	Atomizador tipo tanque Agite el envase suavemente antes de usar. • Mezcle 90 ml del producto por cada 3.8 litros de agua. • Mantenga el rociador a una distancia de 20 a 25 cm del área que desea tratar. • Dirija el rociado hacia las superficies inferiores y superiores de las hojas y tallos donde aparecen los insectos. • Rocíe únicamente hasta que esté mojada la superficie del follaje. Aplicador Ortho® Dial 'N Spray® Agite el envase suavemente antes de usar. • Coloque el disco selector en 3 fl oz. • Vierta el producto en el recipiente hasta llenarlo o hasta la mitad. • NO agregue agua. • Conecte la manguera al rociador. • Mantenga el rociador a una distancia de 20 a 25 cm del área que desea tratar. • Dirija el rociado hacia las superficies inferiores y superiores de las hojas y tallos donde aparecen los insectos. • Rocíe únicamente hasta que esté mojada la superficie del follaje. El producto no utilizado debe verterse nuevamente en el envase original. No use el aplicador Ortho® Dial 'N Spray® en interiores
Ortho® Dial 'N Spray® con conexión directa	
PREPARAR EL APLICADOR	• Coloque el disco selector en 3 fl oz.
	• Destape el envase de concentrado. Conserve la tapa para almacenar el producto. • Inserte el tubo de succión en la abertura del envase y gire el aplicador Ortho® Dial 'N Spray® sobre el envase para conectarlo. • Conecte la manguera al rociador y abra el paso de agua.

(continúa)

ROCIAR	• Mantenga el rociador a una distancia de 20 a 25 cm del área que desea tratar. • Dirija el rociado hacia las superficies inferiores y superiores de las hojas y tallos donde aparecen los insectos. • Rocíe únicamente hasta que esté mojada la superficie del follaje.
 FINALIZAR	• Luego de usar, desenrosque el aplicador Ortho® Dial 'N Spray® para retirarlo del envase de concentrado Ortho® Control de Insectos y Enfermedades en Rosas y Flores. • Vuelva a tapar el envase de concentrado Ortho® Control de Insectos y Enfermedades en Rosas y Flores.
Importante: Para evitar que el rociador se obstruya, límpielo después de cada uso según las instrucciones.	
CUANDO APLICAR	Aplique en cuanto note problemas con insectos o enfermedad. Espere entre 2 y 4 semanas para aplicar nuevamente si reaparecen los problemas de insectos o enfermedad. No haga más de 5 aplicaciones por temporada.

JARDINES

PARA ELIMINAR ESTOS INSECTOS

Afidos (incluidos el verde del durazno, el lanoso, el del melón y el algodonoso), gusanos del ejército (incluidos del ejército del otoño y del ejército del sur), insectos de la vid con bandas, escarabajos (incluidos el escarabajo de la hoja del frijol, el escarabajo de la papa de Colorado, el escarabajo pulga, el escarabajo japonés, el escarabajo mexicano del frijol y el escarabajo oriental), escarabajos del pepino (incluidos el manchado, el rayado y el rayado del oeste), larvas de polilla, barrenadores (incluidos del cornejo, del maíz europeo, del peral y de la calabaza), cogolleros (incluido el cogollero del tabaco), orugas (incluidas la oruga roja jorobada, el gusano del tomate y el gusano falso medidor), gusarapos de la rosa, curculios de la ciruela, gusarapo europeo, tentredinidos del pino europeo, Cydia latiferreana, pulga saltarina, mosca de la fruta (incluidas del cerezo, del cerezo negro y del cerezo del oeste), esqueletizador de la hoja de la uva del oeste, barrenadores del ruezno, gusanos de cuerno, cigarra, filoxeras (sólo la forma aérea), cicadélidos (incluidos homalodisca coagulata y cicadélido de la papa), barrenadores de hojas tentiformes (incluidas los de crisantemos, de cítricos y tentiformes), gusanos del manzano pequeño, gusanos de la manzana, cochinillas harinosas (incluidas las de cítricos, de uvas, las oscuras, las de cola larga, las rosadas y las de Madeira), gusano del melón, polillas (incluidas la carpocapsa, la polilla dorso de diamante, la polilla gitana y la polilla de la fruta oriental), gusanos naranja de ombligo, gusanos barrenador de la nuez, gusanos barrenador del fruto, gorgojos de huerta (incluidas chinches lygus y gordobolo), psílidos, mosca de sierra de la manzana europea, cochinillas (incluidas la cochinilla asiática de Cycad, cochinilla negra caribeña, cochinilla roja de California, cochinilla citricola, cochinilla algodonosa del arce, cochinilla del evónimo, cochinilla Fletcher, cochinilla de la cera de Florida, cochinilla de caparazón verde, cochinilla de la cera de la India, cochinillas concha de ostra, cochinillas de agujas de pino, cochinillas rojas, cochinilla de San José y cochinilla Tea), chinches de la calabaza, pentatómidos,

mosquito de la col, trips (incluidos de cítricos, del algodón, de la palmera y de la flor del oeste), gorgojos (incluidos gorgojo de la nuez pacana, gorgojo del pimiento y gorgojo de la fresa), moscas blancas (incluidas de invernadero, de la patata dulce, de hoja plateada, con bandas y la gigante)

PARA TRATAR ESTAS ENFERMEDADES: Mancha negra, mildiú polvoroso, roya, manchas de la hoja, antracnosis

EN ESTAS PLANTAS: Rosas, flores, árboles, arbustos y plantas ornamentales

USE ESTA CANTIDAD: 90 ml por 3.8 litros. La posición del Ortho® Dial 'N Spray® es 3 fl oz

PLANTAS PARA INTERIORES

PARA ELIMINAR ESTOS INSECTOS

Áfidos (incluidos el verde del durazno, el de la rosa, el del melón lanoso, el del melón negro y el algodonoso), gusanos del ejército (incluidos del ejército del otoño y del ejército del sur), orugas (incluidas la oruga roja jorobada, el gusano del tomate y el gusano falso medidor), pulga saltarina, mosca de la fruta (incluidas del cerezo, del cerezo negro y del cerezo del oeste), cicadas (incluidas la homalodisca coagulata y la de la hoja de la patata), cochinillas harinosas (incluidas las de cítricos, de uvas, las oscuras, las de cola larga, las rosadas y las de Madeira), polillas (incluidas la carpocapsa, la polilla dorso de diamante, la polilla gitana y la polilla de la fruta oriental), gorgojos de huerta (incluidas chinches fygos y gordobolo), psílidos, mosquillas, trips (incluidos de cebolla, cítricos, del algodón, de la palmera y de la flor del oeste), gorgojos (incluidos gorgojo de la nuez pacana, gorgojo del pimiento y gorgojo de la fresa), moscas blancas (incluidas de invernadero, de la patata dulce, de hoja plateada, con bandas y la gigante)

PARA TRATAR ESTAS ENFERMEDADES: Mancha negra, mildiú polvoroso, roya, manchas de la hoja, antracnosis

EN ESTAS PLANTAS: Plantas para interiores

USE ESTA CANTIDAD: 90 ml de producto por 3.8 litros de agua

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO DEL PESTICIDA	Evite que el producto se congele. Mantenga el pesticida en su envase original. No lo coloque en envases de comidas o bebidas. Evite la contaminación de comestibles y alimentos para animales. Almacene el producto en un lugar fresco y seco, preferentemente en un área de almacenamiento bajo llave.
ELIMINACION DEL PESTICIDA	Envase no rellenable. No vuelva a utilizar o llenar este envase. Si está vacío: Colóquelo en la basura o recíclalo, si corresponde. Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISOS DE PRECAUCION

PRECAUCION

RIESGOS PARA SERES HUMANOS Y ANIMALES DOMESTICOS

Es nocivo si se absorbe a través de la piel, si se inhala o se traga. Causa irritación moderada de los ojos. Evite el contacto con la piel, los ojos o la ropa. Evite respirar el vapor del rocío. Lávese bien con agua y jabón después de manipular y antes de comer, beber, masticar chicle, usar tabaco, o usar el baño. Quítese y lave la ropa contaminada antes de volver a usarla. El contacto prolongado o repetido puede causar reacciones alérgicas en algunos individuos.

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LA PIEL	• Quite la ropa contaminada. • Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir consejos sobre el tratamiento.
EN CASO DE INHALAR	• Traslade a la persona a un lugar con aire fresco. • Si no respira, llame al 911 o a una ambulancia, luego realice respiración artificial, de boca a boca, de ser posible. • Llame a un centro de control de envenenamientos o a un médico para obtener más consejos sobre el tratamiento.
EN CASO DE INGERIR	• Llame a un médico o a un centro de control de envenenamientos inmediatamente para obtener consejos sobre el tratamiento. • Si la persona puede tragar, haga que beba poco a poco un vaso de agua. • No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos. • No administre nada por la boca a una persona que haya perdido el conocimiento.
SI ENTRA EN LOS OJOS	• Mantenga el ojo abierto y enjuague lentamente y con cuidado con agua por 15 a 20 minutos. • Sáquese los lentes de contacto, si usa, después de los primeros 5 minutos y continúe enjuagando. • Llame al centro de control de envenenamientos o al médico para obtener consejos sobre el tratamiento.

Para emergencias MEDICAS, llame las 24 horas del día al **1-800-225-2883**

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto. También puede llamar al 1-800-225-2883 para información de tratamiento médico de emergencia.

ADVERTENCIA PARA EL MÉDICO: No existe un antídoto específico. Todos los tratamientos deben estar basados en los signos y síntomas de descompostura observados en el paciente. Puede haber ocurrido una exposición a otros materiales además de los de este producto.

RIESGOS AMBIENTALES

Para proteger el medio ambiente, no permita que el pesticida ingrese o discurra a desagües de tormenta, zanjas de drenaje, canalones o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las próximas 24 horas, asegurará que el viento o la lluvia no vuelen o laven el pesticida del área de tratamiento. Enjuagar el equipo de aplicación en la zona tratada evitará que el producto se escurra a cuerpos de agua o sistemas de drenaje. Este pesticida es tóxico para animales y plantas silvestres. Este producto es tóxico para las abejas expuestas al tratamiento de manera directa. No aplique este producto mientras las abejas visitan activamente el área tratada.

RIESGOS FÍSICOS O QUÍMICOS: No aplique este producto sobre equipos eléctricos porque puede recibir una descarga eléctrica.

NOTA: En la medida que la ley lo permita, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones correspondientes.

La Garantía ORTHO®: Si por algún motivo, usted, el consumidor, no está satisfecho con este producto, envíenos el comprobante original de compra por correo para recibir el reembolso total del precio de compra.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if absorbed through skin, if inhaled or swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF ON SKIN	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes then continue rinsing. • Call a poison control center or doctor for treatment advice.

For MEDICAL emergencies, Call 24 Hours a Day **1-800-225-2883**
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.

NOTE TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

NOTICE: To the extent allowed by law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

THE ORTHO® GUARANTEE: If for any reason you, the consumer, are not satisfied with this product, mail us original proof of purchase to obtain a full refund of your purchase price.

 **Questions, Comments or Medical Information**
Preguntas, comentarios o información médica
1-800-225-2883 **www.ortho.com**

©2013 The ORTHO Group.
World rights reserved.
Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 8033-108-239
EPA Est. No. 239-1A-31, 58996-MO-1A,
085652-OH-1W, 239-MS-001M
Superscript is first letter of lot number. LB2326

PRESS TO RESEAL

PRESIONE PARA VOLVER A CERRAR