



## On Time

### Metered Insecticide

**KILLS: FLIES, MOSQUITOES AND GNATS -**

This time released aerosol is to be used in commercial food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants, schools

**ACTIVE INGREDIENTS (CAS#):**

Pyrethrins (8003-34-7).....	0.90%
*Piperonyl butoxide, Technical (51-03-6).....	1.80%
**N-Octyl bicycloheptene dicarboximide (113-48-4) ..	3.00%
***OTHER INGREDIENTS.....	94.30%
	100.00%

\*Equivalent to 1.44% (butylcarbityl) (6-propylpiperonyl) ether and 0.36% related compounds.

\*\*MGK® 264, Insecticide Synergist

\*\*\*Contains petroleum distillate (64742-47-8), Propane (74-98-6)  
PYROCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See Additional Precautionary Statements on Back Panel

**NET WT. 6.5 OZ. (184 g)**

QuestVapco Corporation  
P.O. Box 624 • Brenham, TX 77834  
Houston, TX • St. Louis, MO

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Do not get in eyes or on skin.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### FIRST AID

##### If Inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

##### If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

##### If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

##### If swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give ANY liquid to the person.
- Do not give anything by mouth to an unconscious person.

**Have the product container or label with you when calling a poison control center or doctor, or going for treatment.**

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

For product emergency, contact 800-255-3924.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL APPLICATION RESTRICTIONS:** Do not use in nurseries or rooms where infants, the ill or aged persons are confined. In commercial food handling facilities, cover or remove exposed food.

Do not install directly above or within 12 feet of any food handling or food serving area. Metering devices must be timed not to dispense while food processing is underway. All food processing surfaces must be covered during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. Do not install within three feet of air ducts. Do not use in public places while customers or workers are present. Timers must be set to dispense only during non business hours. Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance. Cover or remove fish bowls and aquariums when in use.

**TO INSTALL:** Do not install directly above or within 12 feet of any food handling or food dispensing area. Install at a distance of seven (7) feet from the floor and where air currents will carry spray throughout room. One unit will treat up to 6,000 cubic feet of air space (a room 30 x 20 x 10) for 30 days, 24 hours a day.

**TO OPERATE:** Remove protective cap and place can in dispenser. Turn on dispenser. The automatic dispenser will dispense 100 mg. of insecticide every 15 minutes. Its effectiveness will be

noticeable one hour after activation.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry place. Keep container closed. **DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For MSDS or additional product information: [www.questvapco.com](http://www.questvapco.com)

EPA Reg. No. 44446-56  
EPA Est. No. 44446-TX-1

HEALTH	2
FLAMMABILITY	2
REACTIVITY	1
PERSONAL	A



ITEM 432000001

Made in USA