hands before eating, drinking, chewing gum, using tobacco or using toilet.

FIRST AID If swallowed: Call a Poison Control Center or immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye

If you suspect a reaction to this product clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice

Have the product label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information in case of emergency call toll free

Note to Physician: Probable mucosal damage may contraindicate the use of pastric

applicable law, buyer assumes all responsibility for safety and use not in

Call 1-888-880-1181 or visit our website at www.repel.com

Made in China Manufactured for WPC Brands Inc. PO Box 4406, Bridgeton, MO 63044-0406 EPA Reg. No. 305-30

EPA Est. No. 81838-CHN-1 17-13615 @ 2010



Active Ingredient: Other Ingredients.....1.89%

WARNING Peel open label for precautions. Net 0.475 fl oz (14.0 mL)

PEEL OPEN BEFORE USE

# DIRECTI

it is a vio

manner inconsistent with its latering. Head and folio directions and pretautions on this product label.

organions and precamons on the product above.

Apply over all exposed skin to repel masquitose, ticks
untan first. Use its event repelled to the exposed
and strained to the exposed services of the same
and strained to the exposed services of the same
exposed strained to the exposed services of the same
exposed strained. Do not stray directly the same it ask for

at National District Services (Notice Services)

From the Services of the Serv

observation. Direct assistance of the process of inflate skip, the continuous of inflate skip, the continuous of the process o

After returning indoors, wash treated skin with soap and water. Wash fireated clothing before wearing it again. Do not apply to synthetic fabrics such as acetate, rayon or spandex. Will not damage cotton, wool and ny

damage furniture firrishes, leather, plastics, painted and varnished surfaces, including watch crystals, guns, bows and automobiles. Allow repellent to dry before handling bow or gun stock.

# STORAGE AND DISPOSAL

PESTICIDE STORAGE. Store this product in a cool, dry place, that is inaccessible to children. CONTAINER DISPOSALE. Do Not Production of Inconeate II empty. Nonrefilable container. Do not reuse or refil this container. Other for respoint, if available. It partly filled Call your local sold waste abort for disposal instructions. Never place and waste abort for disposal instructions. Never place to the container of the container of the container.

# PRECAUTIONARY STATE

Hazards to Humans and Domestic Animal

WARNING. Causes substantial but temporary eye injury Do not get in eyes. Harmful if swallowed. Use of this product may cause skin reactions in rare cases. Wash





# PRUTECTS 10 HOURS

REPELS MOSQUITOES, TICKS, GNATS, BITING FLIES, CHIGGERS & FLEAS

Active Ingredient:

DEET.......98.11%

Other Ingredients...1.89%

KEEP OUT OF REACH

OF CHILDREN

WARNING See back panel for precautions.

Net 0.475 fl oz (14.0 mL)

**FOR SEVERE CONDITIONS** 

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label. Apply over all exposed skin to repel mosquitoes, ticks and biting flies. Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Do not spray in enclosed areas. Do not spray directly on face. If used on the face, spray on hands first, then apply sparingly to face and ears. Do not apply near eyes and mouth. Avoid overapplication. Do not apply over cuts, wounds or irritated skin. Do not allow children to handle this product. When using on children, apply to your own hands and then put it on the child. Do not apply to children's hands.

- For use on outer surfaces of clothing: Spray shirts, pants and hats. For ticks chiquers and fleas, apply to tops of socks and around openings of outer clothing.
- After returning indoors, wash treated skin with soap and water. Wash treated clothing before wearing it again.
- Do not apply to synthetic fabrics such as acetate, rayon or spandex. Will not damage cotton, wool and nylon. May damage furniture finishes, leather, plastics, painted and varnished surfaces, including watch crystals, guns, bows and automobiles. Allow repellent to dry before handling bow or gun stock.

### STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in a cool, dry place that is inaccessible to children.

CONTAINER DISPOSAL: Do Not Puncture or Incinerate! If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed. Use of this product may cause skin reactions in rare cases. Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.

#### FIRST AID

#### If swallowed:

- Call a Poison Control Center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
- Do not give anything by mouth to an unconscious person.

 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

#### If you suspect a reaction to this product:

- Discontinue use.
- · Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a Poison Control Center or doctor for treatment advice.

Have the product label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information in case of emergency call toll free 1-888-880-1181.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. Questions or Comments? Call 1-888-880-1181 or visit our website at

www.repel.com

Manufactured for WPC Brands, Inc. PO Box 4406 Bridgeton, MO 63044-0406

Made in China

EPA Rea. No. 305-30 EPA Est. No. 81838-CHN-1 18-6732 @ 2010

PROOF OF PURCHASE

FPO LIPC 0 11423 94098 9